

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|---|-----------|
| 1045 | 176 | Single acting stainless steel pneumatic pump, ratio 1:1 suitable for 60 l drums. EPDM seals | €470,00 |
| 1049 | 176 | Single acting stainless steel pneumatic pump, ratio 3:1. EPDM seals | €360,00 |
| 1050 | 176 | Single acting stainless steel pneumatic pump, ratio 3:1 suitable for 208 l drums. EPDM seals | €388,00 |
| 1052 | 180 | Stainless steel electric gear pump 12Vdc | €320,00 |
| 1053 | 180 | Stainless steel electric gear pump 12Vdc - Pressure 4 bar | €360,00 |
| 1054 | 180 | Stainless steel electric gear pump 24Vdc | €320,00 |
| 1055 | 180 | Stainless steel electric gear pump 24Vdc - Pressure 4 bar | €360,00 |
| 1056 | 180 | Stainless steel electric gear pump 230 Vac - Pressure 4 bar | €420,00 |
| 1058 | 51 | Stainless steel pneumatic rotary pump. Flow rate 10.5 l/min | €240,00 |
| 1064 | 180 | Pneumatic double diaphragm pump, body and seats in stainless steel AISI 316, for fluids or chemicals - Atex 94/9/EC certified, zones 1 and 2. Flow rate 50 l/min. | €1.400,00 |
| 1065 | 180 | Pneumatic double diaphragm pump, body and seats in stainless steel AISI 316, for fluids or chemicals - Atex 94/9/EC certified, zones 1 and 2. Flow rate 100 l/min. | €2.500,00 |
| 1066 | 180 | Pneumatic double diaphragm pump, body and seats in stainless steel AISI 316, for fluids or chemicals - Atex 94/9/EC certified, zones 1 and 2. Flow rate 160 l/min. | €2.600,00 |
| 1071 | 176 | Single acting stainless steel pneumatic pump, ratio 1:1, EPDM seals, complete with plastic telescopic suction pipe L. max 1000 mm. With bottom valve | €490,00 |
| 1072 | 176 | Single acting stainless steel pneumatic pump, ratio 1:1, EPDM seals, complete with stainless steel suction pipe l. 1000 mm. With bottom valve | €588,00 |
| 1079 | 177 | Stainless steel pneumatic pump, Power Bull series, ratio 4:1, PTFE seals. Flow rate 35 l/min | €1.008,00 |
| 1081 | 177 | Stainless steel pneumatic pump, Power Bull series, ratio 8:1, PTFE seals. Flow rate 30 l/min | €1.320,00 |
| 1082 | 177 | Stainless steel pneumatic pump, Power Bull series, ratio 12:1, PTFE seals. Flow rate 27 l/min | €1.638,00 |
| 1083 | 177 | Stainless steel pneumatic pump, Power Bull series, ratio 16:1, PTFE seals. Flow rate 15 l/min | €1.820,00 |
| 1085 | 177 | Stainless steel pneumatic pump, Power Bull series, dissociated version, compression ratio 8:1, PTFE seals. Flow rate 30 l/min | €1.620,00 |
| 1104 | 178 | Stainless steel suction rigid pipe for pneumatic pump. Length 950 mm | €140,00 |
| 1104/07 | 178 | Stainless steel suction rigid pipe for pneumatic pump. Length 650 mm | €130,00 |
| 1104/12 | 178 | Stainless steel suction rigid pipe for pneumatic pump. Length 1200 mm | €160,00 |
| 1104/15 | 178 | Stainless steel suction rigid pipe for pneumatic pump. Length 1500 mm | €160,00 |
| 1106 | 178 | Plastic suction pipe l. 650 - 950 mm - for wall mounted pumps | €38,00 |
| 1107 | 59 | Stainless steel swivel adapter for oil gun M+M 1/2" BSP | €36,00 |
| 1108 | 178 | Non-return valve in stainless steel, Ø 1/2" BSP, for in-line installations | €60,00 |
| 1109 | 178 | Stainless steel AISI 304 swivel adapter, MM ø 3/4" x 1/2" BSP | €40,00 |
| 1110 | 178 | Stainless steel AISI 304 swivel adapter, M ø 3/4" x PTG 20 mm | €38,00 |
| 1111 | 178 | Stainless steel AISI 316 adapter, M ø 3/4" x PTG 20 mm | €14,00 |
| 1112 | 178 | Stainless steel AISI 316 adapter, M ø 1/2" x PTG 20 mm | €12,00 |
| 1113 | 178 | Stainless steel AISI 316 quick connection, F ø 1/2" BSP | €58,00 |
| 1114 | 178 | Stainless steel AISI 316 quick connection, M ø 1/2" BSP | €24,00 |
| 1150 | 91 | Stainless steel AISI 303 air separator device for air-operated pump | €490,00 |
| 1151 | 91 | Stainless steel AISI 303 air separator device for 12 Vdc pump | €530,00 |
| 1152 | 91 | Stainless steel AISI 303 air separator device for 230 Vac pump | €530,00 |
| 1312 | 175 | Windshield washer fluid dispensing kit - wall mounted - with pneumatic pump 1:1 | €796,00 |
| 1313 | 175 | Windshield washer fluid dispensing unit with self-supporting cabinet | €960,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|--------|-----|---|---------|
| 187005 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 0.5 m. | €24,00 |
| 18701 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 1 m. | €24,00 |
| 187015 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 1.5 m. | €28,00 |
| 18702 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 2 m. | €32,00 |
| 18703 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 3 m. | €42,00 |
| 18705 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 5 m. | €70,00 |
| 18710 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 10 m. | €124,00 |
| 18715 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 15 m. | €164,00 |
| 18720 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 20 m. | €228,00 |
| 18725 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 25 m. | €266,00 |
| 18730 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 30 m. | €314,00 |
| 18735 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 35 m. | €366,00 |
| 18740 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 40 m. | €398,00 |
| 18750 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 50 m. | €510,00 |
| 18760 | 229 | Flexible hose Ø 1/2" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 1/2" bop. Length 60 m. | €596,00 |

| | | | |
|--------|-----|---|---------|
| 189005 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 0.5 m. | €36,00 |
| 18901 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 1 m. | €40,00 |
| 189015 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 1.5 m. | €52,00 |
| 18902 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 2 m. | €56,00 |
| 18903 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 3 m. | €66,00 |
| 18910 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 10 m. | €148,00 |
| 18912 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 12 m. | €184,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|----------|----------------------|--|---------|
| 18915 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 15 m. | €224,00 |
| 18920 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 20 m. | €278,00 |
| 18925 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 25 m. | €292,00 |
| 18930 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 30 m. | €424,00 |
| 18935 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 35 m. | €496,00 |
| 18940 | 229 | Flexible hose Ø 3/4" for water model CASER - stain proof, EPDM seals, T.max 110°C, W.P. 15 bar B.P. 30 bar , brass couplings FF Ø 3/4" bop. Length 40 m. | €550,00 |
| 1955 | - | Electronic oval gears flow meter - stainless steel body - with 24 Vdc -solenoid valve | €714,00 |
| 2012 | 45 | Air operated pump for high viscosity oils - "Tapir" range - compression ratio 6:1 - for 208 l drums | €620,00 |
| 2013 | 45 | Air operated pump for high viscosity oils - "Tapir" range - compression ratio 2:1 - for 208 l drums | €510,00 |
| 2014 | 45 | Air operated pump for high viscosity oils - "Tapir" range - compression ratio 5:1 - double acting - with hose and wall bracket | €530,00 |
| 2015 | 45 | Air operated pump for high viscosity oils - "Tapir" range - compression ratio 5:1 - for 208 l drums | €520,00 |
| 2016 | 45 | Air operated pump for high viscosity oils - "Tapir" range - compression ratio 6:1 - double acting - with hose and wall bracket | €712,00 |
| 2020 | 41 | Air operated oil pump - compression ratio 3:1 - double acting - for 208 l drums | €250,00 |
| 2020TWDE | 43 | Air operated oil pump with double distributor - compression ratio 3:1 - double acting - for 208 l drums | €292,00 |
| 2020130 | 41 | Air operated oil pump - compression ratio 3:1 - double acting. Length shank 130 cm for 1000 l IBC | €286,00 |
| 2023 | 44 | Pneumatic kit for oil dispensing - 208 l drums - with air separator approved according to OIML R117-1 mod. 2050 | €670,00 |
| 2024 | 44 | Pneumatic kit for oil dispensing - 208 l drums - with air separator with automatic pump stop device approved according to OIML R117-1 mod. 2051 | €700,00 |
| 2025 | 42 | Air operated oil pump - compression ratio 5:1 - double acting - for 208 l drums | €286,00 |
| 2025TWDE | 43 | Air operated oil pump with double distributor - compression ratio 5:1 - double acting - for 208 l drums | €324,00 |
| 2025130 | 42 | Air operated oil pump - compression ratio 5:1 - double acting. Length shank 130 cm for 1000 l IBC | €358,00 |
| 2030 | 41 | Air operated oil pump - compression ratio 3:1 - double acting - for 60 l drums | €250,00 |
| 2030TWDE | 43 | Air operated oil pump with double distributor - compression ratio 3:1 - double acting - for 60 l drums | €292,00 |
| 2032 | 41 | Air operated oil pump - compression ratio 3:1 - double acting - with hose and wall bracket | €386,00 |
| 2032130 | 41 | Air operated oil pump - compression ratio 3:1 - double acting - with hose and wall bracket - for 1000 l tanks | €416,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|----------|----------------------|---|-----------|
| 2033 | 41 | Air operated antifreeze pump - compression ratio 3:1 - double acting - with hose and wall bracket | €416,00 |
| 2033130 | 41 | Air operated antifreeze pump - compression ratio 3:1 - double acting - with hose and wall bracket - for 1000 l tanks | €446,00 |
| 2035 | 42 | Air operated oil pump - compression ratio 5:1 - double acting - for 60 l drums | €286,00 |
| 2035TWDE | 43 | Air operated oil pump with double distributor - compression ratio 5:1 - double acting - for 60 l drums | €324,00 |
| 2038 | 41 | Air operated oil pump - compression ratio 3:1 - double acting - short | €230,00 |
| 2040 | 40 | Air operated oil pump - compression ratio 1:1 - double acting - for 208 l drums | €270,00 |
| 2043 | 40 | Air operated oil pump - compression ratio 1:1 - single acting | €198,00 |
| 2043/L | 40 | Air operated oil pump - compression ratio 1:1 - single acting - for 208 l drums | €234,00 |
| 2044 | 40 | Air operated oil pump - compression ratio 1:1 - single acting with hose and wall bracket | €278,00 |
| 2045 | 123 | Air operated wasted oil pump - compression ratio 2:1 - single acting with wall bracket | €246,00 |
| 2046 | 123 | Air operated waste oil pump - compression ratio 2:1 - single acting with hose and wall bracket | €310,00 |
| 2047 | 40 | Air operated antifreeze/waste oil pump - compression ratio 1.3:1 - single acting with hose and wall bracket | €306,00 |
| 2047L | 40 | Air operated antifreeze pump - compression ratio 1.3:1 - single acting - for 208 l drums | €250,00 |
| 2049 | 40 | Air operated antifreeze/waste oil pump - compression ratio 1:1 - single acting | €228,00 |
| 2050 | 91 | Automatic air trap device without pump stop system for oil pumps - approved according to OIML R117-1 | €420,00 |
| 2051 | 91 | Automatic air trap device with pump stop system for oil pumps - approved according to OIML R117-1 | €440,00 |
| 2054 | 91 | Automatic air trap device with pump stop system for 230 Vac pump | €490,00 |
| 2055 | 39 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 10:1 - single acting, wall mounted | €900,00 |
| 2056 | 39 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 16:1 - single acting, wall mounted | €1.006,00 |
| 2057 | 39 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 10:1 - double acting for 208 l drums | €944,00 |
| 2058 | 39 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 16:1 - double acting for 208 l drums | €1.044,00 |
| 2061 | 38 | Wall mounted supply kit with air operated pump R. 5:1 | €416,00 |
| 2061130 | 42 | Wall mounted supply kit with air operated pump R. 5:1 - for 1000 l tanks | €448,00 |
| 2063 | 44 | Wall mounted supply kit with air operated pump mod. 2061 and automatic air trap device without pump stop system mod. 2050 approved according to OIML R117-1 | €832,00 |
| 2063130 | 44 | Wall mounted supply kit with air operated pump mod. 2061 and automatic air trap device without pump stop system mod. 2050 approved according to OIML R117-1 - for 1000 l tanks | €868,00 |
| 2064 | 44 | Wall mounted supply kit with air operated pump mod. 2061 and automatic air trap device with pump stop system mod. 2051 approved according to OIML R117-1 | €868,00 |
| 2064130 | 44 | Wall mounted supply kit with air operated pump mod. 2061 and automatic air trap device with pump stop system mod. 2051 approved according to OIML R117-1 - for 1000 l tanks | €898,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|-------------|----|--|---------|
| 2073 | 41 | Air operated oil pump - compression ratio 3:1 - single acting - for 208 l drums | €224,00 |
| 2074 | 41 | Air operated pure antifreeze pump - compression ratio 3:1 - single acting - for 208 l drums | €252,00 |
| 2074130 | - | Air operated pure antifreeze pump - compression ratio 3:1 - single acting - for 1000 l IBC | €286,00 |
| 2075 | 42 | Air operated oil pump - compression ratio 5:1 - simple acting - short | €192,00 |
| 2075/L | 42 | Air operated oil pump - compression ratio 5:1 - simple acting - for 208 l drums | €230,00 |
| 2075/L TWDE | 43 | Air operated oil pump with double distributor - compression ratio 5:1 - simple acting - for 208 l drums | €260,00 |
| 2075VX | - | Air operated oil pump - compression ratio 5:1 - simple acting - with over pressure valve | €234,00 |
| 2076 | 42 | Air operated oil pump - compression ratio 5:1 - simple acting with hose, wall bracket and pumping assembly for 208 l drums | €332,00 |
| 2076130 | 42 | Air operated oil pump - compression ratio 5:1 - simple acting with hose, wall bracket and pumping assembly for 1000 l tanks | €354,00 |
| 2076TWDE | - | Air operated oil pump with double distributor - compression ratio 5:1 - simple acting with hose, wall bracket and pumping assembly for 208 l drums | €362,00 |

| | | | |
|------|----|--|-----------|
| 2088 | 46 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 4:1 - double acting for 208 l drums | €1.018,00 |
| 2090 | - | Air operated pump for high viscosity oils - compression ratio 9:1 - double acting, for 208 l drums | €314,00 |
| 2091 | 46 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 6:1 - double acting, for 208 l drums | €1.140,00 |
| 2092 | 48 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 7:1 - double acting, wall mounted | €1.180,00 |
| 2093 | 48 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 4:1 - double acting, wall mounted | €1.300,00 |
| 2094 | 48 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 6:1 - double acting, wall mounted | €1.580,00 |
| 2096 | 47 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 4:1 - single acting, wall mounted | €1.080,00 |
| 2097 | 47 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 10:1 - single acting, wall mounted | €1.200,00 |
| 2098 | 47 | Air operated pump for high viscosity oils "Power Bull" series - compression ratio 1.5:1 - single acting, wall mounted | €1.310,00 |

| | | | |
|---------|-----|--|--------|
| 2100 | - | Gun aluminium body. In thread 1/2" BSP. Delivery capacity 50 l/min, P. Max 70 bar | €23,00 |
| 2101 | 187 | Water gun plastic body. In thread 1/2" BSP | €14,00 |
| 2104 | 59 | Flexible hose 300 mm length with manual screw no-drip | €27,00 |
| 2105 | - | Oil gun with rigid pipe Ø 12 mm, automatic no-drip and adapter in thread 1/2" BSP | €42,00 |
| 2105/AG | - | Antifreeze gun with rigid pipe Ø 12 mm, automatic no-drip and adapter in thread 1/2" BSP | €46,00 |

| | | | |
|---------|-----|---|--------|
| 2106 | 59 | Swivel adapter for oil gun 1/2" BSP (M+M) | €8,40 |
| 2107 | - | Adapter for pipe connection oil gun Ø 12 mm - In thread 1/2" BSP | €4,20 |
| 2107/09 | 224 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M1" - M1" BSP | €16,80 |
| 2107/10 | 149 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M1" - F1" BSP | €16,80 |
| 2107/11 | 224 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M 1"1/4" - M 1" BSP | €25,00 |
| 2107/33 | 149 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M 3/4" - M 3/4" BSP | €16,80 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|---------|-----|---|--------|
| 2107/34 | 149 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M 3/4" - F 1" BSP | €16,80 |
| 2107/35 | 59 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M 3/4" - M 1" BSP | €16,80 |
| 2107/36 | 59 | Adapter for pipe connections diesel, oil and compressed air gun - In thread M 1" x M 1" | €16,80 |

| | | | |
|------|-----|---|--------|
| 2108 | 59 | Curved pipe Ø 12 mm with automatic no-drip for oil gun | €14,80 |
| 2109 | 187 | Water gun, brass body. In thread 3/8" BSP | €19,00 |
| 2110 | 59 | Standard pipe Ø 12 mm for oil with automatic no-drip | €18,00 |
| 2113 | - | Water gun with joint and quick release. In thread 1/4" BSP | €25,00 |
| 2114 | 59 | Automatic no-drip for oil gun Ø 12 mm | €6,30 |
| 2115 | 59 | Ø 16 mm rigid pipe for oil gun with automatic no-drip | €18,80 |
| 2116 | 59 | Manual no-drip with screw setting | €10,60 |
| 2117 | 59 | Automatic no-drip for oil pipe mod. 2115 | €8,80 |
| 2118 | - | Oil gun with rigid pipe Ø 16 mm, no-drip, swivel joint 1/2" BSP | €44,00 |
| 2119 | 59 | Manual no-drip with screw setting, for hose mod. 2104 | €11,60 |
| 2121 | 59 | Manual no-drip for pipes mod. 2108 - 2110 | €5,60 |

| | | | |
|------|-----|--|--------|
| 2123 | - | Female adapter suitable for probes for waste oil extractors | €8,40 |
| 2124 | - | Adapter suitable for probes set for waste oil extractors for Volkswagen car engine | €8,40 |
| 2125 | 137 | Adapter suitable for probes set of waste oil extractors for Peugeot - Citroen car engine | €12,00 |
| 2126 | - | Adapter 1/2" BSP for pipe Ø 16 mm | €4,20 |
| 2127 | 137 | Adapter suitable for probes set of waste oil extractors for Volkswagen car engine | €8,40 |
| 2128 | 137 | Adapter suitable for probes set of waste oil extractors for BMW car engine | €12,00 |

| | | | |
|---------|-----|---|--------|
| 2129 | 137 | Adapter suitable for probes set of waste oil extractors for Audi car engine | €12,00 |
| 2130 | 137 | Adapter suitable for probes set of waste oil extractors for Mercedes car engine | €8,40 |
| 2131 | - | Oil gun with adapter with steel trigger protection | €56,00 |
| 2131/AG | - | Antifreeze gun with adapter, flexible hose, 90° bent spout with automatic no-drip | €62,00 |
| 2131/MP | - | Oil gun with adapter, flexible hose, 90° bent spout with automatic no-drip and trigger protection | €60,00 |

| | | | |
|------|----|---|--------|
| 2132 | 59 | Flexible hose and 90° bent spout with automatic no-drip | €25,00 |
| 2133 | 59 | Flexible hose, 90° bent spout and manual no-drip with screw setting | €25,00 |
| 2140 | 59 | Transparent pipe to check oil flow | €25,00 |
| 2142 | 59 | Flexible hose with 90° bent spout and manual no-drip for oil gun | €25,00 |
| 2143 | 59 | Automatic no-drip for oil pipe high volume, in thread F 1" BSP | €40,00 |

| | | | |
|------|----|---|---------|
| 2154 | 58 | Oil gun high volume, connections 3/4" BSP (F) - flow rate 100 l/min | €142,00 |
| 2155 | 58 | Oil gun high volume with rigid pipe Ø 3/4" | €154,00 |
| 2156 | 58 | Oil gun high volume as art. no. 2155 with automatic anti-drip nozzle | €180,00 |
| 2157 | 58 | Oil gun high volume with flexible pipe ø 3/4" and automatic no-drip nozzle | €188,00 |
| 2159 | 58 | Oil gun high volume, connections 1" BSP (F) - flow rate 150 l/min | €166,00 |
| 2160 | - | Oil gun high volume, supplied with flexible rubber pipe Ø 3/4" and maxi no-drip | €230,00 |
| 2161 | 58 | Oil gun high volume with rigid pipe Ø 20 mm and maxi no-drip | €208,00 |
| 2162 | 58 | Oil gun high volume with flexible pipe ø 1" and maxi no-drip | €228,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|----------|----------------------|--|---------|
| 2166 | 173 | Plastic dispensing nozzle for AdBlue® with rigid outlet Ø 16 mm, 195 mm length | €34,00 |
| 2167 | - | Plastic dispensing nozzle for windshield washer fluid with flexible spout and rigid tube Ø 16 mm | €46,00 |
| 2180 | 58 | Oil gun with aluminium body, trigger guard and cartridge filter | €23,00 |
| 2181 | 58 | Oil gun mod. 2180 with flexible outlet, curved rigid 90° stem and automatic anti-drip nozzle | €56,00 |
| 2182 | 58 | Oil gun mod. 2180 with flexible outlet, curved rigid 90° stem and manual anti-drip nozzle | €56,00 |
| 2183 | 187 | Dispensing nozzle for windshield washer fluid with rigid plastic outlet Ø 16 mm | €46,00 |
| 2185 | 58 | Oil gun mod. 2180 with brass rigid outlet ø 12 mm and automatic anti-drip nozzle | €42,00 |
| 2201 | - | Fixation bracket for air operated pump to 1000 l IBC | €66,00 |
| 2203 | 50 | Bracket for wall installation of air operated pumps | €32,00 |
| 2204 | 50 | Rigid pipe Ø 40 mm for wall mounted oil pump length 950 mm (for 208 l drums) | €68,00 |
| 2204/14 | 50 | Rigid pipe Ø 40 mm for wall mounted oil pump length 1100 mm (for 1000 l IBC) | €92,00 |
| 2205 | 50 | Flexible hose for wall mounted oil pump 1500 mm length, Ø 1" | €40,00 |
| 2206 | - | Flexible hose for wall mounted oil pump 1500 mm length, Ø 1" with foot valve | €50,00 |
| 2208 | - | Metal bracket installable on IBC tank suitable for electric pump mod. 6160, nozzle holder included | €124,00 |
| 2210 | 133 | Steel silencer cover for wall mounted air operated pump | €124,00 |
| 2212 | 50 | Steel bracket for fastening air operated pumps and accessories on 1000 l IBC | €134,00 |
| 2214/50 | 49 | Bracket for wall installation of air operated pumps "Power Bull" mod. 2055, 2056 | €126,00 |
| 2214/55 | 49 | Bracket for wall installation of air operated pumps "Power Bull" mod. 1079, 1081, 1082, 1083, 2092 | €126,00 |
| 2214/80 | 49 | Bracket for wall installation of air operated pumps "Power Bull" mod. 1085, 2093, 2094, 2096 | €126,00 |
| 2214/110 | 49 | Bracket for wall installation of air operated pumps "Power Bull" mod. 2098 | €126,00 |
| 2216 | 49 | Rigid shank Ø 55 mm, l. 950 mm for wall mounted oil pump "Power Bull" series (for 208 l drums) | €176,00 |
| 2217 | 50 | Polypropylene port connection to the tank Ø 70 mm - 1" BSP (M) | €22,00 |
| 2218 | 49 | Flexible hose for wall mounted oil pump L.1500 mm Ø 1 1/4" | €114,00 |
| 2228 | - | Connection rigid hose Ø 28 mm to pump art. no. 2075 for 208 l drums with foot valve | €31,00 |
| 2253 | 174 | Rigid plastic shank for urea length 1100 mm, equipped with ring nut, fitting curve 90° and adapter. Suitable for IBC tanks | €29,00 |
| 2256 | - | Suction kit for tank/cube with rigid pipe HDPE, bottom valve quick coupling and hose-tail | €134,00 |
| 2257 | - | Pressure reducing valve for pump "Power Bull" series | €90,00 |
| 2258 | 110 | Over pressure valve for hydraulic installation, Ø 1" BSP | €138,00 |
| 2259 | 110 | Over pressure valve for hydraulic installation, Ø 1/2" BSP | €82,00 |
| 2260 | 110 | Over pressure valve for hydraulic installation, Ø 3/4" BSP | €112,00 |
| 2261 | - | Hydraulic quick connection M+F Ø 1/2" BSP | €32,00 |
| 2262 | - | Hydraulic quick connection M+F Ø 3/8" BSP | €30,00 |
| 2263 | - | Hydraulic quick connection M+F Ø 3/4" BSP | €74,00 |
| 2264 | 123 | Hydraulic quick connection M+F Ø 1" BSP | €98,00 |
| 2265 | 150 | Suction cartridge filter Y for oil, wasted oil, antifreeze and diesel. In thread 3/4" BSP | €16,00 |
| 2266 | - | One way oil check valve, connection 1/2" BSP | €24,00 |
| 2267 | 150 | Suction cartridge filter Y for oil, wasted oil, antifreeze and diesel. In thread 1/2" BSP | €12,00 |
| 2268 | 150 | Suction cartridge filter Y for oil, wasted oil, antifreeze and diesel. In thread 1" BSP | €22,00 |
| 2270 | 98 | Polyethylene tap for oil drums | €12,60 |
| 2271 | 98 | Brass tap for oil drums | €36,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---|-----------|
| 2300 | - | Wall mounted oil/antifreeze dispenser equipped with 3 lever faucets with automatic no-drip | €236,00 |
| 2301 | 72 | Plug cock with anti-splash filter | €60,00 |
| 2302 | 72 | Wall mounted oil/antifreeze covered dispenser equipped with 1 plug cock with anti-splash filter | €246,00 |
| 2303 | 72 | Springs operated spigot with extension to connect it directly to the air-operated pumps | €74,00 |
| 2304 | - | Wall mounted oil/antifreeze covered dispenser equipped with 1 plug cock with anti-splash filter | €640,00 |
| 2313 | - | Wall mounted oil covered dispenser with pneumatic oil pump mod. 2044 and cock | €860,00 |
| 2362 | - | Wall mounted oil bar dispenser with pneumatic pumps and digital meters. For 2 fluids | €1.310,00 |
| 2363 | 72 | Drum dispensing bar for 208 l drums for oil and antifreeze | €354,00 |

| | | | |
|------|----|---|---------|
| 2507 | - | Mechanical meter with oil pistol handle. Connections 1/2" BSP (M) | €570,00 |
| 2508 | 66 | Mechanical meter with oil pistol handle with preset 0-60 l. Connections 1/2" BSP (M) | €720,00 |
| 2545 | 65 | Electronic oval gears flow meter for oil, approved for fiscal transactions according to MID MI-005, directive 2004/22/EC , with control gun, outlet pipe Ø 1/2" and automatic anti-drip nozzle | €500,00 |
| 2608 | 66 | Mechanical meter with oil gun composed by mod. 2703 and 2185. Connections 1/2" BSP (M) | €440,00 |

| | | | |
|------|-----|---|---------|
| 2626 | 61 | Digital gears meter series "FLOW METER DT" with filling nozzle Ø12 mm no-drip, delivery gun with swivel adapter 1/2" BSP | €200,00 |
| 2629 | 61 | Digital gears meter series "FLOW METER DT" | €166,00 |
| 2630 | 61 | Antifreeze digital gears meter series "FLOW METER DT" with filling nozzle Ø 12 mm no-drip, delivery gun with swivel adapter 1/2" BSP | €208,00 |
| 2633 | 61 | Digital meter "FLOW METER DT" with flexible hose, 90° bent spout and automatic no-drip | €218,00 |
| 2689 | - | Digital meter for AdBlue®, body in stainless steel - connections 1/2" BSP - Max flow rate 30 l/min | €314,00 |
| 2703 | 66 | Mechanical analogical meter for oil and antifreeze - connections 1/2" BSP | €398,00 |
| 2706 | 61 | Protection rubber giants cover | €40,00 |
| 2707 | 61 | Protection rubber cover | €10,00 |
| 2710 | 66 | Mechanical gears meter for oil and antifreeze with double totalizer | €188,00 |
| 2712 | 66 | Mechanical oval gear oil control handle dial with 2 totals, inlet swivel adaptor outlet pipe Ø 12 mm and anti-drip tip | €224,00 |
| 2715 | 173 | Electronic oval gears flow meter for AdBlue®, body in plastic with high density glass fibre IXEF, gears in PPS and PTFE | €164,00 |
| 2716 | 67 | Electronic oval gears flow meter for AdBlue® and water based fluids, body in IXEF, with pulse transmitter | €300,00 |
| 2717 | 67 | Electronic oval gears flow meter for AdBlue® and water based fluids, body in IXEF, with pulse transmitter and stainless steel pulse transmitter | €580,00 |

| | | | |
|------|---|--|---------|
| 2726 | - | Digital gears meter series "OIL COUNTER" with filling nozzle Ø12 mm no-drip, delivery gun with swivel adapter 1/2" BSP | €184,00 |
| 2729 | - | Digital gears meter series "OIL COUNTER" | €144,00 |
| 2730 | - | Antifreeze digital gears meter series "OIL COUNTER" with filling nozzle Ø 12 mm no-drip, delivery gun with swivel adapter 1/2" BSP | €204,00 |
| 2733 | - | Digital meter "OIL COUNTER" with flexible hose, 90° bent spout and automatic no-drip | €212,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|--|----------|
| 2735 | 173 | Digital AdBlue® meter gun, with Ø 16 mm rigid outlet | € 264,00 |
| 2736 | 169 | Electronic oval gears flow meter for AdBlue®, approved for fiscal transactions according to MID MI-005, directive 2004/22/EC , with control gun, rigid outlet Ø 1/2" and automatic anti-drip nozzle | € 500,00 |
| 2739 | 169 | Electronic oval gears flow meter for AdBlue®, approved for fiscal transactions according to MID MI-005, directive 2004/22/EC | € 450,00 |

| | | | |
|--------|-----|--|----------|
| 277005 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 0.5 m - connections F+F 1/2" | € 17,00 |
| 27701 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 1 m - connections F+F 1/2" | € 18,00 |
| 277015 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 1.5 m - connections F+F 1/2" | € 20,00 |
| 27702 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 2 m - connections F+F 1/2" | € 22,00 |
| 27703 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 3 m - connections F+F 1/2" | € 26,00 |
| 27710 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 10 m - connections F+F 1/2" | € 44,00 |
| 27715 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 15 m - connections F+F 1/2" | € 66,00 |
| 27720 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 20 m - connections F+F 1/2" | € 84,00 |
| 27725 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 25 m - connections F+F 1/2" | € 104,00 |
| 27730 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 30 m - connections F+F 1/2" | € 126,00 |
| 27735 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 35 m - connections F+F 1/2" | € 156,00 |
| 27740 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 40 m - connections F+F 1/2" | € 168,00 |
| 27750 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 50 m - connections F+F 1/2" | € 200,00 |
| 27760 | 229 | Hose for compressed-air and water Ø 1/2" - 40 bar, length 60 m - connections F+F 1/2" | € 250,00 |

| | | | |
|---------|----|--|----------|
| 2814005 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 0,5 m - connections FF 1 1/4" | € 88,00 |
| 281401 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 1 m - connections FF 1 1/4" | € 104,00 |
| 2814015 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 1.5 m - connections FF 1 1/4" | € 114,00 |
| 281402 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 2 m - connections FF 1 1/4" | € 126,00 |
| 281403 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 3 m - connections FF 1 1/4" | € 150,00 |
| 281405 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 5 m - connections FF 1 1/4" | € 194,00 |
| 281406 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 6 m - connections FF 1 1/4" | € 214,00 |
| 281410 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 10 m - connections FF 1 1/4" | € 264,00 |
| 281415 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 15 m - connections FF 1 1/4" | € 364,00 |
| 281420 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 20 m - connections FF 1 1/4" | € 460,00 |
| 281425 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 25 m - connections FF 1 1/4" | € 558,00 |
| 281430 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 30 m - connections FF 1 1/4" | € 658,00 |
| 281435 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 35 m - connections FF 1 1/4" | € 746,00 |
| 281440 | 36 | Flexible hose for grease, oil and diesel Ø 1 1/4" (Ø 32) R1 - length 40 m - connections FF 1 1/4" | € 830,00 |

| | | | |
|------|-----|---|----------|
| 2822 | 173 | AdBlue® turbine digital meter, reinforced polyamide body for in-line installation. Connections 1" BSP. Flow rate 100 l/min | € 194,00 |
| 2823 | 151 | Diesel and petrol turbine digital meter reinforced polyamide body for in-line installation. Connections 1" BSP. Flow rate 5 - 120 l/min | € 194,00 |
| 2824 | - | Digital meter mod. 2729 with flexible spout and automatic no-drip | € 192,00 |
| 2826 | 62 | Oil digital meter series "OIL BIT PLUS" with filling nozzle Ø 12 mm, delivery gun with swivel adaptor 1/2" BSP | € 218,00 |
| 2829 | 62 | Digital gears meter series "OIL BIT PLUS" | € 194,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|---------|
| 2830 | 62 | Antifreeze digital meter series "OIL BIT PLUS" with filling nozzle Ø 12 mm, delivery gun with swivel adaptor 1/2" BSP | €238,00 |
| 2831 | 62 | Oil digital meter series "OIL BIT PLUS" with rubber outlet Ø 1/2", with manual anti-drip nozzle with screw regulation and inlet swivel 1/2" BSP (M) | €244,00 |
| 2833 | - | Digital meter "OIL BIT PLUS" with flexible spout and automatic no-drip | €238,00 |
| 2836 | 63 | Digital meter "OIL GATE" with flexible spout and automatic no-drip | €458,00 |
| 2851 | 64 | Digital gears meter for oil and diesel suitable for high delivery pumps. Connections 1" BSP | €428,00 |
| 2852 | 64 | Oval gears digital meter for diesel - connections 1" BSP - flow rate 20 -100 l/min | €648,00 |
| 2853 | 67 | Oval gears meter with pulse count for oil and antifreeze. Suitable for interfacing with management systems by an external receiver | €410,00 |
| 2854 | 64 | Digital meter gun for oil suitable for big volume of oil - connections 1" BSP | €648,00 |
| 2855 | 64 | Oil gun high volume "Oil HFlow" with flexible outlet ø 3/4" and anti-drip nozzle | €648,00 |
| 2860 | 151 | Wall mounted digital meter for diesel with aluminium body. Connections 1" BSP. 3 - digits partial meter | €158,00 |
| 2861 | 150 | Y- sieve strainer for in-line applications. Plastic body, stainless steel mesh | €18,00 |
| 2863 | 151 | Wall mounted mechanical meter for diesel with aluminium body. Connections 1" BSP. 4 - digits partial meter | €174,00 |
| 2864 | - | Wall mounted mechanical meter for diesel with aluminium body. Connections F 1" BSP. 3 - digits partial meter - Easy to calibrate and usable for gravity | €178,00 |
| 2865 | 151 | Digital nutating disk diesel meter - connections 1" - delivery 5 -120 l/min - 4 - digits partial meter | €178,00 |
| 2866 | 151 | Digital nutating disk diesel meter - connections 1" - delivery 5 -120 l/min - 3 - digits partial meter | €158,00 |
| 2867 | 161 | Wall mounted mechanical meter for petrol and kerosene, connections F 1" BSP - in accordance with directive Atex 94/9/EC - group II - level 2 | €324,00 |
| 2869 | 151 | Digital nutating disk diesel and gasoline meter - connections 1" - delivery 5 -120 l/min - 6 - digits partial meter | €204,00 |

| | | | |
|--------|-----|---|---------|
| 28700 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR - 100 m coil without connections | €898,00 |
| 287005 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 0.5 m - connections FF 1/2" | €18,00 |
| 28701 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 1 m - connections FF 1/2" | €18,00 |
| 287015 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 1.5 m - connections FF 1/2" | €20,00 |
| 28702 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 2 m - connections FF 1/2" | €23,00 |
| 28703 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 3 m - connections FF 1/2" | €25,00 |
| 28704 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 4 m - connections FF 1/2" | €42,00 |
| 28705 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 5 m - connections FF 1/2" | €48,00 |
| 28706 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 6 m - connections FF 1/2" | €63,00 |
| 28707 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 7 m - connections FF 1/2" | €64,00 |
| 28708 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 8 m - connections FF 1/2" | €82,00 |
| 28710 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 10 m - connections FF 1/2" | €84,00 |
| 28712 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 12 m - connections FF 1/2" | €108,00 |
| 28715 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 15 m - connections FF 1/2" | €114,00 |
| 28720 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 20 m - connections FF 1/2" | €158,00 |
| 28725 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 25 m - connections FF 1/2" | €220,00 |
| 28730 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 30 m - connections FF 1/2" | €284,00 |
| 28735 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 35 m - connections FF 1/2" | €334,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|-------|-----|--|---------|
| 28740 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 40 m - connections FF 1/2" | €360,00 |
| 28750 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 50 m - connections FF 1/2" | €456,00 |
| 28760 | 228 | Flexible hose for oil and diesel Ø 1/2" (Ø 13) R1 - 160 BAR, length 60 m - connections FF 1/2" | €516,00 |

| | | | |
|--------|-----|--|---------|
| 288005 | 228 | Flexible rubber hose Hydro K for diesel and water- Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 0.5 m | €30,00 |
| 28801 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 1 m | €34,00 |
| 288015 | 228 | Flexible rubber hose Hydro K for diesel and water- Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 1.5 m | €40,00 |
| 28802 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 2 m | €44,00 |
| 28803 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 3 m | €54,00 |
| 28804 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 4 m | €66,00 |
| 28805 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 5 m | €78,00 |
| 28806 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 6 m | €92,00 |
| 28807 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 7 m | €104,00 |
| 28808 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 8 m | €118,00 |
| 28810 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 10 m | €144,00 |
| 28812 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 12 m | €174,00 |
| 28813 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 13 m | €192,00 |
| 28815 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 15 m | €198,00 |
| 28820 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 20 m | €266,00 |
| 28825 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 25 m | €326,00 |
| 28830 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 30 m | €402,00 |
| 28835 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 35 m | €446,00 |
| 28840 | 228 | Flexible rubber hose Hydro K for diesel and water - Ø 3/4" (Ø int.19) P.17 bar - FF 3/4" - L. 40 m | €496,00 |

| | | | |
|------|---|--|--------|
| 2881 | - | Flexible suction hose for oil extractors, with connections and tap | €26,00 |
| 2883 | - | Flexible hose for oil-output 500 mm length | €18,00 |

| | | | |
|--------|-----|---|-----------|
| 28900 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 100 m hank without connections | €1.298,00 |
| 289005 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 0.5 m - connections FF 3/4" | €32,00 |
| 28901 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 1 m - connections FF 3/4" | €34,00 |
| 289015 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 1.5 m - connections FF 3/4" | €36,00 |
| 28902 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 2 m - connections FF 3/4" | €38,00 |
| 28903 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 3 m - connections FF 3/4" | €48,00 |
| 28904 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 4 m - connections FF 3/4" | €60,00 |
| 28905 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 5 m - connections FF 3/4" | €68,00 |
| 28906 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 6 m - connections FF 3/4" | €80,00 |
| 28907 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 7 m - connections FF 3/4" | €98,00 |
| 28910 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 10 m - connections FF 3/4" | €132,00 |
| 28912 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 12 m - connections FF 3/4" | €156,00 |
| 28915 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 15 m - connections FF 3/4" | €184,00 |
| 28920 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 20 m - connections FF 3/4" | €244,00 |
| 28925 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 25 m - connections FF 3/4" | €288,00 |
| 28930 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 30 m - connections FF 3/4" | €406,00 |
| 28935 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 35 m - connections FF 3/4" | €448,00 |
| 28940 | 228 | Flexible rubber hose for oil and diesel Ø 3/4" (Ø 19) R1 length 40 m - connections FF 3/4" | €480,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|---|---|--------|
| 2892 | - | Discharge hose with hook for oil extractor - 1,6 m long - connection 1/2" | €20,00 |
|------|---|---|--------|

| | | | |
|---------|-----|---|-----------|
| 2894005 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 0.5 m length - connections FF 1" | €62,00 |
| 289401 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 1 m length - connections FF 1" | €84,00 |
| 2894015 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 1.5 m length - connections FF 1" | €108,00 |
| 289402 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 2 m length - connections FF 1" | €130,00 |
| 289403 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 3 m length - connections FF 1" | €178,00 |
| 289408 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 8 m length - connections FF 1" | €412,00 |
| 289410 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 10 m length - connections FF 1" | €504,00 |
| 289415 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 15 m length - connections FF 1" | €730,00 |
| 289420 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 20 m length - connections FF 1" | €960,00 |
| 289425 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 25 m length - connections FF 1" | €1.188,00 |
| 289430 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 30 m length - connections FF 1" | €1.412,00 |
| 289435 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 35 m length - connections FF 1" | €1.660,00 |
| 289440 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 40 m length - connections FF 1" | €1.866,00 |
| 289450 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 50 m length - connections FF 1" | €2.316,00 |
| 289460 | 229 | Flexible rubber hose for petrol - according to rule EN 1761:1994 - Ø 1" (Ø 25) - 60 m length - connections FF 1" | €2.830,00 |

| | | | |
|---------|-----|--|---------|
| 2895005 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 0.5 m - connections FF 1" | €36,00 |
| 289501 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 1 m - connections FF 1" | €40,00 |
| 2895015 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 1.5 m - connections FF 1" | €50,00 |
| 289502 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 2 m - connections FF 1" | €58,00 |
| 289503 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 3 m - connections FF 1" | €72,00 |
| 289504 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 4 m - connections FF 1" | €96,00 |
| 289505 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 5 m - connections FF 1" | €114,00 |
| 289506 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 6 m - connections FF 1" | €134,00 |
| 289507 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 7 m - connections FF 1" | €156,00 |
| 289508 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 8 m - connections FF 1" | €168,00 |
| 289510 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 10 m - connections FF 1" | €204,00 |
| 289512 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 12 m - connections FF 1" | €240,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|--------|-----|---|---------|
| 289515 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 15 m - connections FF 1" | €292,00 |
| 289520 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 20 m - connections FF 1" | €378,00 |
| 289525 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 25 m - connections FF 1" | €470,00 |
| 289530 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 30 m - connections FF 1" | €554,00 |
| 289540 | 228 | Flexible rubber hose for diesel, oil Ø 1" (Ø 25) R1 length 40 m - connections FF 1" | €734,00 |

| | | | |
|---------|-----|---|---------|
| 2896005 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 0.5 m - connections FF 1" | €32,00 |
| 289601 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 1 m - connections FF 1" | €38,00 |
| 2896015 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 1.5 m - connections FF 1" | €46,00 |
| 289602 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 2 m - connections FF 1" | €54,00 |
| 289603 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 3 m - connections FF 1" | €76,00 |
| 289604 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 4 m - connections FF 1" | €88,00 |
| 289605 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 5 m - connections FF 1" | €104,00 |
| 289606 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 6 m - connections FF 1" | €126,00 |
| 289607 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 7 m - connections FF 1" | €140,00 |
| 289608 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 8 m - connections FF 1" | €160,00 |
| 289610 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 10 m - connections FF 1" | €190,00 |
| 289612 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 12 m - connections FF 1" | €222,00 |
| 289615 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 15 m - connections FF 1" | €264,00 |
| 289620 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 20 m - connections FF 1" | €358,00 |
| 289625 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 25 m - connections FF 1" | €440,00 |
| 289630 | 228 | Flexible hose for diesel and water Ø 1" (Ø 25x32) 17 bar - length 30 m - connections FF 1" | €524,00 |

| | | | |
|------|-----|--|-------|
| 2897 | 174 | Flexible EPDM hose for AdBlue® dispensing, Ø 3/4", length on request | €7,80 |
|------|-----|--|-------|

| | | | |
|---------|-----|---|-----------|
| 2897005 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 0.5 m - connections FF 1 1/4" | €86,00 |
| 289701 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 1 m - connections FF 1 1/4" | €88,00 |
| 2897015 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 1.5 m - connections FF 1 1/4" | €96,00 |
| 289702 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 2 m - connections FF 1 1/4" | €108,00 |
| 289703 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 3 m - connections FF 1 1/4" | €142,00 |
| 289704 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 4 m - connections FF 1 1/4" | €176,00 |
| 289705 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 5 m - connections FF 1 1/4" | €210,00 |
| 289706 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 6 m - connections FF 1 1/4" | €236,00 |
| 289707 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 7 m - connections FF 1 1/4" | €274,00 |
| 289708 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 8 m - connections FF 1 1/4" | €308,00 |
| 289710 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 10 m - connections FF 1 1/4" | €378,00 |
| 289712 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 12 m - connections FF 1 1/4" | €446,00 |
| 289715 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 15 m - connections FF 1 1/4" | €550,00 |
| 289720 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 20 m - connections FF 1 1/4" | €716,00 |
| 289725 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 25 m - connections FF 1 1/4" | €890,00 |
| 289730 | 228 | Flexible hose for diesel and water Ø 1 1/4" (Ø 32x43) 10 bar - L. 30 m - connections FF 1 1/4" | €1.060,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|---------|-----|--|---------|
| 2898005 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 0,5 m | €52,00 |
| 289801 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 1 m | €54,00 |
| 2898015 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 1,5 m | €60,00 |
| 289802 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 2 m | €62,00 |
| 289803 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 3 m | €66,00 |
| 289808 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 8 m | €102,00 |
| 289810 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 10 m | €112,00 |
| 289815 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 15 m | €172,00 |
| 289820 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 20 m | €220,00 |
| 289825 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 25 m | €264,00 |
| 289830 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 30 m | €334,00 |
| 289835 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 35 m | €394,00 |
| 289840 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 40 m | €404,00 |
| 289850 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 50 m | €484,00 |
| 289860 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 1/2" (Ø 13x21), W.P. 20 bar burst P. 60 bar stainless steel F+F 1/2" couplings - length 60 m | €574,00 |

| | | | |
|---------|-----|--|---------|
| 2899005 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 0,5 m | €134,00 |
| 289901 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 1 m | €140,00 |
| 2899105 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 1,5 m | €148,00 |
| 289902 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 2 m | €154,00 |
| 289903 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 3 m | €166,00 |
| 289910 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 10 m | €248,00 |
| 289915 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 15 m | €308,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|---|-----------|
| 289920 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 20 m | €370,00 |
| 289925 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 25 m | €428,00 |
| 289930 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 30 m | €490,00 |
| 289935 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 35 m | €552,00 |
| 289940 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 40 m | €612,00 |
| 289950 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 50 m | €730,00 |
| 289960 | 229 | EPDM AdBlue®/DEF, acids, chemical fluids, water, glycol, compressed air resistant hose Ø 3/4" (Ø 19x30), W.P. 20 bar burst P. 60 bar stainless steel F+F 3/4" couplings - length 60 m | €848,00 |
| 2899710 | 228 | Flexible hose for diesel and water Ø 1 1/2" (Ø 38x50) 10 bar - length 10 m - connections FF 1 1/2" | €440,00 |
| 2899715 | 228 | Flexible hose for diesel and water Ø 1 1/2" (Ø 38x50) 10 bar - length 15 m - connections FF 1 1/2" | €650,00 |
| 2910 | 78 | Mobile oil dispensing system for 208 l drums with 4 wheeled trolley, hose-reel and digital meter gun mod. 2826 | €1.093,00 |
| 2912 | 76 | Mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, digital meter mod. 2826 and flexible hose 3 m length | €991,00 |
| 2914 | 78 | Mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, digital meter mod. 2826 and hose reel | €1.323,00 |
| 2914X | 79 | Mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, automatic air trap device, hose-reel and digital meter gun mod. 2626 | €1.548,00 |
| 2914XB | 79 | Mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, automatic air trap device with pump stop system, hose-reel and digital meter gun mod. 2626 | €1.568,00 |
| 2914MID | 79 | Mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, automatic air trap device with pump stop system approved according to OIML R117-1 , hose reel and digital meter gun mod. 2545 with MID MI-005 approval | €2.025,00 |
| 2918 | 80 | 230 V mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, automatic air trap device with pump stop system, control panel, digital meter gun mod. 2626 | €1.670,00 |
| 2918MID | 80 | 230 V mobile oil dispensing system for 208 l drums with heavy duty wheeled trolley, automatic air trap device with pump stop system approved according to OIML R117-1 , control panel, digital meter gun mod. 2545 with MID MI-005 approval | €1.994,00 |
| 2934 | 84 | Stationary pneumatic oil dispensing kit equipped with air operated pumps, hose reels mod. 9013, plastic casing elements, flexible hose 15 m long, oil control handle, tries, air treatment system, bung adapters for the fixation for 208 l drums | €3.302,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|--|-----------|
| 2937 | 63 | Digital gears PRESET METER for oil series "OIL GATE" with filling nozzle Ø 12 mm no-drip | €436,00 |
| 2942 | 63 | Digital gears PRESET METER for antifreeze series "OIL GATE" with filling nozzle Ø 12 mm no-drip | €474,00 |
| 2954 | 67 | Pulse meter for oil and antifreeze - connections 1/2" BSP | €328,00 |
| 2955 | - | Pulse meter for oil and antifreeze equipped with valve, filter and bracket - suitable for interfacing with management systems by an external receiver | €500,00 |
| 2958 | 118 | Oil dispensing gun with switch on button for activating filling cycle of Automatic Fills | €320,00 |
| 2959 | - | AISI 303 stainless steel pulse meter. Suitable to interface for monitoring system by external receiver | €320,00 |
| 2970 | - | Complete transfer oil system with double acting pump. Basic version for 60 l drums without meter | €474,00 |
| 2971 | 74 | Complete transfer oil system with double acting pump. Full Equipment version with digital meter mod. 2826. For 60 l drums | €653,00 |
| 2971MID | 74 | Complete transfer oil system with double acting pump. Full Equipment version with digital meter mod. 2545 with MID MI-005 approval . For 60 l drums | €1.361,00 |
| 2974MID | 85 | Stationary 230 V oil dispensing kit equipped with electric pump with automatic air trap device and pump stop system approved according to OIML R117-1 , hose reel, control panel, digital meter gun mod. 2545 with MID MI-005 approval | €1.944,00 |
| 2980C | 73 | Transfer oil kit for 208 l drums full equipment version with pump R. 3:1, pump adaptor for drums, hose L. 3 m, oil gun and pressure regulator | €363,00 |
| 2982 | 73 | Transfer oil kit for 208 l drums with pump R. 3:1, pump adaptor for drums, hose L. 3 m, digital oil meter and pressure regulator | €539,00 |
| 2984 | 82 | Oil distribution fixed unit with pump, hose reel mod. 9090, hoses, digital oil meter gun mod. 2826, pressure regulator. For 208 l drums | €875,00 |
| 2984MID | 83 | Stationary pneumatic oil dispensing kit equipped with pneumatic pump with automatic air trap device and pump stop system approved according to OIML R117-1 , hose reel mod. 9090, digital meter gun mod. 2545 with MID MI-005 approval | €1.765,00 |
| 2985 | 85 | Stationary pneumatic oil dispensing kit equipped with pneumatic pump, hose reel mod. 9016, digital meter gun mod. 2626 | €1.087,00 |
| 2985MID | 85 | Stationary pneumatic oil dispensing kit equipped with pneumatic pump with automatic air trap device and pump stop system approved according to OIML R117-1 , hose reel mod. 9016, digital meter gun mod. 2545 with MID MI-005 approval | €1.699,00 |
| 2986 | 137 | Rigid probe for wasted oil extractors Ø 6 mm. Length 800 mm | €13,00 |
| 2987MID | 73 | Stationary pneumatic oil dispensing kit equipped with pneumatic pump with automatic air trap device and pump stop system approved according to OIML R117-1 , hose L. 3 m, digital meter gun mod. 2545 with MID MI-005 approval | €1.367,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|---------|-----|---|-----------|
| 2991 | 76 | Mobile oil system for 208 l drums with pump R. 3:1, pump adaptor for drums, hose L. 3 m, digital oil meter, pressure regulator and 4 wheels trolley | €715,00 |
| 2991X | 77 | Mobile oil system for 208 l drums with 4 wheels trolley, automatic air trap device mod. 2052 and digital meter gun mod. 2626 | €1.157,00 |
| 2991XB | 77 | Mobile oil system for 208 l drums with 4 wheels trolley, automatic air trap device with pump stop system mod. 2053 and digital meter gun mod. 2626 | €1.000,00 |
| 2991MID | 77 | Mobile oil system for 208 l drums with 4 wheels trolley, automatic air trap device approved according to OIML R117-1 and digital meter gun mod. 2545 with MID MI-005 approval | €1.457,00 |
| 2992 | 82 | Oil distribution fixed unit with pump, hose reel mod. 9016, hose 15 m length, digital oil meter gun, pressure regulator. For 208 l drums | €871,00 |
| 2992/10 | 82 | Oil distribution fixed unit with pump, hose reel mod. 9011, hose 10 m length, digital oil meter gun, pressure regulator. For 208 l drums | €825,00 |
| 2992/20 | 82 | Oil distribution fixed unit with pump, hose reel mod. 9021, hose 20 m length, digital oil meter gun, pressure regulator. For 208 l drums | €941,00 |
| 2992MID | 83 | Transfer oil kit for 208 l drums equipped with pneumatic pump with automatic air trap device and pump stop system approved according to OIML R117-1 , hose reel mod. 9016, digital meter gun mod. 2545 with MID MI-005 approval | €1.639,00 |
| 2993 | 76 | Mobile oil transfer system for 208 l drums. Basic version without meter and pressure regulator | €523,00 |
| 2994 | 84 | Oil distribution fixed unit with pump, hose reel mod. 9013, hose 15 m length, digital oil meter gun mod. 2826, pressure regulator. For 208 l drums | €933,00 |
| 2994/10 | 84 | Oil distribution fixed unit with pump, hose reel mod. 9010, hose 10 m length, digital oil meter gun mod. 2826, pressure regulator. For 208 l drums | €891,00 |
| 2994/20 | 84 | Oil distribution fixed unit with pump, hose reel mod. 9023, hose 20 m length, digital oil meter gun mod. 2826, pressure regulator. For 208 l drums | €1.021,00 |
| 2995 | 137 | Flexible probe for wasted oil extractors Ø 5 mm. Length 800 mm | €10,00 |
| 2996 | 137 | Flexible probe for wasted oil extractors Ø 6 mm. Length 800 mm | €10,00 |
| 2997 | 137 | Flexible probe for wasted oil extractors Ø 7 mm. Length 1500 mm. For trucks | €11,00 |
| 2997/20 | 137 | Flexible probe for wasted oil extractors Ø 7 mm. Length 2000 mm. For trucks | €13,00 |
| 2998 | 134 | Flexible probe for wasted oil extractors Ø 8 mm. Length 800 mm | €11,00 |
| .011 | 137 | Wasted oil set of 6 probes with different diameter and plastic holder | €56,00 |

| | | | |
|------|-----|--|-----------|
| 3000 | 81 | OIL PIT STOP - Quick Fresh and Waste Lube Service | €2.490,00 |
| 3005 | 81 | QUICK LUBE - Refuelling and change wasted oil unit | €2.470,00 |
| 3012 | - | Oil-changer OIL BLITZ, electric model 12 Vdc, for suction of motor oil with 2 wheels trolley, set of probes and adaptors, plastic can capacity 20 l | €500,00 |
| 3017 | 132 | Oil-changer OIL BLITZ, electric model 110 V, for suction of motor oil with 2 wheels trolley, set of probes and adaptors, plastic can capacity 20 l | €560,00 |
| 3018 | 132 | Oil-changer OIL BLITZ, electric model 230 V, for suction of motor oil with 2 wheels trolley, set of probes and adaptors, plastic can capacity 20 l | €552,00 |
| 3020 | 132 | Mobile wasted oil extractors with air operated rotary pump series "OIL BLITZ", 2 wheels trolley, set of probes and adaptors, plastic can capacity 20 l | €440,00 |
| 3024 | 126 | Waste oil wheeled tank extractor, capacity 24 l, manual emptying | €240,00 |
| 3025 | 126 | Waste oil wheeled tank extractor, capacity 24 l, pneumatic emptying | €280,00 |
| 3027 | 127 | Waste oil wheeled tank extractor, capacity 24 l, pneumatic emptying - with inspection chamber 6,5 l capacity | €420,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|-------------------------------|---|-------------------|
| 3040 | 237 | 230V wheeled filtering unit for diesel with water absorption and impurities filtering | €794,00 |
| 3041 | 237 | 230V wheeled filtering unit for oil | €874,00 |
| 3049 | 53 | Oil transfer kit as art. no. 6136 assembled inside a metallic cover and equipped with security electric panel art. no. 7370 | €2.480,00 |
| 3050 | 53 | Oil transfer kit equipped with pump art. no. 6145 assembled inside a metallic cover and equipped with security electric panel art. no. 7370 | €2.500,00 |
| 3079 | - | Wheeled waste oil extractor composed by 230 V electric pump and accessories | €714,00 |
| 3080 | 126 | Waste oil wheeled tank extractor, capacity 90 l. Pneumatic emptying | €368,00 |
| 3085 | 129 | Waste oil wheeled tank extractor, capacity 90 l with pneumatic pump | €844,00 |
| 3090 | 127 | Waste oil wheeled tank extractor, capacity 90 l with inspection chamber 10 l capacity | €538,00 |
| 3095 | 129 | Waste oil wheeled tank extractor, capacity 90 l with inspection chamber 10 l capacity and pneumatic pump | €996,00 |
| 3096 | - | Waste oil and antifreeze wall suction system with pneumatic pump "Power Bull" series | €1.520,00 |
| 3099 | 133 | Waste oil wall suction system with pneumatic pump | €380,00 |
| 3100 | 234 | Painted steel frame for end-of-life vehicle holding up, equipped with steel profiled safety grill for fluid collecting | €11.800,00 |
| 3106 | 234 | Gear and motor oil dropping recovery kit composed by a collecting basin with double funnel mounted on a swivelling arm for end-of-life vehicles | €1.240,00 |
| 3111 | 234 | Pneumatic fuel-tanks drill for end-of-life vehicles | €2.300,00 |
| 3112 | - | Oil evacuator drain with double funnel for a simultaneous recovery of gear box oil and motor oil for end-of-life vehicles | €594,00 |
| 3115 | 160 | Wheeled petrol extractor for end-of-life vehicles | €710,00 |
| 3117 | 235 | Probe for drilling radiator flange | €36,00 |
| 3118 | 234 | Silicon plugs to close the drilled bores for end-of-life vehicles. Package: n. 100 pcs | €46,00 |
| 3122 | 235 | Kit for evacuating petrol and diesel fuel with steel framework for end-of-life vehicles - Kit for n. 2 fluids | €3.680,00 |
| 3123 | 235 | Kit for evacuating petrol and diesel fuel with steel framework for end-of-life vehicles - Kit for n. 3 fluids | €5.460,00 |
| 3124 | 235 | Kit for evacuating petrol and diesel fuel with steel framework for end-of-life vehicles - Kit for n. 4 fluids | €6.940,00 |
| 3125 | - | Kit for evacuating lubricants with steel framework and collecting tank for end-of-life vehicles - Kit for n. 4 fluids | €6.940,00 |
| 3126 | - | Kit for evacuating lubricants with steel framework and collecting tank for end-of-life vehicles - Kit for n. 3 fluids | €5.460,00 |
| 3127 | - | Kit for evacuating lubricants with steel framework and collecting tank for end-of-life vehicles - Kit for n. 2 fluids | €3.680,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|----------|----------------------|---|-----------|
| 3129 | 235 | BOOM BAG - complete system for the outburst of all vehicles air-bags | €960,00 |
| 3130 | 235 | High speed glass cutter with diamond milling cutter, aluminium conveyor for dust collecting and aspirator | €2.000,00 |
| 3133 | - | PERAMM 60 - Wheeled drainage system for shock absorber with drill gun and pneumatic power unit | €1.600,00 |
| 3135 | 236 | Wheeled kit for conditioning gas recovering and recycling for end-of-life vehicles - with n. 2 cylinders | €1.980,00 |
| 3161 | - | Oil evacuator drain capacity 60 l with wide anti-splash surface steel funnel capacity 10 l | €314,00 |
| 3164 | - | Wheeled tank capacity 60 l with painted steel basin 10 l | €452,00 |
| 3167 | - | Wheeled tank capacity 60 l with painted steel basin 10 l and inspection chamber 8 l | €580,00 |
| 3172 | 132 | Waste oil wall suction system with pneumatic pump - wheeled version of art. no. 3099 | €792,00 |
| 3173 | 124 | Oil evacuator 10 l basin to be mounted on trolley for 208 l drum with grill | €502,00 |
| 3177 | 124 | Oil evacuator 10 l basin to be mounted on trolley for 60 l drum | €192,00 |
| 3178 | 124 | Oil evacuator 10 l basin to be mounted on trolley for 208 l drum | €270,00 |
| 3179 | 125 | Oil evacuator drain capacity 90 l with wide anti-splash surface steel funnel capacity 10 l | €314,00 |
| 3180 | 131 | Waste oil wheeled tank extractor and gravity drainer, capacity 115 l, with pantograph basin 50 l capacity | €888,00 |
| 3181 | - | Oil evacuator drain capacity 80 l with rectangular painted steel basin capacity 10 l | €360,00 |
| 3182 | 130 | Waste oil wheeled tank extractor and gravity drainer, capacity 90 l, with pantograph basin 10 l capacity | €658,00 |
| 3183 | 125 | Oil evacuator drain for motorbike, capacity 65 l with wide anti-splash surface steel funnel capacity 10 l | €358,00 |
| 3185 | 122 | Wheeled oil-recover-pan, capacity 70 l with handle | €292,00 |
| 3185/20 | 122 | Wheeled oil-recover-pan, capacity 22 l with handle, for passenger cars with sports chassis | €320,00 |
| 3185/110 | 122 | Wheeled oil-recover-pan, capacity 110 l with handle | €404,00 |
| 3186 | 122 | Oil drain pan rolling on the pit. Capacity 70 l | €310,00 |
| 3186/110 | 122 | Oil drain pan rolling on the pit. Capacity 110 l | €420,00 |
| 3190 | 130 | Wheeled tank capacity 90 l with inspection chamber 10 l and painted steel pantograph basin 10 l capacity | €826,00 |
| 3191 | 125 | Oil evacuator drain capacity 90 l with rectangular painted steel basin capacity 10 l - Pneumatic emptying of the tank | €546,00 |
| 3192 | 131 | Wheeled tank capacity 115 l with inspection chamber 10 l, adjustable hinged catch basin capacity 50 l | €1.048,00 |
| 3193 | - | Oil evacuator drain capacity 110 l with rectangular painted steel basin capacity 10 l - Pneumatic emptying of the tank | €354,00 |
| 3195 | 128 | Wheeled tank capacity 80 l with painted steel basin 10 l. Pneumatic emptying of the tank | €466,00 |
| 3198 | 128 | Wheeled tank capacity 80 l with inspection chamber 10 l. Pneumatic emptying of the tank | €588,00 |
| 3199 | 133 | Wall mounted drain assembly kit for waste oil diesel hydraulic oil with standard air-operated pump, cabinet hose reel with Ø 1/2", 10 m long hose | €660,00 |
| 3244 | 123 | Wall mounted drain assembly kit composed by: 10 l basin with swivelling arm and pneumatic oil pump ratio 1:1 | €522,00 |
| 3246 | - | Wasted oil and antifreeze pumping kit: pump, pressure regulator with tap, pipes and gun mod. 2105 to apply on basin mod. 3185 | €316,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|----------|----------------------|---|-----------|
| 3254 | 122 | Recovery kit composed by mod. 3185 and mod. 3246 | €592,00 |
| 3254/110 | 122 | Recovery kit composed by mod. 3185/110 and mod. 3246 | €716,00 |
| 3290 | - | Painted steel recovery circular basin capacity 10 l with pipe Ø 28 mm | €72,00 |
| 3292 | 123 | Wall mounted drain assembly composed by 10 l basin and swivelling arm | €236,00 |
| 3293 | 123 | Wall mounted drain assembly composed by 30 l basin and swivelling arm | €260,00 |
| 3299 | 125 | Crown to be adapted on the drain to extend the evacuation surface of art. no. 3290 | €37,00 |
| 3316 | 182 | Painted steel sprayer with tank capacity 16 l | €200,00 |
| 3318 | 183 | Stainless steel AISI 304 sprayer with tank capacity 16 l | €394,00 |
| 3318/316 | 183 | Stainless steel AISI 316 sprayer with tank capacity 16 l | €524,00 |
| 3320 | 185 | Mobile pressure sprayer | €356,00 |
| 3323 | 184 | Stainless steel AISI 304 foam maker/sprayer capacity 24 l with 5 m hose, gun and nozzle | €460,00 |
| 3324 | 183 | Stainless steel AISI 304 sprayer capacity 24 l equipped with 5 m long spiral shaped hose, gun and nozzle | €432,00 |
| 3324/316 | 183 | Stainless steel AISI 316 sprayer capacity 24 l equipped with 5 m long spiral shaped hose, gun and nozzle | €554,00 |
| 3325 | 182 | Painted steel AISI 304 sprayer capacity 24 l equipped with 5 m long spiral shaped hose, gun and nozzle | €220,00 |
| 3326 | 186 | Hose nozzle for sprayer. Length 600 mm | €26,00 |
| 3326M | 186 | Hose nozzle for sprayer. Length 750 mm | €30,00 |
| 3326L | 186 | Hose nozzle for sprayer. Length 900 mm | €34,00 |
| 3326T | - | Plastic nozzle with gun and telescopic pipe hose with nozzle adapter for painted steel foam maker. Adjustable jet | €60,00 |
| 3327 | 57 | Pneumatic oil distributor with gun mod. 2105 with drum capacity 24 l | €244,00 |
| 3329 | 186 | Spraying double gun lance | €138,00 |
| 3340 | 183 | Stainless steel AISI 304 sprayer capacity 40 l | €634,00 |
| 3340/316 | 183 | Stainless steel AISI 316 sprayer capacity 40 l | €776,00 |
| 3345 | 184 | Stainless steel AISI 304 foam maker/sprayer capacity 40l with 5 m hose, gun and nozzle | €666,00 |
| 3350 | 182 | Painted steel AISI 304 sprayer capacity 40 l | €368,00 |
| 3352 | 184 | Stainless steel AISI 304 sprayer capacity 24 l, with spiral hose, gun and nozzle with safety lockable top cover | €470,00 |
| 3354 | 184 | Stainless steel AISI 304 sprayer capacity 40 l with spiral hose, gun and nozzle with safety lockable top cover | €670,00 |
| 3358 | 57 | Air-operated oil dispenser on tank capacity 40 l with gun mod. 2105 | €396,00 |
| 3359 | 57 | Air-operated oil dispenser on tank capacity 40 l with gun mod. 2726 | €536,00 |
| 3374 | 185 | Stainless steel AISI 316 foaming kit with 14 nozzles and suction hose | €630,00 |
| 3375 | - | Foaming kit with Venturi system and pneumatic stainless steel pump with 10 m hose and nozzle kit to regulate the concentration of detergent | €1.240,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|--------|-----|--|-----------|
| 3379/I | - | Foaming spraying kit and mixing device of a single product into water. Pneumatic operating, wheeled version with stainless steel spring retracting hose reel and 15 m of hose 10x17 mm | €3.740,00 |
| 3385 | 185 | "FOAMER SPRAYER HYDRA" - Pneumatic sprayer kit with waterproof stainless steel cabinet | €1.040,00 |
| 3389 | - | "SPRAY BLITZ" - Pressure sprayer mounted on 2 wheels trolley with stainless steel pneumatic pump | €1.120,00 |
| 3390 | - | "DOUBLE HYDRA" - Spraying kit, foaming and high accuracy mixing device for 2 products into water, wheeled version with "Easy Roller " hose reel | €3.600,00 |
| 3396 | 57 | Pneumatic oil distributor with digital meter "OIL COUNTER" - capacity 24 l | €432,00 |
| 3399 | - | "DOUBLE HYDRA" - Spraying kit, foaming and high accuracy mixing device for 2 products into water | €2.420,00 |

| | | | |
|------|-----|--|---------|
| 3406 | 138 | Brake bleeder with membrane - capacity 9 l | €274,00 |
|------|-----|--|---------|

| | | | |
|-----------|-----|---|---------|
| 3407 | - | Graduated measure in polyethylene - capacity 3 l | €9,40 |
| 3408/1 | 71 | Graduated measure in polyethylene - capacity 1 l | €9,00 |
| 3408/2 | 71 | Graduated measure in polyethylene - capacity 2 l | €10,00 |
| 3408/3 | 71 | Graduated measure in polyethylene - capacity 3 l | €16,00 |
| 3408/5 | 71 | Graduated measure in polyethylene - capacity 5 l | €21,00 |
| 3408/05R | 71 | Graduated measure in metal - capacity 0.5 l | €13,00 |
| 3408/1FMS | 71 | Graduated measure in metal with flexible metal outlet - capacity 1 l | €18,00 |
| 3408/1R | 71 | Graduated measure in metal - capacity 1 l | €15,00 |
| 3408/2FMS | 71 | Graduated measure in metal with flexible metal outlet - capacity 2 l | €27,00 |
| 3408/2R | 71 | Graduated measure in metal - capacity 2 l | €20,00 |
| 3416 | 138 | Electric brake bleeder - capacity 12 l | €720,00 |
| 3419 | - | Tester electronic for brakes fluids | €172,00 |
| 3422 | 137 | Plastic drain pan for the collection of waste oil - capacity 8 l | €32,00 |
| 3423 | 137 | Plastic drain pan for the collection of waste oil - capacity 16 l | €36,00 |
| 3424 | 137 | Plastic drain pan for the collection of waste oil - capacity 16 l - with hermetical screw cap | €22,00 |

| | | | |
|------|----|--|--------|
| 3425 | 71 | Graduated, transparent measure in polyethylene - capacity 0,25 l | €6,00 |
| 3426 | 71 | Graduated, transparent measure in polyethylene - capacity 0,50 l | €8,00 |
| 3427 | 71 | Graduated, transparent measure in polyethylene - capacity 1 l | €10,00 |
| 3428 | 71 | Graduated, transparent measure in polyethylene - capacity 2 l | €12,00 |
| 3429 | 71 | Graduated, transparent measure in polyethylene - capacity 3 l | €18,00 |
| 3430 | 71 | Graduated, transparent measure in polyethylene - capacity 5 l | €24,00 |

| | | | |
|------|----|---|--------|
| 3435 | 70 | Funnel in polyethylene ø 180 mm with flexible spout, cap and protection cover | €9,00 |
| 3436 | 70 | Funnel in polyethylene ø 220 mm with flexible spout, cap and protection cover | €10,00 |
| 3437 | - | Funnel in polyethylene ø 220 mm with flexible spout | €10,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|-------------------------------|--|--------------|
| 3447 | 71 | Graduated measure in polyethylene with funnel type outlet and cap - capacity 1 l | €6,30 |
| 3448 | 71 | Graduated measure in polyethylene with funnel type outlet and cap - capacity 2 l | €7,30 |
| 3449 | 71 | Graduated measure in polyethylene with funnel type outlet and cap - capacity 5 l | €12,60 |
| 3451 | 139 | Plug for Brake Bleeder nr. 1 | €6,20 |
| 3452 | 139 | Plug for Brake Bleeder nr. 2 | €6,20 |
| 3453 | 139 | Plug for Brake Bleeder nr. 3 | €6,20 |
| 3454 | 139 | Plug for Brake Bleeder nr. 4 | €6,20 |
| 3455 | 139 | Plug for Brake Bleeder nr. 5 | €6,20 |
| 3456 | 139 | Plug for Brake Bleeder nr. 6 | €6,20 |
| 3457 | 139 | Plug for Brake Bleeder nr. 7 | €6,20 |
| 3458 | 139 | Plug for Brake Bleeder nr. 8 | €6,20 |
| 3459 | 139 | Plug for Brake Bleeder nr. 9 | €6,20 |
| 3460 | 139 | Plug for Brake Bleeder nr. 10 | €8,20 |
| 3461 | 139 | Plug for Brake Bleeder nr. 11 | €6,20 |
| 3462 | 139 | Plug for Brake Bleeder nr. 12 | €6,20 |
| 3463 | 139 | Plug for Brake Bleeder nr. 13 | €16,80 |
| 3465 | 139 | Plug for Brake Bleeder nr. 15 | €6,20 |
| 3466 | 139 | Plug for Brake Bleeder nr. 16 | €6,20 |
| 3467 | 139 | Plug for Brake Bleeder nr. 17 | €6,20 |
| 3468 | 139 | Plug for Brake Bleeder nr. 18 | €6,20 |
| 3469 | 139 | Plug for Brake Bleeder nr. 19 | €6,20 |
| 3470 | 139 | Plug for Brake Bleeder nr. 20 | €6,20 |
| 3471 | 139 | Plug for Brake Bleeder nr. 21 | €16,80 |
| 3472 | 139 | Plug for Brake Bleeder nr. 22 | €6,20 |
| 3473 | 139 | Plug for Brake Bleeder nr. 23 | €6,20 |
| 3474 | 139 | Plug for Brake Bleeder nr. 24 - universal | €48,30 |
| 3475 | 139 | Press ion universal pluge | €52,00 |
| 3476 | 139 | Brake fluid plug for Kia and Chrysler | €21,00 |
| 3477 | 139 | Plug for brake bleeder nr. 27 | €8,40 |
| 3478 | 139 | Plug for brake bleeder nr. 31 | €8,40 |
| 3479 | 139 | Plug for brake bleeder nr. 29 | €8,40 |
| 3480 | - | Flexible hose with head-fittings | €16,00 |
| 3481 | 138 | Oil drain hose | €6,00 |
| 3482 | 124 | Plastic can - capacity 20 l | €18,00 |
| 3485 | 138 | Recovery oil bottle. Capacity 1 l | €8,00 |
| 3486 | 138 | Plastic funnel for Brake bleeder | €3,60 |
| 3487 | - | Can for oil-filling | €12,60 |
| 3488 | - | Quick release fitting for reversing the membrane by means of air-pressure. For Brake-bleeder | €12,00 |
| 3489 | - | Recovery oil funnel | €14,70 |
| 3490 | 139 | Full Plugs-Kit for cars and trucks included all 24 plugs (universal plugs included) | €192,00 |
| 3491 | 139 | Plugs-Kit for most renewed cars composed by 12 plugs | €60,00 |
| 3493 | 139 | Plugs-Kit for others cars and trucks (universal plug excluded) | €96,00 |
| 3495 | 138 | Mobile Brake-Bleeder (composed by mod. 4357 - 3406 - 3490 - 3485 - 3481 - 3486) | €638,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|--------|-----|--|---------|
| 3521 | 193 | Pneumatic tyre inflator capacity 16 l | €266,00 |
| 3524 | 193 | Pneumatic tyre inflator capacity 24 l | €270,00 |
| 3526 | 193 | Pneumatic tyre inflator capacity 16 l with manual air-filling or automatic filling bivalve | €310,00 |
| 35KIT1 | - | Handle-valve for automatic air-filling. Male connection | €50,00 |
| 352621 | - | Handle-valve for automatic air-filling. Female connection | €50,00 |

| | | | |
|-------|---|---|---------|
| 36015 | - | Hose for compressed-air 8 x 12 mm - length 1,5 m. P. max 20 bar in polyurethane | €6,60 |
| 3602 | - | Hose for compressed-air 8 x 12 mm - length 2 m. P. max 20 bar in polyurethane | €9,60 |
| 3603 | - | Hose for compressed-air 8 x 12 mm - length 3 m. P. max 20 bar in polyurethane | €12,60 |
| 3605 | - | Hose for compressed-air 8 x 12 mm - length 5 m. P. max 20 bar in polyurethane | €16,80 |
| 3610 | - | Hose for compressed-air 8 x 12 mm - length 10 m. P. max 20 bar in polyurethane suitable for Easy Roller | €29,40 |
| 3615 | - | Hose for compressed-air 8 x 12 mm - length 15 m. P. max 20 bar in polyurethane suitable for Easy Roller | €42,00 |
| 36100 | - | Hose for compressed-air 8 x 12 mm - length 100 m. P. max 20 bar in polyurethane | €244,00 |

| | | | |
|------|---|---|---------|
| 3701 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 1 m | €16,00 |
| 3702 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 2 m | €24,00 |
| 3703 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 3 m | €32,00 |
| 3704 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 4 m | €40,00 |
| 3705 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 5 m | €50,00 |
| 3706 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 6 m | €60,00 |
| 3707 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 7 m | €70,00 |
| 3710 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 10 m | €84,00 |
| 3712 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 12 m | €112,00 |
| 3715 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 15 m | €120,00 |
| 3720 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 20 m | €158,00 |
| 3725 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 25 m | €208,00 |
| 3730 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 30 m | €248,00 |
| 3740 | - | Flexible rubber hose for air and oil Ø 3/8" (Ø 10) R1 length 40 m | €328,00 |

| | | | |
|-------|-----|--|--------|
| 38005 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 0.5 m | €12,00 |
| 3801 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 1 m | €13,00 |
| 38015 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 1.5 m | €14,00 |
| 3802 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 2 m | €17,00 |
| 3803 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 3 m | €24,00 |
| 3804 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 4 m | €27,00 |
| 3805 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 5 m | €33,00 |
| 3806 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 6 m | €42,00 |
| 3807 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 7 m | €46,00 |
| 3810 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 10 m | €62,00 |
| 3812 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 12 m | €76,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|---------|
| 3815 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 15 m | €82,00 |
| 3820 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 20 m | €116,00 |
| 3822 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 22 m | €136,00 |
| 3825 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 25 m | €144,00 |
| 3830 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 30 m | €150,00 |
| 3835 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 35 m | €182,00 |
| 3840 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 40 m | €232,00 |
| 3850 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 50 m | €282,00 |
| 3860 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/8" (Ø 10) length 60 m | €332,00 |

| | | | |
|------|---|--|---------|
| 3910 | - | Polyurethane flexible hose for compressed air 40 bar Ø 10 x 14 length 10 m | €62,00 |
| 3915 | - | Polyurethane flexible hose for compressed air 40 bar Ø 10 x 14 length 15 m | €94,00 |
| 3920 | - | Polyurethane flexible hose for compressed air 40 bar Ø 10 x 14 length 20 m | €118,00 |

| | | | |
|--------|-----|--|---------|
| 399005 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 0.5 m | €20,00 |
| 39901 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 1 m | €22,00 |
| 399015 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 1.5 m | €26,00 |
| 39902 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 2 m | €30,00 |
| 39903 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 3 m | €38,00 |
| 39904 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 4 m | €46,00 |
| 39905 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 5 m | €54,00 |
| 39906 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 6 m | €64,00 |
| 39907 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 7 m | €72,00 |
| 39910 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 10 m | €96,00 |
| 39912 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 12 m | €112,00 |
| 39915 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 15 m | €136,00 |
| 39920 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 20 m | €176,00 |
| 39922 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 22 m | €194,00 |
| 39925 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 25 m | €218,00 |
| 39930 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 30 m | €258,00 |
| 39935 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 35 m | €298,00 |
| 39940 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 40 m | €338,00 |
| 39950 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 50 m | €418,00 |
| 39960 | 229 | PVC flexible hose for compressed air and water 40 bar Ø 3/4" (Ø 19) length 60 m | €500,00 |

| | | | |
|----------|----|--|-----------|
| 4012 | - | Air operated grease pump compression ratio 50:1 for 15 kg drums | €242,00 |
| 4018 | 10 | Air operated grease pump compression ratio 50:1 for 16 kg drums (shank length 335 mm) | €248,00 |
| 4019 | 11 | Air operated grease pump compression ratio 100:1 for 16 kg drums (shank length 335 mm) | €292,00 |
| 4019TWDE | 13 | Air operated grease pump compression ratio 100:1 for 16 kg drums - TWD EVOLUTION series | €328,00 |
| 4020 | 10 | Air operated grease pump compression ratio 50:1 for 18-20 kg drums | €218,00 |
| 4021 | 11 | Air operated grease pump compression ratio 100:1 for 18-20 kg drums | €270,00 |
| 4021TWDE | 13 | Air operated grease pump compression ratio 100:1 for 18-20 kg drums - TWD EVOLUTION series | €300,00 |
| 4022 | 12 | Air operated grease pump compression ratio 25:1 for 18-25 kg pails | €258,00 |
| 4025 | 13 | Air operated grease pump compression ratio 250:1 for 18-25 kg pails | €1.680,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|----------|----|---|-----------|
| 4043 | 12 | Air operated grease pump compression ratio 7:1 for 180 kg drums | €380,00 |
| 4046 | 15 | Air operated grease pump compression ratio 13:1 for 180 kg drums - POWER BULL series | €1.680,00 |
| 4047 | 15 | Air operated grease pump compression ratio 7:1 for 180 kg drums - POWER BULL series | €1.480,00 |
| 4048 | 15 | Air operated grease pump compression ratio 30:1 for 180 kg drums - POWER BULL series | €1.140,00 |
| 4049 | 15 | Air operated grease pump compression ratio 50:1 for 180 kg drums - POWER BULL series | €1.440,00 |
| 4050 | 15 | Air operated grease pump compression ratio 90:1 for 180 kg drums - POWER BULL series | €1.640,00 |
| 4051 | 15 | Air operated grease pump compression ratio 75:1 for 180 kg drums - POWER BULL series | €1.620,00 |
| 4052 | 15 | Air operated grease pump compression ratio 75:1 for 180 kg drums - POWER BULL series - devorced version | €1.660,00 |
| 4060 | 10 | Air operated grease pump compression ratio 50:1 for 50 kg drums | €226,00 |
| 4061 | 11 | Air operated grease pump compression ratio 100:1 for 50 kg drums | €294,00 |
| 4061TWDE | 13 | Air operated grease pump compression ratio 100:1 for 50 kg drums - TWD EVOLUTION series | €324,00 |
| 4062 | 12 | Air operated grease pump compression ratio 25:1 for 50 kg drums | €266,00 |
| 4080 | 10 | Air operated grease pump compression ratio 50:1 for 180 Kg | €236,00 |
| 4081 | 11 | Air operated grease pump compression ratio 100:1 for 180 kg drums | €318,00 |
| 4081TWDE | 13 | Air operated grease pump compression ratio 100:1 for 180 kg drums - TWD EVOLUTION series | €346,00 |
| 4082 | 12 | Air operated grease pump compression ratio 25:1 for 180 kg drums | €276,00 |
| 4083 | 12 | Air operated grease pump compression ratio 45:1 for 180 kg drums | €354,00 |

| | | | |
|------|----|--|---------|
| 4200 | 30 | Grease gun steel body | €27,00 |
| 4201 | 30 | Grease gun mod. 4200 with stainless steel trigger guard | €31,00 |
| 4204 | 30 | Grease gun with rigid outlet ø 16 mm and swivel joint 1/2" BSP (M) | €50,00 |
| 4205 | 30 | Grease gun with flex, hose and 4 jaws coupler. Steel body | €31,00 |
| 4206 | 30 | Grease gun mod. 4205 with stainless steel trigger guard | €37,00 |
| 4207 | 30 | Grease gun mod. 4208 with stainless steel trigger guard | €37,00 |
| 4208 | 30 | Grease gun with rigid pipe and 4 jaws | €32,40 |
| 4209 | 30 | High volume grease gun with rigid outlet ø 20 mm | €200,00 |

| | | | |
|-----------|----|---|--------|
| 4215 | 31 | Extension pipe for grease - L. 130 mm | €28,00 |
| 4216 | 31 | Flexible pipe 1/4" R2T L. 400 mm for grease gun | €12,60 |
| 4216+4233 | 31 | Flexible pipe 1/4" R2T L. 400 mm with quick release fitting for tank refilling in central lube plants | €28,00 |
| 4217 | 31 | Rubber hose thread 10x1. Length 400 mm for grease gun | €4,00 |
| 4217/1000 | 31 | Rubber hose thread 10x1. Length 1000 mm for grease gun | €7,30 |
| 4217+4220 | 31 | Rubber hose thread 10x1. Length 400 mm for grease gun with 4 Jaw coupler | €7,00 |
| 4218 | 31 | Rigid pipe with jaw fitting thread 10x1 | €5,20 |
| 4219 | 31 | Angles rigid outlet pipe, connections M 10x1, L 130 mm for grease gun | €2,20 |
| 4220 | 31 | 4 Jaw coupler thread 10x1 | €3,00 |
| 4221 | 30 | Swivel joint thread MF 1/4" BSP | €24,00 |
| 4222 | - | Quick connection Ø 1/4" BSP | €26,00 |
| 4223 | 36 | Nipple M+M Ø 1/4" BSP | €1,20 |
| 4224 | 31 | Giant coupler mod. "ES 22" | €12,00 |
| 4225 | 31 | 4 Jaw angled coupler 90° | €6,00 |
| 4226 | 31 | Hook on coupler mod. " ES15 " | €6,00 |
| 4227 | 31 | Reverse button head coupler mod. " ES15 " | €6,00 |
| 4228 | 30 | Straight swivel joint, thread M+F Ø 1/4" BSP | €14,40 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|--|---------|
| 4229 | 36 | Galvanized swivel nipple M+F Ø 1/4" BSP | €2,40 |
| 4231 | 36 | Galvanized swivel nipple F+M Ø 1/4" BSP | €2,40 |
| 4232 | 36 | Galvanized 90° bend MF Ø 1/4" BSP | €3,40 |
| 4233 | 31 | Quick release fitting F 1/4" for tank refilling in centralized lubrication system | €14,80 |
| 4234 | 31 | Rigid pipe connection M 1/2" with quick coupling for refilling of lever grease guns | €23,00 |
| 4235 | 31 | Elbow adaptor connection M 1/2" for tank refilling in centralized lubrication system | €18,00 |
| 4236 | 32 | Digital gears meter series "Grease Gate" with PRESET and gun | €560,00 |
| 4251 | 31 | Pointed coupler LUB for flush-type grease nipples, M 10x1 | €6,00 |
| 4252 | 31 | Pin pointed coupler LUB for flush-type grease nipples, M 10x1 | €5,00 |
| 4253 | 31 | Hollow-type coupler LUB for ball-type grease nipples, M 10x1 | €4,40 |
| 4254 | 31 | Bayonet coupler LUB for bayonet grease nipples, M 10x1 | €6,00 |
| 4255 | 31 | Hydraulic 4-jaws-coupler, heavy duty version, for hydraulic-type grease nipples, M 10x1 | €6,00 |
| 4285 | 33 | Digital gears meter with gun and flexible rubber pipe with rigid 90° spout | €252,00 |
| 4286 | 32 | Digital gears meter "GREASE CONTROL" with gun | €312,00 |
| 4287 | 33 | Digital gears meter for high quantities of grease - suitable in application with "Power Bull" pumps | €610,00 |
| 4289 | 32 | Digital gears meter series "Grease Control" for in-line installation | €282,00 |
| 4301 | 34 | Cover with Ring Nut to fix pump on drum Ø 283 mm for 18 Kg drums | €23,00 |
| 4302 | 34 | Cover with Ring Nut to fix pump on drum Ø 330 mm for 20 Kg drums | €23,00 |
| 4302S | 34 | Cover with Ring Nut to fix pump on drum Ø 350 mm for 20 Kg drums | €36,00 |
| 4305 | 34 | Cover with Ring Nut to fix pump on drum Ø 400 mm for 50 Kg drums | €35,00 |
| 4305L | 34 | Cover with Ring Nut to fix pump on drum Ø 388 mm for 50 Kg drum | €44,00 |
| 4305S | 34 | Cover with Ring Nut to fix pump on drum Ø 450 mm for 50 Kg drums | €46,00 |
| 4305/TP | 34 | Cover with Ring Nut to fix TAPIR pump on drum Ø 400 mm for 50 Kg drums | €38,00 |
| 4308 | 34 | Cover with Ring Nut to fix pump on drum Ø 600 mm for 180 Kg drums | €62,00 |
| 4308/TP | 34 | Cover with Ring Nut to fix TAPIR pump on drum Ø 600 mm for 180 Kg drums | €62,00 |
| 4309 | 35 | Cover with Ring Nut to fix grease pump POWER BULL art. no. 4048 - 4049 - 4050) on drum Ø 600 mm for 180 Kg drums | €92,00 |
| 4309/70 | 35 | Cover with ring nut to fix grease pump "POWER BULL" (art. no. 4046 - 4047) on drum Ø 600 mm for 180 Kg drums | €92,00 |
| 4310 | 34 | Follower Plate for 5 Kg drums with rubber membrane Ø 205 mm | €27,00 |
| 4311 | 34 | Follower Plate for 18 Kg drums with rubber membrane Ø 275 mm | €27,00 |
| 4312 | 34 | Follower Plate for 20 Kg drums with rubber membrane Ø 350 mm | €34,00 |
| 4312S | 34 | Follower Plate for 25 Kg drums with rubber membrane Ø 340 mm | €40,00 |
| 4314 | 34 | Follower Plate for 20 Kg drums with rubber membrane Ø 310 mm | €32,00 |
| 4315 | 34 | Follower Plate for 20 Kg drums with rubber membrane Ø 330 mm | €36,00 |
| 4317 | 34 | Follower Plate for 50 Kg drums with rubber membrane Ø 390 mm | €46,00 |
| 4317/TP | 34 | Follower Plate for TAPIR pumps - 50 kg drums - with rubber membrane Ø 390 mm | €56,00 |
| 4319 | 34 | Follower Plate for 180 Kg drums with rubber membrane Ø 590 mm | €74,00 |
| 4319/TP | 34 | Follower Plate for TAPIR pumps - 180 kg drums - with rubber membrane Ø 590 mm | €88,00 |
| 4320 | 35 | Follower Plate for 180 Kg drums with rubber membrane Ø 590 x 540 mm, specific for grease pneumatic pump "Power Bull" art. no. 4048 - 4049 - 4050 | €214,00 |
| 4320/70 | 35 | Follower Plate for 180 Kg drums with rubber membrane Ø 590 x 540 mm, specific for grease pneumatic pump "Power Bull" art. no. 4046 - 4047 | €214,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|----|---|---------|
| 4322 | 23 | Pump stop device for grease 180 kg drums | €570,00 |
| 4326 | 34 | Flexible hose L. 1200 mm with connector for compressed air - for 180 kg drums | €8,00 |
| 4328 | 34 | Ring Nut for fastening pump Ø 28 mm x 2" | €6,00 |
| 4338 | 20 | Kit of wheels for heavy duty trolley for the use on rough surfaces | €126,00 |
| 4340 | 34 | Ring Nut for fastening pump Ø 40 mm x 2" | €6,00 |
| 4341 | 34 | Reverse-Ring-Nut 2" (F) for Ring Nuts art. no. 4328 - 4340 | €3,00 |

| | | | |
|---------|-----|--|-----------|
| 4342/50 | 35 | Metal flange plate for fixation of pumps "Power Bull" ø 50 mm - art. no. 4048 - 4049 -4050 - 2055 - 2056 - 2057 - 2058 | €36,00 |
| 4342/55 | 49 | Metal flange plate for fixation of pumps "Power Bull" ø 55 mm - art. no. 2088 - 2091 - 2092 | €40,00 |
| 4342/70 | 35 | Metal flange plate for fixation of pumps "Power Bull" ø 70 mm - art. no. 4046 - 4047 | €48,00 |
| 4343/50 | 35 | Ring nut for fastening "Power Bull" pumps art. no. 4048 - 4049 -4050 - 2057 - 2058 - thread M 2" x 50 mm | €46,00 |
| 4343/55 | 49 | Ring nut for fastening "Power Bull" pumps art. no. 2088 - 2091 - thread M 2" x 55 mm | €46,00 |
| 4343/70 | 35 | Ring nut for fastening "Power Bull" pumps art. no. 4046 - 4047 - thread M 2" x 70 mm | €46,00 |
| 4343/71 | 35 | Reverse-Ring-nut 2" F for ring nuts art. no. 4343/70 | €9,40 |
| 4350 | 238 | Two wheels trolley suitable for 18-60 Kg drums | €56,00 |
| 4351 | 238 | Two wheels tubing trolley suitable for 20 kg drums | €56,00 |
| 4352 | 238 | Two wheels tubing trolley suitable for 50-60 kg drums | €62,00 |
| 4357 | 138 | Trolley for brake-bleeder | €182,00 |
| 4360 | 238 | Four wheels trolley suitable for 20-60 Kg drums | €120,00 |
| 4379 | 96 | Handling 208 l drums trolley with locking device | €388,00 |
| 4380 | 238 | Four wheels trolley suitable for 208 l drums | €200,00 |
| 4389 | 238 | Special wheels trolley for heavy use, with dripping-grid suitable for hose-reels art. no. 9016 (not included) | €436,00 |
| 4397 | 238 | Trolley stainless steel AISI 304, 2 fixed wheels , suitable for manual hose reel assembly | €790,00 |
| 4398 | 238 | Trolley stainless steel AISI 304, 2 fixed wheels 2 casters with brake suitable for manual hose reel assembly | €1.028,00 |

| | | | |
|--------|----|---|---------|
| 4400 | 29 | Hand operated level cartridge pump. Capacity 600 g (Ø 56 mm) | €22,00 |
| 4400/4 | 29 | Hand operated level cartridge pump. Capacity 400 g (Ø 54 mm) | €22,00 |
| 4405 | 29 | Cartridge for lithium grease NLGI 2, capacity 600 g (Ø 56 mm) | €10,00 |
| 4406 | 29 | Cartridge for lithium grease NLGI 2, capacity 400 g (Ø 52 mm) | €9,00 |
| 4408 | 29 | Hand operated level cartridge pump. Capacity 320 g (Ø 54 mm) | €26,00 |
| 4425 | 24 | Hand operated level cartridge pump for 18-20 kg drums | €40,00 |
| 4426 | 24 | As art. 4425 but with shank 335 mm long | €48,00 |
| 4450 | 29 | Air operated grease gun cartridge. Capacity 600 g, Ø 56 mm | €110,00 |
| 4450/4 | 29 | Air operated grease gun cartridge. Capacity 400 g, Ø 54 mm | €110,00 |
| 4452 | 29 | 12 Vdc battery grease gun cartridge pump capacity 600 g | €420,00 |
| 4452/4 | 29 | 12 Vdc battery grease gun cartridge pump capacity 400 g | €360,00 |

| | | | |
|-------|-----|--|--------|
| 45005 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 0.5 m | €16,00 |
| 4501 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 1 m | €18,00 |
| 45015 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 1.5 m | €20,00 |
| 4502 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 2 m | €21,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|---------|
| 4503 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 3 m | €22,00 |
| 4504 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 4 m | €32,00 |
| 4505 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 5 m | €40,00 |
| 4506 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 6 m | €46,00 |
| 4507 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 7 m | €49,00 |
| 4508 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 8 m | €58,00 |
| 4510 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 10 m | €70,00 |
| 4512 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 12 m | €88,00 |
| 4515 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 15 m | €100,00 |
| 4517 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 17 m | €128,00 |
| 4520 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 20 m | €134,00 |
| 4522 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 22 m | €160,00 |
| 4525 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 25 m | €178,00 |
| 4530 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 30 m | €204,00 |
| 4535 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 35 m | €244,00 |
| 4540 | 228 | Flexible hose for grease and water high pressure Ø 1/4" (Ø6) R2 length 40 m | €274,00 |

| | | | |
|---------|-----|---|---------|
| 46005AM | 228 | 400 bar - 0.5 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €14,00 |
| 46001AM | 228 | 400 bar - 1 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €18,00 |
| 46015AM | 228 | 400 bar - 1.5 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €22,00 |
| 4602AM | 228 | 400 bar - 2 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €28,00 |
| 4603AM | 228 | 400 bar - 3 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €36,00 |
| 4605AM | 228 | 400 bar - 5 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €54,00 |
| 4610AM | 228 | 400 bar - 10 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €98,00 |
| 4615AM | 228 | 400 bar - 15 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €144,00 |
| 4620AM | 228 | 400 bar - 20 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €186,00 |
| 4625AM | 228 | 400 bar - 25 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €230,00 |
| 4630AM | 228 | 401 bar - 30 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €274,00 |
| 4635AM | 228 | 402 bar - 35 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €318,00 |
| 4640AM | 228 | 403 bar - 40 m long - Ø 5/16" stain proof flexible hose for high pressure cleaners | €364,00 |

| | | | |
|------|-----|-------------------|---------|
| 4699 | 192 | 180 kg empty drum | €130,00 |
| 4700 | - | 60 kg empty drum | €32,00 |
| 4701 | 18 | 20 kg empty drum | €20,00 |

| | | | |
|-------|-----|--|--------|
| 47005 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 0.5 m | €20,00 |
| 47001 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 1 m | €24,00 |
| 47015 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 1.5 m | €28,00 |
| 4702 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 2 m | €30,00 |
| 4703 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 3 m | €36,00 |
| 4704 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 4 m | €46,00 |
| 4705 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 5 m | €54,00 |
| 4706 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 6 m | €60,00 |
| 4707 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 7 m | €66,00 |
| 4710 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 10 m | €92,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|---------|
| 4712 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 12 m | €108,00 |
| 4715 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 15 m | €126,00 |
| 4720 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 20 m | €166,00 |
| 4725 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 25 m | €222,00 |
| 4730 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 30 m | €266,00 |
| 4740 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 40 m | €350,00 |
| 4760 | 228 | Flexible hose for grease and water high pressure Ø 3/8" (Ø 10) R2 length 60 m | €514,00 |

| | | | |
|---------|-----|--|---------|
| 47005AM | 228 | 400 bar - 0.5 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €20,00 |
| 47001AM | 228 | 400 bar - 1 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €26,00 |
| 47015AM | 228 | 400 bar - 1.5 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €32,00 |
| 4702AM | 228 | 400 bar - 2 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €38,00 |
| 4703AM | 228 | 400 bar - 3 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €50,00 |
| 4705AM | 228 | 400 bar - 5 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €78,00 |
| 4710AM | 228 | 400 bar - 10 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €142,00 |
| 4715AM | 228 | 400 bar - 15 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €208,00 |
| 4720AM | 228 | 400 bar - 20 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €274,00 |
| 4725AM | 228 | 400 bar - 25 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €330,00 |
| 4730AM | 228 | 401 bar - 30 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €360,00 |
| 4735AM | 228 | 402 bar - 35 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €420,00 |
| 4740AM | 228 | 403 bar - 40 m long - Ø 3/8" stain proof flexible hose for high pressure cleaners | €478,00 |
| 48005 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 0.5 m | €26,00 |
| 4801 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 1 m | €30,00 |
| 48015 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 1.5 m | €32,00 |
| 4802 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 2 m | €34,00 |
| 4803 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 3 m | €44,00 |
| 4805 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 5 m | €58,00 |
| 4806 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 6 m | €68,00 |
| 4810 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 10 m | €114,00 |
| 4815 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 15 m | €170,00 |
| 4820 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 20 m | €224,00 |
| 4825 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 25 m | €282,00 |
| 4830 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 30 m | €338,00 |
| 4835 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 35 m | €396,00 |
| 4840 | 228 | Flexible hose for grease and water high pressure Ø 1/2" (Ø 12.7) R2 length 40 m | €452,00 |

| | | | |
|-------|-----|--|-----------|
| 48800 | 228 | Flexible hose for grease and water high pressure ø 3/4" (ø 19) R2 - 100 m hank without connections | €1.564,00 |
| 48803 | 228 | Flexible hose for grease and water high pressure ø 3/4" (ø 19) R2 - length 3 m | €58,00 |
| 48805 | 228 | Flexible hose for grease and water high pressure ø 3/4" (ø 19) R2 - length 5 m | €82,00 |
| 48810 | 228 | Flexible hose for grease and water high pressure ø 3/4" (ø 19) R2 - length 10 m | €156,00 |
| 48815 | 228 | Flexible hose for grease and water high pressure ø 3/4" (ø 19) R2 - length 15 m | €220,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|----------------------|---|-----------|
| 488503 | 228 | Flexible hose for grease and water high pressure ø 1"(ø 25,4) R2 - length 3 m | €86,00 |
| 488505 | 228 | Flexible hose for grease and water high pressure ø 1"(ø 25,4) R2 - length 5 m | €144,00 |
| 488510 | 228 | Flexible hose for grease and water high pressure ø 1"(ø 25,4) R2 - length 10 m | €270,00 |
| 488515 | 228 | Flexible hose for grease and water high pressure ø 1"(ø 25,4) R2 - length 15 m | €540,00 |
| 4910 | 20 | Greasing kit for 180 kg drums, composed by: pneumatic pump, hose-reel with L. 15 m hose, gun, follower plate and drum cover, 4 wheels trolley | €1.016,00 |
| 4911 | 20 | Wheeled unit for grease with hose reel mod. 9016, for 180 kg drums | €1.244,00 |
| 4920 | 18 | Greasing kit for 18-25 kg drums. Basic version | €382,00 |
| 4920C | 18 | Greasing kit for 18-25 kg drums. Full optional version | €424,00 |
| 4920C/E | 18 | Greasing kit for 18-25 kg drums. Full optional version with trolley mod. 4351 | €424,00 |
| 4921 | 17 | Pneumatic greasing kit for 18-25 kg drums. Without wheels and drum | €408,00 |
| 4922 | 17 | Pneumatic greasing kit for 16 kg drums. Full optional | €430,00 |
| 4923 | 27 | Pneumatic greasing kit for the refilling in centralized lubrication systems - for 20 kg pails | €390,00 |
| 4950 | 19 | Greasing kit as mod. 4960 for 50 kg drums. Basic version with 4 wheels | €472,00 |
| 4960 | 19 | Greasing kit for 50 kg drums. Basic version with 2 wheels | €416,00 |
| 4960C | 19 | Greasing kit for 50 kg drums. Full optional version with 2 wheels | €458,00 |
| 4961 | 21 | Stationary pneumatic grease supply kit for 50 kg drums | €412,00 |
| 4963 | 27 | Pneumatic greasing kit for the refilling in centralized lubrication systems - for 50 kg drums | €424,00 |
| 4980 | 19 | Greasing kit 50 kg drums basic version with 4 wheels | €480,00 |
| 4980C | 19 | Greasing kit 50 kg drums full optional version with 4 wheels | €522,00 |
| 4981 | 21 | Stationary pneumatic grease supply kit for 180 kg drums | €477,00 |
| 4983 | 27 | Pneumatic greasing kit for the refilling in centralized lubrication systems - for 180 kg drums | €484,00 |
| 4990 | 20 | Kit for grease suitable for 180 kg drums basic version with 4 wheels | €620,00 |
| 4990C | 20 | Kit for grease suitable for 180 kg drums full optional version | €662,00 |
| 4995 | 21 | Greasing system installation with 15 m hose reel | €808,00 |
| 4997/20 | 23 | Mobile pneumatic grease sprayer kit - for 18-25 kg pails | €750,00 |
| 4997/60 | 23 | Mobile pneumatic grease sprayer kit - for 50 kg drums | €758,00 |
| 4999/30 | 22 | Greasing system for 30 Kg drums | €3.200,00 |
| 4999/60 | 22 | Greasing system for 60 Kg drums | €3.900,00 |
| 4999/200 | 22 | Greasing system for 180 Kg drums | €4.300,00 |
| 4999/200INP | 22 | Greasing system for 180 Kg drums - in application with "Power Bull" pumps (not included) | €5.900,00 |
| 5000 | 16 | Interchangeable pneumatic engine - series "Motomatic® System" | €244,00 |
| 5001 | 16 | Interchangeable pneumatic engine ø 100 - series "Motomatic® System" BULL version | €790,00 |
| 5002 | 16 | Interchangeable pneumatic engine ø 125 - series "Motomatic® System" BULL version | €1.070,00 |
| 5003 | 16 | Interchangeable pneumatic engine ø 160 - series "Motomatic® System" BULL version | €1.290,00 |
| 5011 | 16 | Oil shank ratio 1:1 drums 208 I - series "Motomatic® System" | €170,00 |
| 5031 | 16 | Oil shank ratio 3:1 drums 208 I - series "Motomatic® System" | €162,00 |
| 5032 | 16 | Antifreeze shank ratio 3:1 drums 208 I - series "Motomatic® System" | €172,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|----|--|---------|
| 5040 | 16 | Grease pump shank for 20 Kg drum - series "Motomatic® System" | €102,00 |
| 5060 | 16 | Grease shank for 50 kg drums - series "Motomatic® System" | €112,00 |
| 5080 | 16 | Grease shank for 180 kg drums - R. 50:1 - series "Motomatic® System" | €128,00 |
| 5081 | 16 | Grease shank for 180 kg drums - R. 15:1 - series "Motomatic® System" | €152,00 |
| 5090 | 16 | Grease shank for 180 kg drums - ø 50x22 - series "Motomatic® System" BULL version | €358,00 |
| 5091 | 16 | Grease shank for 180 kg drums - ø 70x50 - series "Motomatic® System" BULL version | €396,00 |
| 5100 | 25 | Manual pump for grease 16 kg drums | €92,00 |
| 5105 | 25 | Manual pump for grease 16 kg drums with 2 wheels | €112,00 |
| 5110 | 26 | GREASE POWER 750 - Manual operated greasing kit composed by a spring loaded pump, grease drum capacity 5 kg, flexible hose and dispensing gun | €230,00 |
| 5111 | 26 | GREASE POWER 750 - Manual operated greasing kit composed by a spring loaded pump for 18/20 kg drum, flexible hose and dispensing gun | €234,00 |
| 5115 | 25 | Manual pump for grease 16 kg drums and trolley mod. 4350 | €148,00 |
| 5125 | 24 | Hand operated grease pump for max 18-25 kg drums | €94,00 |
| 5126 | 27 | Manual grease gun filler pump kit, consisting of manual lever action grease pump, metal drum cover, follower plate and rigid pipe with adapter. For 18 kg drums | €104,00 |
| 5127 | 27 | Manual grease gun filler pump kit, consisting of manual lever action grease pump, metal drum cover, follower plate and rigid pipe with adapter. For 20 kg drums | €104,00 |
| 5128 | 27 | Manual grease gun filler pump kit, consisting of manual lever action grease pump, metal drum cover, follower plate and rigid pipe with adapter. For 50 kg drums | €130,00 |
| 5129 | 27 | Manual grease transfer kit for centralized lubrication systems, consisting of manual lever action grease pump, metal drum cover, follower plate 2 m - rubber hose. For 18 kg drums | €122,00 |
| 5130 | 27 | Manual grease transfer kit for centralized lubrication systems, consisting of manual lever action grease pump, metal drum cover, follower plate 2 m - rubber hose. For 20 kg drums | €124,00 |
| 5131 | 27 | Manual grease transfer kit for centralized lubrication systems, consisting of manual lever action grease pump, metal drum cover, follower plate 2 m - rubber hose. For 50 kg drums | €150,00 |

| | | | |
|------|----|---|---------|
| 5140 | - | Manual lever action grease pump. For 18 kg drums | €50,00 |
| 5141 | - | Manual lever action grease pump. For 20 kg drums | €52,00 |
| 5142 | - | Manual lever action grease pump. For 50 kg drums | €58,00 |
| 5190 | 24 | Manual grease supply kit, with metal 16 kg - pail with 2 wheels, 1,5 m - rubber hose, ball valve and rigid outlet pipe with 4 - jaws - hydraulic coupler. | €238,00 |
| 5200 | 56 | Hand operated oil pump 16 l container | €90,00 |
| 5216 | 56 | Hand operated oil pump on 16 l drum and trolley with 2 wheels | €144,00 |

| | | | |
|------|-----|--|--------|
| 5300 | 55 | Rotary hand operated pump for oil and diesel, flow rate 23 l/min | €82,00 |
| 5301 | 55 | Rotary hand operated pump for oil and diesel, flow rate 20 l/min | €40,00 |
| 5303 | 55 | Pump mod. 5301 with flexible hose L. 1500 mm, ball valve and outlet pipe for gear oil | €60,00 |
| 5400 | 55 | Transfer hand operated pump for oil and diesel, flow rate 9 l/min | €46,00 |
| 5403 | 54 | Single acting hand oil-antifreeze pump "SERIES RIVER 150" | €70,00 |
| 5405 | 54 | Double acting hand oil-antifreeze pump "SERIES RIVER 300" | €92,00 |
| 5409 | 55 | Hand oil and diesel pump, flow rate 12 l/min (imported product) | €28,00 |
| 5410 | 54 | Single acting hand oil-antifreeze pump "SERIES RIO 100" | €40,00 |
| 5416 | 179 | Polypropylene hand pump for solvents, chemicals and antifreeze - for 60/208 l drums | €42,00 |
| 5417 | 179 | Polypropylene hand siphon pump for solvents, chemicals and antifreeze - for 60/208 l drums | €30,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|---|-----------|
| 5420 | 54 | Double acting hand oil-antifreeze pump | €64,00 |
| 5423 | 56 | Wheeled oil tank for ATF dispensing 24 l with hand pump | €186,00 |
| 5434 | 56 | Wheeled oil manual dispensing for ATF for drums up to 60 l | €232,00 |
| 5450 | 55 | Transfer hand operated pump for oil and diesel, flow rate 13.5 l/min | €54,00 |
| 5460 | - | Wheeled oil tank for ATF dispensing 60 l with hand pump | €226,00 |
| 5463 | 75 | Wheeled tank - capacity 65 l with double acting pump and digital meter mod. 2826 for oil dispensing | €678,00 |
| 5463MID | 75 | Wheeled tank - capacity 65 l for oil dispensing with automatic air trap device approved according to OIML R117-1 , digital meter gun mod. 2545 with MID MI-005 approval | €1.394,00 |
| 5480 | 179 | Single acting stainless steel transfer hand pump series "Rinox 80". Viton® seals | €186,00 |
| 5491 | 165 | Rotary plastic hand pump for urea transfer, for drums, with hooked nozzle Ø 1" | €92,00 |
| 5493 | 165 | Hand lever plastic pump for urea transfer, for drums, complete of delivery hose | €104,00 |
| 5495 | 179 | Single acting stainless steel transfer hand pump series "Rinox 80". PTFE seals | €208,00 |
| 5496 | 165 | Stainless steel manual pump for urea fluid, with flexible hose length 4 m, rigid filling pipe | €218,00 |
| 5604 | 70 | OIL TEST - oil check pump stroke 150 mm | €54,00 |
| 5650 | 70 | Oil syringe with rubber hose, capacity 600 ml | €20,00 |
| 5658 | 70 | Double acting syringe with rigid pipe for oil, antifreeze, fuel, washer fluid, capacity 500 ml | €36,00 |
| 5659 | 70 | Double acting syringe with rigid pipe for oil, antifreeze, fuel, washer fluid, capacity 1000 ml | €42,00 |
| 5670 | 70 | Syringe with rigid pipe for oil, antifreeze, fuel, washer fluid, capacity 500 ml | €18,00 |
| 5671 | 70 | Syringe with rigid pipe for oil, antifreeze, fuel, washer fluid, capacity 1000 ml | €22,00 |
| 5675 | 70 | Pressure syringe for grease and oil - capacity 80 ml | €16,00 |
| 5676 | 70 | Pressure syringe for grease and oil - capacity 150 ml | €18,00 |
| 5677 | 70 | Pressure syringe for grease and oil - capacity 300 ml | €20,00 |
| 5678 | 70 | Graduated syringe for oil, antifreeze, fuel, washer fluid - Capacity 500 ml | €18,00 |
| 5679 | 70 | Graduated syringe for oil, antifreeze, fuel, washer fluid - Capacity 1000 ml | €22,00 |
| 5680 | 70 | Plastic pressure syringe for grease and oil - capacity 50 ml | €12,00 |
| 5685 | - | Pressure oiler with steel cup - capacity 500 ml | €8,00 |
| 5686 | - | Pressure oiler with plastic cup - capacity 500 ml | €7,00 |
| 5687 | - | Polyethylene pump oiler 250 ml | €6,00 |
| 5688 | - | Precision polyethylene pump oiler 300 ml | €20,00 |
| 5689 | - | Precision polyethylene pump oiler 500 ml | €24,00 |
| 5903 | 190 | Wheeled washing basin with tank capacity 65 l | €560,00 |
| 5904 | 191 | Closed circuit washing basin length 700 mm with shower and brush 230 V | €810,00 |
| 5905 | 191 | Closed circuit washing basin length 1000 mm with shower and brush. Pump-start and stop by a push pedal | €1.008,00 |
| 5906 | 191 | Closed circuit washing basin length 1000 mm with pneumatic pump mod. 1058 with shower and brush | €1.056,00 |
| 5908 | 190 | Wheeled washing basin with air operated rotary pump mod. 1058 | €664,00 |
| 5910 | - | Hose with shower for washing tanks mod. 5904 - mod. 5905 - mod. 5906 | €56,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|---------|
| 5945 | 192 | Painted steel closed circuit washing basin, to be applied on 208 l drum, with pneumatic rotary pump | €670,00 |
| 5946 | 192 | Painted steel closed circuit washing basin, to be applied on 208 l drum, with pneumatic rotary pump and removable cover | €640,00 |
| 5953 | 190 | Stainless steel wheeled washing basin with air operated rotary pump mod. 1058 | €840,00 |

| | | | |
|------|-----|--|-----------|
| 6122 | 52 | Electric pump 230 V for oil transfer "ROTOPUMP" series. Flow rate 10.5 l/min at 15 bar | €420,00 |
| 6123 | 52 | Electric gear pump 230 Vac - 4 bar - 15 l/min - body in IXEF | €260,00 |
| 6124 | 52 | 230 V oil dispensing kit equipped with electric pump with automatic air trap device and pump stop system approved according to OIML R117-1 , control panel and double pressure cut-off switch | €920,00 |
| 6125 | 52 | Electric pump 110 V for oil transfer "ROTOPUMP" series | €440,00 |
| 6128 | 52 | Electric pump 400 V for oil transfer "ROTOPUMP" series | €430,00 |
| 6129 | 52 | Electric pump 400 V for oil transfer "ROTOPUMP" series with pressure cut-off switch | €780,00 |
| 6132 | 166 | Electric selfpriming gear pump 230 V for AdBlue®, stainless steel body, flow rate 11 l/min | €424,00 |
| 6133 | 53 | Heavy duty electric gears pump 110 V for oil transfer. Flow rate 33 l/min | €760,00 |
| 6135 | 53 | Heavy duty electric gears pump 230 V for oil transfer. Flow rate 33 l/min | €730,00 |
| 6136 | 53 | Heavy duty electric gears pump mod. 6135 equipped with kit automatic stop mod. 7373 | €1.254,00 |
| 6138 | 53 | Heavy duty electric gears pump 400 V for oil transfer. Flow rate 33 l/min | €760,00 |
| 6141 | 52 | Heavy duty electric gears pump 230 V for oil transfer. Flow rate 10.5 l/min, P. 15 bar. With pressure cut-off switch and battery | €774,00 |
| 6142 | - | Heavy duty electric gears pump 400 V for oil transfer. Flow rate 10.5 l/min, P. 15 bar. With pressure cut-off switch and battery | €852,00 |
| 6145 | 53 | Heavy duty electric gears pump 230 V for oil transfer. Flow rate 53 l/min. P. 28 bar | €820,00 |
| 6149 | 53 | Heavy duty electric gears pump 400 V for oil transfer. Flow rate 53 l/min. P. 28 bar | €860,00 |

| | | | |
|------|-----|--|---------|
| 6153 | 166 | Self priming electric pump diaphragm type 12 Vcc for AdBlue® transfer, plastic body, delivery 36 l/min | €298,00 |
| 6154 | 166 | Self priming electric pump diaphragm type 24 Vcc for AdBlue® transfer, plastic body, delivery 36 l/min | €298,00 |

| | | | |
|------|-----|--|---------|
| 6155 | 166 | Electric pump 230 V for fluid transfer, plastic body, flow rate 34 l/min | €298,00 |
| 6160 | 166 | Electric pump 230 V for fluid transfer, stainless steel body, flow rate 25 l/min | €490,00 |
| 6218 | 146 | Electric pump 400 V for diesel transfer - flow rate 65 l/min | €470,00 |
| 6219 | 146 | Electric pump 230 V for diesel transfer - flow rate 65 l/min | €390,00 |
| 6220 | 146 | Electric pump 230 V for diesel transfer - flow rate 100 l/min, power 1 HP | €420,00 |

| | | | |
|-------|---|---|-----------|
| 6227 | - | DIESEL KEEPER - Diesel filling station with a wireless management system by PC in radio frequency, with smart card and/or PIN | €4.400,00 |
| 6227C | - | DIESEL KEEPER - Version with data transfer wire " Belden " | €4.200,00 |

| | | | |
|------|-----|---|---------|
| 6230 | 144 | Diesel transfer pump 12 Vdc. Flow rate 30 l/min | €270,00 |
|------|-----|---|---------|

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|---------|
| 6246 | 145 | Electric kit 12 Vdc for diesel transfer with mechanical meter, rubber hose connection and diesel gun | €420,00 |
| 6247 | 148 | MINI DIESEL 40E - Diesel transfer kit encased 12 Vdc with mechanical meter, delivery hose and automatic filling gun | €530,00 |
| 6248 | 148 | MINI DIESEL 40E - Diesel transfer kit encased 24 Vdc with mechanical meter, delivery hose and automatic filling gun | €470,00 |
| 6249 | 145 | Electric kit 24 Vdc for diesel transfer with mechanical meter, rubber hose connection and diesel gun | €420,00 |

| | | | |
|------|-----|---|---------|
| 6252 | 145 | Diesel vane pump 12 Vdc, flow rate 43 l/min | €174,00 |
| 6253 | 144 | Diesel vane pump 12 Vdc, flow rate 60 l/min | €300,00 |
| 6254 | 145 | Diesel vane pump 24 Vdc, flow rate 43 l/min | €174,00 |
| 6255 | 144 | Diesel vane pump 24 Vdc, flow rate 60 l/min | €300,00 |
| 6256 | 144 | Diesel vane pump 12 Vdc equipped with handle, switch, wire with crocodile clamps and fuse. Flow rate 85 l/min | €490,00 |
| 6257 | 144 | Diesel vane pump 24 Vdc equipped with handle, switch, wire with crocodile clamps and fuse. Flow rate 85 l/min | €490,00 |

| | | | |
|------|----|--|---------|
| 6302 | 51 | Electric gear pump 12 Vdc for dispensing antifreeze, diesel, water. Flow rate 15 l/min | €168,00 |
| 6303 | 51 | Electric gear pump 12 Vdc for dispensing oil. Flow rate 1 l/min | €176,00 |
| 6304 | 51 | Electric gear pump 24 Vdc for dispensing antifreeze, diesel, water. Flow rate 15 l/min | €168,00 |
| 6305 | 51 | Electric gear pump 12 Vdc for dispensing oil. Flow rate 6 l/min | €320,00 |
| 6308 | 51 | Electric gear pump 24 Vdc for dispensing oil. Flow rate 1 l/min | €190,00 |
| 6309 | 51 | Electric gear pump 24 Vdc for dispensing oil. Flow rate 6 l/min | €320,00 |
| 6312 | 51 | Electric gear pump 12 Vdc for dispensing antifreeze, diesel, water. Flow rate 15 l/min. Complete with metal cover and alligator clamps | €220,00 |
| 6314 | 51 | Electric gear pump 12 Vdc for dispensing oil. Flow rate 6 l/min. Complete with metal cover and alligator clamps | €308,00 |
| 6324 | 51 | Electric gear pump 24 Vdc for dispensing antifreeze, diesel, water. Flow rate 15 l/min. Complete with metal cover and alligator clamps | €220,00 |
| 6326 | 51 | Electric gear pump 24 Vdc for dispensing oil. Flow rate 6 l/min. Complete with metal cover and alligator clamps | €308,00 |

| | | | |
|------|-----|---|---------|
| 6435 | 146 | Electric diesel pump 230Vac, flow rate 60 l/min | €178,00 |
| 6437 | 137 | Electric oil, waste oil, antifreeze, diesel pump 230Vac, flow rate 15 l/min | €348,00 |

| | | | |
|------|-----|--|---------|
| 6439 | - | PVC hose for diesel transfer Ø 1" (Ø 25 mm) (price for each meter) | €12,60 |
| 6440 | - | Pump for water 230 Vac, flow rate 40 l/min | €136,00 |
| 6446 | 181 | Stainless steel centrifugal pump 230V delivery 160 l/min | €328,00 |

| | | | |
|------|-----|--|---------|
| 6528 | - | Transformer/feeder/current regulator 230Vac - 24 Vdc. Certificated IP 55 | €194,00 |
| 6529 | - | Transformer/feeder/current regulator 230Vac - 24 Vdc. | €190,00 |
| 6530 | - | Electric protection box for feedings - Certificated IP 55 | €410,00 |
| 6532 | 114 | Feeder/current regulator 230V - 24 Vcc - 7,5 A - IP55 for control unit mod. 8876 | €230,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|--|---------|
| 6555 | - | Kit for diesel transfer with 12Vdc pump | €210,00 |
| 6556 | 142 | Kit for diesel transfer with pneumatic pump | €276,00 |
| 6557 | 142 | Diesel transfer rotary vane pump, air operated feeding 4 bar | €226,00 |
| 6559 | 51 | Pneumatic rotary oil pump with body in brass | €220,00 |
| 6561 | 158 | Air operated vane rotary pump for gasoline transfer, self priming - complying with norms ATEX 94/9 | €330,00 |

| | | | |
|-------|-----|---|---------|
| 6600 | 150 | Filter with flange for di water extraction form diesel - filtering degree 30 micron - delivery max 70 l/min | €74,00 |
| 6602 | - | Flange adaptor for waste/diesel filter | €22,00 |
| 6603 | 150 | Absorbing cartridge | €52,00 |
| 6605C | 148 | Self-supporting outfits for Mini Diesel | €220,00 |
| 6607 | 150 | Cartridge filter for water extraction from diesel - filtering degree 10 micron - delivery max 110 l/min | €104,00 |
| 6608 | 150 | Filtering spare part for filter mod. 6607 | €58,00 |
| 6610 | - | Filter for pumps mod. 6312-6324 | €30,00 |
| 6611 | 150 | Filter for pump mod. 6230 | €3,00 |
| 6613 | 150 | In-line filter for diesel, oil and petrol with 10 microns - spin-on cartridge. Delivery max 60 l/min | €38,00 |
| 6614 | 150 | Replacement cartridge for diesel filter mod. 6613 | €22,00 |
| 6620 | - | Plastic adapter 1" x 3/4" | €2,00 |

| | | | |
|------|-----|----------------------------------|-------|
| 6621 | 150 | Plastic adapter PTG 25 mm Ø 3/4" | €2,00 |
| 6622 | 150 | Plastic adapter PTG 25 mm Ø 1" | €2,00 |
| 6623 | 150 | Plastic adapter PTG 20 mm Ø 3/4" | €2,00 |

| | | | |
|------|-----|-------------------------------|--------|
| 6639 | 110 | Non-return valve Ø 1/4" | €30,00 |
| 6640 | 110 | Non-return valve Ø 1" | €64,00 |
| 6641 | 110 | Non-return valve Ø 1/2" | €40,00 |
| 6642 | 150 | Diesel-oil plastic foot valve | €6,00 |
| 6643 | 110 | Non-return valve Ø 3/4" | €50,00 |

| | | | |
|------|-----|--|--------|
| 6644 | - | Bottom valve with stainless steel filter - connection 1/4" BSP | €10,00 |
| 6645 | - | Bottom valve with stainless steel filter - connection 1/2" BSP | €13,00 |
| 6646 | - | Bottom valve with stainless steel filter - connection 3/4" BSP | €14,00 |
| 6647 | 150 | Bottom valve with stainless steel filter - connection 1" BSP | €16,00 |
| 6648 | 110 | Non-return valve Ø 1'1/4" | €75,00 |

| | | | |
|------|-----|------------------------------------|--------|
| 6650 | 110 | Oil pressure reducing valve Ø 1/2" | €38,00 |
| 6651 | 110 | Oil pressure reducing valve Ø 3/4" | €48,00 |
| 6652 | 110 | Oil pressure reducing valve Ø 1" | €62,00 |

| | | | |
|------|-----|--|--------|
| 6654 | 111 | Flow regulator valve, conical type, unidirectional - ø 1/2" - P. max 350 bar | €26,00 |
| 6655 | 111 | Flow regulator valve, conical type, unidirectional - ø 3/4" - P. max 300 bar | €40,00 |
| 6656 | 111 | Flow regulator valve, conical type, unidirectional - ø 1" - P. max 250 bar | €76,00 |
| 6660 | 111 | Flow regulator valve, 90°-elbow type, unidirectional - ø 1/2" - P. max 320 bar | €32,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|---|-----------|
| 6661 | 111 | Flow regulator valve, 90°-elbow type, unidirectional - ø 3/4" - P. max 300 bar | €58,00 |
| 6662 | 111 | Flow regulator valve, 90°-elbow type, unidirectional - ø 1" - P. max 250 bar | €66,00 |
| 6670 | 110 | Parachute valve for lubricants pipeworks - ø 1/2" - P. max 350 bar | €26,00 |
| 6671 | 110 | Parachute valve for lubricants pipeworks - ø 3/4" - P. max 350 bar | €34,00 |
| 6672 | 110 | Parachute valve for lubricants pipeworks - ø 1" - P. max 350 bar | €40,00 |
| 6675 | 110 | 4-way flow diverter valve in cast iron, open center - connections 1/2" BSP | €240,00 |
| 6676 | 110 | 4-way flow diverter valve in cast iron, open center - connections 3/4" BSP | €280,00 |
| 6677 | 110 | 4-way flow diverter valve in cast iron, open center - connections 1" BSP | €380,00 |
| 6690 | 111 | Swivel joint, straight type, with ball valve, self-lubricating - ø 1/4" | €14,00 |
| 6691 | 111 | Swivel joint, straight type, with ball valve, self-lubricating - ø 1/2" | €18,00 |
| 6692 | 111 | Swivel joint, straight type, with ball valve, self-lubricating - ø 3/4" | €24,00 |
| 6693 | 111 | Swivel joint, straight type, with ball valve, self-lubricating - ø 1" | €30,00 |
| 6694 | 111 | Swivel joint, straight type, with ball valve, self-lubricating - ø 1'1/4" | €54,00 |
| 6695 | 111 | Swivel joint, 90° type, with ball valve, self-lubricating - ø 1/4" | €14,00 |
| 6696 | 111 | Swivel joint, 90° type, with ball valve, self-lubricating - ø 1/2" | €18,00 |
| 6697 | 111 | Swivel joint, 90° type, with ball valve, self-lubricating - ø 3/4" | €26,00 |
| 6698 | 111 | Swivel joint, 90° type, with ball valve, self-lubricating - ø 1" | €34,00 |
| 6699 | 111 | Swivel joint, 90° type, with ball valve, self-lubricating - ø 1'1/4" | €66,00 |
| 6700 | 149 | Diesel gun aluminium body, in thread ø 25 mm | €24,00 |
| 6701 | 149 | Aluminium diesel gun, with female swivel adapter 1" BSP (F) | €26,00 |
| 6702 | 149 | Aluminium diesel gun, with female swivel adapter 1" BSP - flow rate 150 l/min | €40,00 |
| 6702/B | 161 | Aluminium petrol gun, with female swivel adapter 1" BSP - flow rate 150 l/min | €42,00 |
| 6709 | 174 | AdBlue® plastic nozzle with stainless steel pipe. Flow rate 90 l/min | €58,00 |
| 6711 | - | Diesel gun plastic body in thread 1" BSP | €12,00 |
| 6721 | 149 | Automatic diesel gun, high delivery version, in thread 1'1/2" BSP, passage 280 l/min | €430,00 |
| 6723 | 174 | Automatic gun for AdBlue®, swivel adapter 3/4" BSP (M), passage 1-35 l/min | €780,00 |
| 6724 | 174 | Automatic gun for AdBlue®, swivel adapter 3/4" BSP (M), passage 1-10 l/min | €940,00 |
| 6725 | 149 | Automatic diesel gun in thread 1" BSP, passage 60 l/min | €94,00 |
| 6726 | 149 | Automatic diesel gun in thread 1" BSP, passage 120 l/min | €180,00 |
| 6728 | 161 | Automatic unleaded petrol gun in thread 1" BSP, passage 50 l/min | €140,00 |
| 6729 | 174 | Urea nozzle with automatic stop: flow rate 35 l/min | €260,00 |
| 6730MID | - | Electric transfer kit for AdBlue® including 230 Vac pump, digital meter gun with MID MI-005 approval and automatic air trap device approved according to OIML R117-1 art. no. 1152 and gun automatic stop | €1.960,00 |
| 6731MID | 170 | Electric transfer kit for AdBlue® including 12 Vdc pump, digital meter gun with MID MI-005 approval and automatic air trap device approved according to OIML R117-1 art. no. 1151 | €1.790,00 |
| 6732MID | 170 | Electric transfer kit for AdBlue® including 230 Vac pump, digital meter gun with MID MI-005 approval and automatic air trap device approved according to OIML R117-1 art. no. 1152 | €1.820,00 |
| 6733MID | 171 | Electric supply unit for AdBlue® including 230 Vac pump, digital meter gun with MID MI-005 approval and automatic air trap device approved according to OIML R117-1 art. no. 1152 | €3.960,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|----------|----------------------|---|-----------|
| 6738 | 147 | Kit for diesel transfer 230 Vac equipped with mechanical meter, rubber hose and gun automatic stop mod. 6725 | €416,00 |
| 6739 | 147 | Kit for diesel transfer 230 Vac flow rate 100 l/min with mechanical meter, hose and gun | €696,00 |
| 6741 | 148 | Diesel transfer Kit encased, electric 230 Vac with mechanical meter, hose and automatic filling gun | €572,00 |
| 6741A | - | Electric transfer system for AdBlue®/DEF with stainless-steel pump 230 Vac, flow rate 25 l/min, equipped with digital meter mod. 2689, hose, hose-reel, 15 m hose, gun with automatic stop, bung-adaptor and pump metal holder for IBC | €1.728,00 |
| 6743 | 167 | Electric transfer system for AdBlue®/DEF with stainless-steel pump 230 Vac, flow rate 25 l/min, equipped with hose, hose-reel, 15 m hose, gun with automatic stop, bung-adaptor and pump metal holder for IBC | €1.442,00 |
| 6744 | 167 | Electric transfer system for AdBlue®/DEF with stainless-steel pump 230 Vac, flow rate 25 l/min, equipped with meter, hose, hose-reel, 15 m hose, gun, bung-adaptor and pump metal holder for IBC | €1.692,00 |
| 6745 | 167 | Electric transfer system for AdBlue®/DEF with stainless-steel pump 230 Vac, flow rate 25 l/min, equipped with meter, hose, hose-reel, 3 m hose, gun, bung-adaptor and pump metal holder for IBC | €1.110,00 |
| 6745/60 | 167 | Electric transfer system for AdBlue®/DEF as art. no. 6745 but for 60 l drums | €1.110,00 |
| 6745/200 | 167 | Electric transfer system for AdBlue®/DEF as art. no. 6745 but for 208 l drums | €1.110,00 |
| 6746 | - | Electric transfer system for AdBlue®/DEF with stainless-steel pump 230 Vac, flow rate 50 l/min, equipped with meter, hose, hose-reel, 3 m hose, gun, bung-adaptor and pump metal holder for IBC | €1.374,00 |
| 6747 | 168 | Pneumatic transfer system for AdBlue®/DEF composed by stainless-steel pneumatic pump, flow rate 15 l/min, 3 m hose, gun, meter, pressure regulator with gauge and water separator, bung-adaptor | €726,00 |
| 6748 | 168 | Pneumatic transfer system for AdBlue®/DEF composed by stainless-steel pneumatic pump, flow rate 15 l/min, 3 m hose, gun, pressure regulator with gauge and water separator, bung-adaptor | €498,00 |
| 6749 | - | Pneumatic transfer system for AdBlue®/DEF composed by stainless-steel pneumatic pump, flow rate 15 l/min, 15 m hose, gun, pressure regulator with gauge and water separator, bung-adaptor and pump metal holder, stainless-steel hose reel | €1.226,00 |
| 6750 | 148 | Diesel transfer kit encased, completely PNEUMATIC, equipped with mechanical meter, hose and gun | €580,00 |
| 6751 | 168 | Pneumatic transfer system for AdBlue® composed by stainless-steel pneumatic pump, flow rate 15 l/min, 15 m hose, gun, meter, pressure regulator with gauge and water separator, bung-adaptor and pump metal holder | €1.280,00 |
| 6752 | 168 | Pneumatic transfer system for AdBlue® composed by stainless-steel pneumatic pump, flow rate 35 l/min, 3 m hose, gun, digital meter, pressure regulator with gauge and water separator and pump metal holder | €804,00 |
| 6752MID | 170 | Kit as mod. 6752 with digital meter gun MID MI-005 certified and air trap device certified | €1.780,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|---------|-----|--|-----------|
| 6753 | 168 | Pneumatic transfer system for AdBlue® composed by stainless-steel pneumatic pump, flow rate 35 l/min, 3 m hose, automatic gun, pressure regulator with gauge and water separator and pump metal holder | €804,00 |
| 6754MID | 171 | Pneumatic supply unit for AdBlue® including digital meter gun with MID MI-005 approval and automatic air trap device approved according to OIML R117-1 art. no. 1150 | €3.920,00 |
| 6755 | 147 | Electric transfer kit 230 Vac for diesel mod. 6739 with hose reel mod. 9029 and 8 m - rubber delivery hose Ø 1" | €1.136,00 |
| 6766 | 143 | Electric diesel transfer kit 12 Vdc with foot filter, delivery hose Ø 3/4" length 4 m, manual plastic nozzle - delivery 31 l/min | €240,00 |
| 6768 | 143 | Electric diesel transfer kit 24 Vdc with foot filter, delivery hose Ø 3/4" length 4 m, manual plastic nozzle - delivery 34 l/min | €240,00 |
| 6769 | 143 | Electric diesel transfer kit 230 Vac with foot filter, delivery hose Ø 3/4" length 4 m, manual plastic nozzle - delivery 38 l/min | €220,00 |
| 6770 | 143 | Electric diesel transfer kit 12 Vdc with foot filter, delivery hose Ø 3/4" length 4 m, automatic nozzle - delivery 31 l/min | €320,00 |
| 6771 | 143 | Electric diesel transfer kit 24 Vdc with foot filter, delivery hose Ø 3/4" length 4 m, automatic nozzle - delivery 34 l/min | €320,00 |
| 6772 | 142 | Diesel transfer kit with pneumatic pump 1:1, hose, electronic turbine flow meter and automatic nozzle - Delivery 25 l/min | €680,00 |
| 6773 | 143 | Electric diesel transfer kit 230 Vac with foot filter, delivery hose Ø 3/4" length 4 m, automatic nozzle - delivery 38 l/min | €320,00 |
| 6776 | - | Diesel transfer kit with pneumatic pump 1,5:1, hose, electronic turbine flow meter and automatic nozzle - Delivery 100 l/min | €1.710,00 |
| 6782 | 143 | Electric hybrid transfer kit for diesel, fuel oil, bio-diesel, antifreeze for direct mounting on drums or tanks, with electronic flow meter. 230 Vac - Delivery 80 l/min | €898,00 |
| 6783 | 143 | Electric diesel transfer kit 230 Vac with foot filter, delivery hose Ø 3/4" length 4 m, automatic nozzle - delivery 85 l/min | €708,00 |
| 6786 | 172 | Speedy Blue 200 - AdBlue® mobile filling system for 208 l drum | €3.690,00 |
| 6786MID | 172 | Speedy Blue 200 - AdBlue® mobile filling system for 208 l drum including digital meter gun with MID MI-005 approval | €4.080,00 |
| 6787 | 172 | Speedy Blue 60 - AdBlue® mobile filling system for 60 l drum | €3.630,00 |
| 6787MID | 172 | Speedy Blue 60 - AdBlue® mobile filling system for 60 l drum including digital meter gun with MID MI-005 approval | €4.020,00 |

| | | | |
|------|-----|--|---------|
| 6800 | 188 | Spray gun for vacuum cleaner. Connections 1/2" BSP | €88,00 |
| 6801 | 187 | Heavy duty gun for hot and cold water - 25 bar - adjustable jet, brass body encased in blue rubber | €120,00 |
| 6802 | 187 | Heavy duty gun for hot and cold water - 12 bar - adjustable jet, brass body encased in blue rubber | €80,00 |
| 6805 | 187 | Heavy duty gun for hot and cold water - 25 bar - with trigger guard and adjustable spraying nozzle. Body in brass and coating in blue rubber | €190,00 |
| 6812 | 188 | Washing lance (high pressure cleaner with straight jet) 160 bar | €50,00 |
| 6813 | - | Washing lance (high pressure cleaner with straight jet), 280 bar | €80,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|--|-----------|
| 6814 | - | Washing lance (high pressure cleaner with straight jet), 310 bar | €88,00 |
| 6815 | - | Washing lance (high pressure cleaner with straight jet), 310 bar - twin tube extension | €150,00 |
| 6816 | 188 | Wash gun for hot water high pressure cleaners | €48,00 |
| 6817 | 188 | Wash gun for hot water high pressure cleaners | €92,00 |
| 6818 | 188 | High pressure wash lance in stainless steel | €32,00 |
| 6819 | 188 | High pressure wash lance in stainless steel, double pipe | €62,00 |
| 6820 | 188 | Foaming kit with high pressure gun and lance, 1 l plastic container | €182,00 |
| 6821 | 188 | Wash gun for hot water high pressure cleaners | €82,00 |
| 6822 | 188 | High pressure wash lance in stainless steel, L. 700 mm with stainless steel nozzle | €32,00 |
| 6823 | 188 | Foam lance with 1 l - plastic container for detergent and foam delivery regulating screw | €68,00 |
| 6830 | 188 | Wash gun with lance for high press. Cleaner, water jet adjustable, with brass nozzle | €140,00 |
| 6840 | 188 | Spray gun with flushing regulator. With graduated tap | €68,00 |
| 6853 | 188 | High pressure wash lance in stainless steel, double pipe | €48,00 |
| 6857 | 188 | High pressure wash lance in stainless steel | €60,00 |
| 6871 | 186 | Plastic nozzle for sprayers | €9,00 |
| 6872 | 186 | Stainless steel nozzle for high foam spreading | €14,00 |
| 6873 | 186 | Stainless steel nozzle for small foam spreading | €14,00 |
| 6874 | 186 | Plastic foam nozzle (PPS+GF) for foam sprayer | €5,00 |
| 6875 | 186 | Plastic fan-shaped nozzle for sprayer | €4,00 |
| 6876 | 186 | Stainless steel fan-shaped nozzle for sprayer | €9,00 |
| 6877 | 186 | Super foam head nozzle (PP+GF) for sprayer | €10,00 |
| 6878 | 187 | Water gun mod. 2101 with rigid outlet and foaming nozzle in plastic | €22,00 |
| 6882 | 187 | Quick release ball coupling for high pressure water M 3/8" BSP | €6,30 |
| 6883 | 187 | Quick release ball coupling for high pressure water F 3/8" BSP | €18,00 |
| 6884 | 187 | Quick release ball coupling for high pressure water M 1/2" BSP | €6,30 |
| 6885 | 187 | Quick release ball coupling for high pressure water F 1/2" BSP | €18,00 |
| 6930 | 158 | Pneumatic piston pump for gasoline transfer, with steel bracket, pressure regulator and earth cable - complying with norms ATEX 94/9 | €440,00 |
| 6931 | 158 | Rotary pump 12 Vdc for gasoline transfer, self-priming - complying with norms ATEX 94/9 | €672,00 |
| 6933 | 159 | Kit for gasoline transfer, wall installation, with air operated pump, hose and gun | €650,00 |
| 6934 | 159 | Petrol transfer kit composed by pneumatic pump, hose and gun | €580,00 |
| 6935 | 159 | Petrol transfer kit composed by electric pump 12 Vdc, hose and gun | €890,00 |
| 6936 | - | Petrol transfer kit composed by electric pump 12 Vdc, hose, meter and gun | €1.320,00 |
| 6937 | - | Petrol transfer kit composed by electric pump 230 V, flexible hose, mechanical meter and gun | €1.470,00 |
| 6938 | 160 | Wheeled gasoline Aspirator with piston pneumatic pump - complying with norms ATEX 94/9 | €634,00 |
| 7008 | 140 | Recovery waste oil tank capacity 300 l. Series "ECOIL" | €720,00 |
| 7009 | 140 | Recovery waste oil tank capacity 260 l. Series "ECOIL" | €690,00 |
| 7010 | 140 | Recovery waste oil tank capacity 500 l. Series "ECOIL" | €900,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|---------|-----|--|---------|
| 7150 | 195 | Pressure regulator with gauge. Condensate drainage. Lubricator. Connections 1/4" BSP | €62,00 |
| 7150/12 | 195 | Pressure regulator with gauge. Condensate drainage. Lubricator. Connections 1/2" BSP | €130,00 |
| 7150/38 | 195 | Pressure regulator with gauge. Condensate drainage. Lubricator. Connections 3/8" BSP | €98,00 |

| | | | |
|---------|-----|-------------------------------------|--------|
| 7151 | 195 | Air lubricator connections 1/4" BSP | €22,00 |
| 7151/12 | 195 | Air lubricator connections 1/2" BSP | €42,00 |
| 7151/38 | 195 | Air lubricator connections 3/8" BSP | €36,00 |

| | | | |
|---------|-----|--|--------|
| 7180 | 195 | Pressure regulator with gauge. Condensate drainage. Connections 1/4" BSP | €40,00 |
| 7180/12 | 195 | Pressure regulator with gauge. Condensate drainage. Connections 1/2" BSP | €84,00 |
| 7180/38 | 195 | Pressure regulator with gauge. Condensate drainage. Connections 3/8" BSP | €64,00 |

| | | | |
|------|-----|--|--------|
| 7194 | - | Vacuum-gauge Ø 63 mm - Connections 1/4" BSP | €8,40 |
| 7195 | - | Manometer Ø 40 mm 0-12 bar - Connections 1/8" BSP | €3,80 |
| 7200 | 195 | Pressure regulator with gauge. Pressure regulation from 1 to 8 bar. Connections 1/4" BSP | €18,00 |
| 7215 | - | Tap for air M+F 1/4" BSP | €6,00 |

| | | | |
|------|-----|-------------------------|--------|
| 7238 | 111 | Cock valve ø 1' 1/4" FF | €69,00 |
| 7239 | 111 | Cock valve ø 1" FF | €64,00 |
| 7240 | 111 | Cock valve ø 3/4" FF | €54,00 |
| 7241 | 111 | Cock valve ø 1/2" FF | €42,00 |
| 7242 | 111 | Cock valve ø 3/8" FF | €40,00 |
| 7244 | 111 | Cock valve ø 1/4" FF | €35,00 |

| | | | |
|------|-----|---|---------|
| 7301 | 194 | Tyre inflating gun with gauge. Connections 1/4" BSP | €16,00 |
| 7304 | 194 | Precision tyre inflating gun with gauge. Michelin model. Connections 1/4" BSP | €122,00 |
| 7305 | 194 | Precision tyre inflating gun setting to the CEE norms. Connections 1/4" BSP | €52,00 |
| 7306 | 194 | Blow gun. Connections 1/4" BSP | €5,40 |
| 7307 | 194 | Blow gun with long nozzle. Connections 1/4" BSP | €7,40 |
| 7308 | 194 | Precision tyre inflating gun with gauge. Connections 1/4" BSP | €88,00 |
| 7315 | - | Nebulizer gun with cup capacity 1 l. Connections 1/4" BSP | €18,00 |
| 7330 | 194 | Air blow gun, ergonomic grip, body in techno polymer - connection 1/4" BSP (F) | €12,00 |
| 7331 | 194 | Air blow gun, ergonomic grip, body in techno polymer, with silencer - connection 1/4" BSP (F) | €14,00 |
| 7332 | - | Air blow gun, with 108 mm long rigid curved outlet, ergonomic grip, body in techno polymer - connection 1/4" BSP (F) | €14,00 |
| 7333 | - | Air blow gun, with 108 mm long rigid curved outlet, ergonomic grip, body in techno polymer, with silencer - connection 1/4" BSP (F) | €16,00 |

| | | | |
|------|-----|---|---------|
| 7340 | 120 | Timer daily/weekly for programmed control of electrovalve mod. 7360 | €356,00 |
| 7344 | - | Electrovalve 24 Vcc for "Dosamix" | €104,00 |
| 7355 | - | Keyboard for electrovalve manual opening | €220,00 |
| 7360 | 120 | Pneumatic electrovalve 24Vdc. Bleeds compressed air to reduce the risk of injury from pressurized fluid | €192,00 |
| 7361 | - | Pneumatic electrovalve 24Vdc. Bleeds compressed air, complete with pressure regulator | €120,00 |
| 7362 | - | Electrovalve 24 Vdc, 12 Watt, connections 1/4" BSP for oil, antifreeze, water and air | €80,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|--------|----------------------|---|---------|
| 7363 | - | Electrovalve 24 Vdc, 12 Watt, connections 1 1/4" BSP for oil, antifreeze, water and air | €284,00 |
| 7364 | - | Electrovalve 24 Vdc, 12 Watt, connections 1/2" BSP for oil, antifreeze, water and air | €120,00 |
| 7365 | - | Electrovalve 24 Vdc, 12 Watt, connections 1" BSP for oil, antifreeze, water and air | €158,00 |
| 7366 | - | Cut-off Switch for pumps mod. 6122 - 6125 - 6128. Range 12-15 bar | €320,00 |
| 7368 | - | Cut-off Switch for electric 220V pumps composed by: pressure switch and electronic board | €240,00 |
| 7370 | - | Plastic Security Panel for 230 V electric pumps | €390,00 |
| 7372 | - | Cut-off Switch for pumps mod. 6135 - 6133 | €340,00 |
| 7373 | - | Cut-off switch with battery, valve, gauge and connections for electric gear pumps | €510,00 |
| 7375 | - | Check and stop kit pump suitable for all electric pumps | €998,00 |
| 7376 | - | Steel box certificated IP 55 for electric pumps and security panels | €394,00 |
| 7377 | - | Security control panel for 400 V electric pumps | €580,00 |
| 7380 | - | Safety panel with 1 interlocked socket 400 V CE , n. 1 interlocked socket 230 V ce , n. 1 socket 230 V Shuko and n. 1 differential switch | €320,00 |
| 7383 | 117 | Push button panel for remote switch on/off suitable for electronic unit "AUTOMATIC FILLS" | €384,00 |
| 7394 | 102 | Heating 208 l drum belt | €840,00 |
| 7395 | 102 | Electric immersion heater for oils and diesel - power 0,22 kw | €610,00 |
| 7396 | 102 | Electric immersion heater for oils and diesel - power 1,5 kw | €890,00 |
| 7397 | - | Installation kit for tanks for mounting a ventilation tube and an overflow protection valve by using the same fitting | €52,00 |
| 7398 | - | Waste oil suction kit for tanks, ø 28 mm | €64,00 |
| 7406 | 187 | Washing gun with flushing regulator | €38,00 |
| 7550 | 186 | Spiral-shaped long hose length 7,5 m. Connections MM 1/4" BSP | €18,00 |
| 7553 | 186 | Spiral-shaped long hose length 10 m. Connections MM 1/8" BSP - for washing gun mod. 3329 | €88,00 |
| 7692 | - | Complete quick release fitting. Connections M+F 1/4" BSP | €7,20 |
| 7692/M | - | Complete quick release fitting. Connections M 1/4" BSP | €1,20 |
| 7692/F | - | Complete quick release fitting. Connections F 1/4" BSP | €6,00 |
| 7704 | 186 | Alkaline detergent for foamers in 20 l can | €94,00 |
| 7705 | 192 | Washing fluid for washing tank in 20 l can | €94,00 |
| 7740 | 189 | Chamois leather wringer with wall bracket | €160,00 |
| 7741 | 189 | Chamois leather wringer with wall bracket. It's furnished with painted steel basin and drainage cock | €290,00 |
| 7742 | 189 | Chamois leather wringer mounted on painted steel floor column | €380,00 |
| 7743 | 189 | Chamois leather wringer mounted o stainless steel floor column | €630,00 |
| 7810 | 137 | Oil absorber in roll | €202,00 |
| 7811 | 137 | Oil absorber in sheet - Packing: 100 pcs | €210,00 |
| 7813 | 102 | Preservation cover stem ø 600 mm polypropylene copolymer | €22,00 |
| 7816 | 102 | Hose storage rack for wall mounting | €29,00 |
| 7818 | 136 | Wall mounting bracket for pumps mod. 8318 - 8319 - 8320 - 8321 | €29,00 |
| 7819 | 136 | Wall mounting bracket for pumps mod. 8322 - 8323 | €58,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------------|----------------------|--|-----------|
| 8204 | 87 | Electric oil dispensing kit, for the installation on top of 1000 l tank, with hose reel and hose L. 15 m | €1.598,00 |
| 8205 | 87 | Electric oil dispensing kit, with 1000 l tank, hose reel and hose L. 15 m | €3.238,00 |
| 8205MID | 87 | Kit as mod. 8205 with digital meter gun with MID MI-005 approval and air trap device approved according to OIML R117-1 | €3.954,00 |
| 8206 | 87 | Pneumatic oil kit with bracket for 1000 l steel stocking tank with hose-reel and 15 m hose | €1.068,00 |
| 8206/10 | 87 | Pneumatic oil kit with bracket for 1000 l steel stocking tank with hose-reel and 10 m hose | €1.026,00 |
| 8206MID | 87 | Kit as mod. 8206 with digital meter gun with MID MI-005 approval and air trap device approved according to OIML R117-1 | €1.752,00 |
| 8207 | 87 | Pneumatic oil kit with bracket for 1000 l steel stocking tank with hose-reel and 15 m hose | €2.708,00 |
| 8207/10 | 87 | Pneumatic oil kit with bracket for 1000 l steel stocking tank with hose-reel and 10 m hose | €2.666,00 |
| 8207MID | 87 | Kit as mod. 8207 with digital meter gun with MID MI-005 approval and air trap device approved according to OIML R117-1 | €3.394,00 |
| 8208 | 86 | Pneumatic oil kit with bracket for 1000 l steel stocking tank with 5:1 oil pump | €538,00 |
| 8209 | 86 | Pneumatic oil kit with bracket for 1000 l steel stocking tank with 6:1 oil pump | €868,00 |
| 8210 | 86 | Pneumatic oil kit with bracket for 1000 l stocking tank with hose-reel and 15 m hose | €1.064,00 |
| 8214 | 96 | Jack for drums "Ercolino 250" | €860,00 |
| 8215 | 86 | 1000 l stocking tank with cabinet | €470,00 |
| 8217/400 | 100 | Oil and diesel stocking tank on pallet with double cavity. Capacity 400 l | €1.220,00 |
| 8217/750 | 100 | Oil and diesel stocking tank on pallet with double cavity. Capacity 750 l | €1.400,00 |
| 8217/1000 | 100 | Oil and diesel stocking tank on pallet with double cavity. Capacity 1000 l | €1.640,00 |
| 8217/1500 | 100 | Oil and diesel stocking tank on pallet with double cavity. Capacity 1500 l | €2.560,00 |
| 8218/1100 | 140 | Waste oil steel tank, complete with basin of containment - capacity 1100 l | €1.390,00 |
| 8218/1500 | 140 | Waste oil steel tank, complete with basin of containment - capacity 1500 l | €1.850,00 |
| 8218/2200 | 140 | Waste oil steel tank, complete with basin of containment - capacity 2200 l | €2.330,00 |
| 8218/3000 | 140 | Waste oil steel tank, complete with basin of containment - capacity 3000 l | €4.150,00 |
| 8218/5000 | 140 | Waste oil steel tank, complete with basin of containment - capacity 5000 l | €5.050,00 |
| 8218/9000 | 140 | Waste oil steel tank, complete with basin of containment - capacity 9000 l | €6.650,00 |
| 8218/10000 | 140 | Waste oil steel tank, complete with basin of containment - capacity 10000 l | €7.350,00 |
| 8220 | 96 | Jack for drums "Ercolino 250 " with trolley | €1.010,00 |
| 8223/220 | 164 | Plastic double wall diesel mobile tank, capacity 220 l. Complete with 12 Vdc filling system, flow rate 45 l/min | €1.020,00 |
| 8223/430 | 164 | Plastic double wall diesel mobile tank, capacity 430 l. Complete with 12 Vdc filling system, flow rate 45 l/min | €1.600,00 |
| 8224/95 | 164 | Mobile petrol dispensing kit in high density polyethylene - with manual pump, earth cable - capacity 95 l | €1.430,00 |
| 8224/120 | 164 | Portable petrol storage tank in high density polyethylene - with 12 V pump (Atex certified), alligator clamps, lockable plastic cover - capacity 120 l | €2.310,00 |
| 8224/190 | 164 | Portable petrol storage tank in high density polyethylene - with 12 V pump (Atex certified), alligator clamps, lockable plastic cover - capacity 190 l | €2.520,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-----------|----------------------|--|-----------|
| 8225/125 | 164 | Portable AdBlue® storage tank in high density polyethylene - with 12 V pump, alligator clamps, lockable plastic cover - capacity 125 l | €1.484,00 |
| 8225/200 | 164 | Portable AdBlue® storage tank in high density polyethylene - with 12 V pump, alligator clamps, lockable plastic cover - capacity 200 l | €1.560,00 |
| 8225/430 | 164 | Portable AdBlue® storage tank in high density polyethylene - with 12 V pump, alligator clamps, lockable plastic cover - capacity 430 l | €1.900,00 |
| 8225/600 | 164 | Portable AdBlue® storage tank in high density polyethylene - with 12 V pump, alligator clamps, lockable plastic cover - capacity 600 l | €2.350,00 |
| 8226/490 | 236 | Steel reinforced tank for diesel with containing basin - capacity 490 l | €2.480,00 |
| 8226/1000 | 236 | Steel reinforced tank for diesel with containing basin - capacity 1000 l | €3.000,00 |
| 8226/1300 | 236 | Steel reinforced tank for diesel with containing basin - capacity 1300 l | €3.060,00 |
| 8226/2400 | 236 | Steel reinforced tank for diesel with containing basin - capacity 2400 l | €3.460,00 |
| 8226/3000 | 236 | Steel reinforced tank for diesel with containing basin - capacity 3000 l | €3.760,00 |
| 8226/5000 | 236 | Steel reinforced tank for diesel with containing basin - capacity 5000 l | €4.660,00 |
| 8227/260 | - | Diesel storage tank in painted steel, compliant with ADR - regulations, capacity 258 l | €1.980,00 |
| 8227/380 | - | Diesel storage tank in painted steel, compliant with ADR - regulations, capacity 380 l | €2.280,00 |
| 8227/440 | - | Diesel storage tank in painted steel, compliant with ADR - regulations, capacity 440 l | €2.480,00 |
| 8227/620 | - | Diesel storage tank in painted steel, compliant with ADR - regulations, capacity 626 l | €3.080,00 |
| 8227/900 | - | Diesel storage tank in painted steel, compliant with ADR - regulations, capacity 898 l | €3.880,00 |
| 8228/330 | - | Tank for gasoline, kerosene, avio fuels and diesel stainless steel AISI 304 with external frame, movable (homologated ADR), capacity 323 l | €4.680,00 |
| 8228/900 | - | Tank for gasoline, kerosene, avio fuels and diesel stainless steel AISI 304 with external frame, movable (homologated ADR), capacity 896 l | €7.580,00 |
| 8229 | 236 | Gasoline tank painted steel with containing basin and air operated transfer kit - capacity 258 l | €4.530,00 |
| 8231/5 | 163 | 'UN' Homologated polyethylene can for gasoline - capacity 5 l with flexible outlet | €8,00 |
| 8231/10 | 163 | 'UN' Homologated polyethylene can for gasoline - capacity 10 l with flexible outlet | €10,00 |
| 8231/20 | 163 | 'UN' Homologated polyethylene can for gasoline - capacity 20 l with flexible outlet | €14,00 |
| 8231/T | 163 | Flexible outlet metal can for gasoline, mod. 8235 | €18,00 |
| 8235/5 | 163 | 'UN' Homologated metal can for gasoline - capacity 5 l | €32,00 |
| 8235/10 | 163 | 'UN' Homologated metal can for gasoline - capacity 10 l | €36,00 |
| 8235/20 | 163 | 'UN' Homologated metal can for gasoline - capacity 20 l | €40,00 |
| 8237/10 | 163 | 'UN' Homologated stainless steel can for gasoline - capacity 10 l | €180,00 |
| 8237/20 | 163 | 'UN' Homologated stainless steel can for gasoline - capacity 20 l | €190,00 |
| 8250 | 86 | Kit as mod. 8210 but with stocking tank 1000 l mod. 8215 | €1.524,00 |
| 8300 | 135 | Pneumatic central suction system suitable for wasted oil | €2.520,00 |
| 8304 | 134 | Encased electro-pneumatic central suction system suitable for wasted oil | €1.120,00 |
| 8306 | 134 | Encased pneumatic central suction system suitable for wasted oil | €1.440,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|--|-----------|
| 8307 | - | Overfilling preventing device for wasted oil with electrovalve and level probe - Connections 1" BSP | €540,00 |
| 8308 | 134 | Unit mod. 8304 with hose reel multi pos. guide with L. 10 m hose and gun holder with drip tray | €1.470,00 |
| 8309 | 120 | Overfilling preventing device for wasted oil with electrovalve and double level probe - Connections M 1" BSP | €610,00 |

| | | | |
|------|-----|---|-----------|
| 8318 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity - body in PP, flow rate 20 l/min | €340,00 |
| 8319 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity - body in PP, flow rate 50 l/min | €490,00 |
| 8320 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity, approved in accordance with directive ATEX 94/9/EC Zone 2 - flow rate 100 l/min | €630,00 |
| 8321 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity, approved in accordance with directive ATEX 94/9/EC Zone 2 - flow rate 165 l/min | €800,00 |
| 8322 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity, approved in accordance with directive ATEX 94/9/EC Zone 2 - flow rate 250 l/min | €960,00 |
| 8323 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity, approved in accordance with directive ATEX 94/9/EC Zone 2 - flow rate 680 l/min | €1.840,00 |
| 8324 | 136 | Pneumatic double diaphragm pump for fluids of high viscosity, approved in accordance with directive ATEX 94/9/EC Zone 2 - flow rate 500 l/min | €1.600,00 |

| | | | |
|------|-----|---|-----------|
| 8400 | - | Dosamix base model | €3.120,00 |
| 8403 | 230 | Dosamix kit suitable for manage one fluid with water. Concentrations 0,5/50% | €3.528,00 |
| 8407 | 230 | Dosamix kit suitable for manage one fluid with water on Tank Service Base. Concentrations 0,5/50% | €4.124,00 |
| 8408 | - | Electric signal junction box to enable to check up to 8 basins of mixed products for "Dosamix" | €1.448,00 |
| 8412 | - | Remote control and receiver for "Dosamix" | €640,00 |
| 8413 | - | "Dosamix" level sensor with electrovalve for level control in the basin | €340,00 |
| 8415 | - | Mixed product container Kit for "Dosamix" composed by : tank capacity 400 l, pneumatic pump Rapp. 1:1, min. and max. level probes | €1.810,00 |
| 8417 | - | Wall bracket for "Dosamix" | €120,00 |
| 8420 | 231 | Istantaneous dosing/mixing device for cooling, lubricants, emulsions and detergents | €180,00 |
| 8457 | - | Kit Dosamix mod. 8400+8601 complete with mod. 8548+8631 | €6.472,00 |
| 8459 | - | Kit Dosamix mod. 8400+8601 complete with mod. 8549+8632 | €7.582,00 |

| | | | |
|---------|----|---|---------|
| 8524 | 94 | Storage tank for one 208 l drum "Tank Service Base" series | €370,00 |
| 8524/SE | 94 | Storage tank for one 208 l drum "Tank Service Base" series - without prearrangements for posts and forks lift transport | €340,00 |

| | | | |
|---------|-----|---|-----------|
| 8525 | 95 | Storage tank for one 208 l drum "Tank Service Base" series with posts and drilled steel plate | €596,00 |
| 8526 | 227 | 2 drilled steel plate for "Tank Service Base" one drum support | €58,00 |
| 8527 | 95 | 2 posts for "Tank Service Base" one drum support | €168,00 |
| 8529 | 97 | Storage tank for one 208 l drum "Tank Service Base" series with trolley | €440,00 |
| 8530 | 97 | Storage tank for one 1000 l IBC cube "Tank Service Base" series | €1.200,00 |
| 8530/SP | 97 | Storage tank for one 1000 l IBC cube "Tank Service Base" series prearranged for posts and drilled steel plate | €1.290,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|---|-----------|
| 8531 | 97 | Storage tank for two 1000 l IBC cubes "Tank Service Base" series | €1.560,00 |
| 8532 | 94 | Storage tank for two 208 l drums "Tank Service Base" series | €500,00 |
| 8532/SE | 94 | Storage tank for two 208 l drums "Tank Service Base" series - without prearrangements for posts and forks lift transport | €360,00 |
| 8533 | 95 | Storage tank for two 208 l drums "Tank Service Base" series with posts | €724,00 |
| 8534 | 50 | Steel plate for fixing of hose-reels on "Tank Service Base" | €56,00 |
| 8536 | 97 | Storage tank for four 208 l drums "Tank Service Base" series | €680,00 |
| 8539 | 97 | Wheeled containing base for 2 drums 208 l series "Tank Service Base", | €690,00 |
| 8542 | 90 | Complete 230V kit "Tank Service Base" for dispensing 1 type of oil with hose reel with hose 15 m | €1.782,00 |
| 8542MID | 90 | Complete 230V kit "Tank Service Base" for dispensing 1 type of oil with hose reel with hose 15 m and flow meter approved according to MID MI-005 | €2.496,00 |
| 8543 | 90 | Complete 230V kit "Tank Service Base" for dispensing 2 type of oil with hose reel with hose 15 m | €3.096,00 |
| 8543MID | 90 | Complete 230V kit "Tank Service Base" for dispensing 2 type of oil with hose reel with hose 15 m and flow meter approved according to MID MI-005 | €4.526,00 |
| 8545 | 72 | Complete kit "Tank Service Base" for dispensing 2 type of oil with wall mounted dispensing bar | €1.866,00 |
| 8547MID | 89 | Complete kit "Tank Service Base" for 60 l drum, for dispensing 1 type of oil with hose reel with hose 15 m and flow meter approved according to MID MI-005 | €2.220,00 |
| 8548 | 88 | Complete kit "Tank Service Base" for dispensing 1 type of oil with hose reel with hose 15 m | €1.454,00 |
| 8548/10 | 88 | Complete kit "Tank Service Base" for dispensing 1 type of oil with hose reel with hose 10 m | €1.410,00 |
| 8548MID | 89 | Complete kit "Tank Service Base" for dispensing 1 type of oil with hose reel with hose 15 m and flow meter according to MID MI-005 | €2.266,00 |
| 8549 | 88 | Complete kit "Tank Service Base" for dispensing 2 type of oil with hose reel with hose 15 m | €2.462,00 |
| 8549/10 | 88 | Complete kit "Tank Service Base" for dispensing 2 type of oil with hose reel with hose 10 m | €2.376,00 |
| 8549MID | 89 | Complete kit "Tank Service Base" for dispensing 2 type of oil with hose reel with hose 15 m and flow meter approved according to MID MI-005 | €4.068,00 |
| 8558 | 21 | Pneumatic grease supply Kit for 180 kg drums on "Tank Service Base" and with hose reel open mod. 9016 | €1.383,00 |
| 8563 | 98 | Spill containment pallet without grate for mod. 8569 | €298,00 |
| 8564 | 98 | Spill containment pallet for 4 drums 208 l | €660,00 |
| 8565 | 98 | Spill containment pallet for 8 drums 208 l | €988,00 |
| 8566 | 98 | Metal barrel rack for horizontal storage up to 3 drums of 60 l on pallets mod. 8564-8565 | €340,00 |
| 8567 | 98 | Metal barrel rack for horizontal storage up to 2 drums of 208 l on pallets mod. 8564-8565 | €320,00 |
| 8568 | 98 | Metal barrel rack for horizontal storage up to 3 drums of 208 l on pallet mod. 8565 | €500,00 |
| 8569 | 98 | Metal barrel rack for horizontal storage up to 3 drums of 208 l - suitable for floor | €320,00 |
| 8571 | 99 | Spill containment pallet in polyethylene, for 2 drums of 208 l | €620,00 |
| 8572 | 99 | Spill containment pallet in polyethylene, for 4 drums of 208 l | €840,00 |
| 8573 | 99 | Spill containment pallet in polyethylene, for one 1000 l - IBC - tank | €1.290,00 |
| 8574 | 99 | Spill containment pallet in polyethylene, for two 1000 l - IBC - tank | €1.700,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|-------------------------------|----------------------------|--------------|
|-------------|-------------------------------|----------------------------|--------------|

| | | | |
|-------------|-----|---|------------------|
| 8580 | 100 | Outdoor container painted steel for stocking of 1 drum of 208 l of oils and greases - top cover opening, doors can be locked | €1.980,00 |
| 8581 | 100 | Outdoor container painted steel for stocking of 2 drums of 208 l of oils and greases - top cover opening, doors can be locked | €2.130,00 |
| 8582 | 100 | Outdoor container painted steel for stocking of 4 drums of 208 l of oils and greases - top cover opening, doors can be locked | €2.400,00 |
| 8583 | 100 | Outdoor container painted steel for stocking of one 1000 l - IBC - tank - top cover opening, doors can be locked | €4.420,00 |

| | | | |
|---------------|-----|---|------------------|
| 8591 | 101 | Container in galvanized sheet steel, two-wing front doors - Dimensions 3000x2000x2400 mm | €5.200,00 |
| 8592 | 101 | Container in galvanized sheet steel, two-wing front doors - Dimensions 4000x2000x2400 mm | €5.800,00 |
| 8593 | 101 | Container in galvanized sheet steel, two-wing front doors - Dimensions 5000x2300x2400 mm | €6.720,00 |
| 8594 | 101 | Container in galvanized sheet steel, two-wing front doors - Dimensions 7000x2300x2400 mm | €8.380,00 |
| 8591/S | 101 | Container in galvanized sheet steel, two-wing sliding doors at the long side - Dimensions 3000x2000x2400 mm | €5.940,00 |
| 8592/S | 101 | Container in galvanized sheet steel, two-wing sliding doors at the long side - Dimensions 4000x2000x2400 mm | €6.550,00 |
| 8593/S | 101 | Container in galvanized sheet steel, two-wing sliding doors at the long side - Dimensions 5000x2300x2400 mm | €7.520,00 |
| 8594/S | 101 | Container in galvanized sheet steel, two-wing sliding doors at the long side - Dimensions 7000x2300x2400 mm | €9.550,00 |

| | | | |
|---------------|-----|--|-------------------|
| 8595 | 101 | Heat insulated container with two-wing front doors - Dimensions 3000x2400x2400 mm | €6.200,00 |
| 8596 | 101 | Heat insulated container with two-wing front doors - Dimensions 4000x2400x2400 mm | €6.720,00 |
| 8597 | 101 | Heat insulated container with two-wing front doors - Dimensions 5000x2400x2400 mm | €7.540,00 |
| 8598 | 101 | Heat insulated container with two-wing front doors - Dimensions 7000x2400x2400 mm | €8.990,00 |
| 8599 | 101 | Heat insulated container with two-wing front doors - Dimensions 8000x2400x2400 mm | €9.990,00 |
| 8595/S | 101 | Heat insulated container with two-wing sliding doors at the long side - Dimensions 3000x2400x2400 mm | €7.450,00 |
| 8596/S | 101 | Heat insulated container with two-wing sliding doors at the long side - Dimensions 4000x2400x2400 mm | €7.960,00 |
| 8597/S | 101 | Heat insulated container with two-wing sliding doors at the long side - Dimensions 5000x2400x2400 mm | €9.060,00 |
| 8598/S | 101 | Heat insulated container with two-wing sliding doors at the long side - Dimensions 7000x2400x2400 mm | €9.960,00 |
| 8599/S | 101 | Heat insulated container with two-wing sliding doors at the long side - Dimensions 8000x2400x2400 mm | €11.780,00 |

| | | | |
|-------------|---|-----------------------|----------------|
| 8601 | - | Printer for "Dosamix" | €680,00 |
|-------------|---|-----------------------|----------------|

| | | | |
|-------------|----|---|------------------|
| 8621 | 92 | Lube Center Box - Single equipped unit for oil stocking and distribution | €2.890,00 |
| 8634 | 92 | Lube Center Box - Double equipped unit for oils stocking and distribution | €4.084,00 |
| 8681 | - | Metallic box to accommodate indoor 1 lubricating equipment | €2.050,00 |
| 8682 | - | Metallic box to accommodate indoor 2 lubricating equipment | €2.400,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|-----------|
| 8684 | 93 | "MULTISERVICE LUBE DRUM BOX" - stocking and dispensing lube station of 2 fresh oils with additional work bench - suitable for containing 2 oil drums cap. 208 l | €5.400,00 |
| 8685 | 93 | "MULTISERVICE LUBE TANK BOX" - stocking and dispensing lube station of 2 fresh oils with additional work bench - equipped with 2 metal tanks cap. 235 l each | €5.800,00 |
| 8730 | 67 | Electronic oval gears flow meter with pulse transmitter for oil, diesel and antifreeze. Connections 1/2" BSP (F) | €400,00 |
| 8731 | 67 | Electronic oval gears flow meter with pulse transmitter for oil, diesel and antifreeze. Connections 1" BSP (F) | €810,00 |
| 8732 | 117 | Electronic oval gears flow meter with display and pulse transmitter for oil, diesel and antifreeze. Connections 1/2" BSP (F) | €670,00 |
| 8745 | - | System for monitoring fluid level inside tanks | €320,00 |
| 8746 | - | Electronic PC board + software program for system for monitoring fluid level mod. 8745 | €860,00 |
| 8752 | 120 | Mechanical level indicator suitable for 208 l drums | €72,00 |
| 8753 | 120 | Digital ultrasonic level indicator suitable for 208 l drums | €86,00 |

| | | | |
|------|-----|--|---------|
| 8760 | 117 | Remote display connected to the pulse meter | €370,00 |
| 8761 | 117 | Remote display connected to the pulse meter | €390,00 |
| 8795 | 116 | Bar code reader to be installed on system "FLUID KEEPER" | €330,00 |
| 8803 | 114 | Coil for electrovalve connection with oil monitoring management system (price for each meter of coil) | €4,00 |
| 8804 | - | Connection switch box from keyboard to the oil management system | €110,00 |
| 8806 | 114 | Junction box for connecting the pulse meters to the oil management system | €110,00 |
| 8808 | - | Wires connection box for Fluid Dispenser units | €146,00 |
| 8815 | 114 | Electric cable 2 x 1 for pulse meter signal (price for each meter) | €1,80 |
| 8851 | - | Digital "OIL DISPENSER" - Electronic unit for oil distribution | €590,00 |
| 8853 | - | "FLUID DISPENSER 3" - unit that allow the programming, the dosage and the handling of 3 different predetermined batches of one lubricant fluid | €610,00 |
| 8854 | 114 | Printer for system "FLUID KEEPER" | €580,00 |
| 8855 | - | "FLUID DISPENSER 4" -I/O keyboard unit for the preset of 4 types of oil | €720,00 |

| | | | |
|------|-----|---|-----------|
| 8856 | - | "WASTE FLUID" - Electronic unit enable the handling and non-stop monitoring of the passage through an hydraulic line of wasted oil | €610,00 |
| 8857 | 118 | "AUTOMATIC FILLS" - Electronic unit that allow the on-line reading of the oil passage | €610,00 |
| 8864 | 118 | Electronic kit system for oil distribution. With preset batches of 4 lubricant fluids. With printer | €4.610,00 |
| 8867 | 118 | Kit "AUTOMATIC FILLS" - Electronic kit system for oil monitoring. With pulse meters, feeder | €2.060,00 |
| 8870 | - | "FLUID KEEPER" - Electronic control-unit with keypad for fluid monitoring system | €1.240,00 |
| 8871 | - | Electronic PC board + software program for system for monitoring fluid level "FLUID KEEPER" | €700,00 |
| 8872 | - | Kit "FLUID KEEPER" composed by: I/O keyboard unit , pulse meter, 5 m connecting wire, transformer, divisor box | €4.080,00 |
| 8873 | 114 | Kit "FLUID KEEPER INOX" composed by: I/O keyboard unit , stainless steel pulse meter, 5 m connecting wire, transformer, divisor box | €4.800,00 |
| 8874 | 114 | Software for management of "FLUID KEEPER" - Windows® compatible with interface switchboard | €720,00 |
| 8876 | 114 | I/O keyboard unit and display for "FLUID KEEPER" | €1.520,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|--|-----------|
| 8877 | 116 | Simple keyboard with display for "FLUID KEEPER" | €820,00 |
| 8878 | 114 | Kit "FLUID KEEPER 8 MULTIDISPENSE" composed by: I/O keyboard unit , pulse meter, 5 m connecting wire, transformer, divisor box | €6.928,00 |
| 8879 | 116 | Control unit "FLUID KEEPER MOBILE" with touch screen 7" (185x98 mm) | €1.840,00 |
| 8884 | 117 | Software "FLUID KEEPER 8 MOBILE", for Tablet in Windows® operating systems | €390,00 |
| 8905 | - | Maximum level-sensor on-off for wasted oil length 300 mm, connections 3/4" BSP | €130,00 |
| 8908 | - | Minimum level-sensor on-off. Length 1000 mm, connections 3/4" BSP | €144,00 |
| 8909 | - | Kit maximum-minimum level with electrovalve for Dosamix | €184,00 |
| 8915 | - | Minimum level-sensor on-off. Length 1500 mm, connections 3/4" suitable for 1000 l cubes | €154,00 |
| 8920 | 120 | Warning light with horn | €124,00 |

| | | | |
|------|-----|---|---------|
| 8950 | 119 | "PUMPSTOP" - pneumatic pump stop system for empty drum for 208 l drums - 1000 l tanks | €360,00 |
| 8951 | 119 | "PUMPSTOP" - pneumatic pump stop system for empty drum with flashing and acoustic advise, for 208 l drums - 1000 l tanks | €500,00 |
| 8952 | - | Air-feeding electrovalve and level sensor to stop the pump when the drum of the product to be mixed is empty - for "Dosamix" | €220,00 |
| 8953 | 119 | "PUMPSTOP" - pump stop system for empty drum with two sensors for reserve and stop level, with flashing and acoustic advise, for 208 l drums - 1000 l tanks | €520,00 |
| 8954 | - | "PUMPSTOP" - Air-feeding electrovalve and level sensor to stop the pump when the drum is empty. With 3 levels | €588,00 |
| 8955 | - | "PUMPSTOP" - Air-feeding electrovalve and level sensor to stop the pump when the drum is empty + warning light and acoustic alarm for 1000 l cubes | €520,00 |
| 8956 | - | "PUMPSTOP" - pump stop system with double alarm for reserve and stop level, warning light and horn for 1000 l cubes | €530,00 |

| | | | |
|------|-----|--|-----------|
| 9000 | - | Automatic electronic switching system of the pump from tank 1 to tank 2 | €1.800,00 |
| 9001 | 104 | Painted steel single post portals for hose-reels and equipment fixing (customized) | €1.990,00 |

| | | | |
|---------|-----|--|------------|
| 9001/4P | 105 | Single post stand painted steel with waste oil suction pneumatic unit - composed by n. 4 hose reels | €4.786,00 |
| 9001/4B | 105 | Single post stand painted steel with electric waste oil suction unit - kit basic with n. 4 hose reels | €5.630,00 |
| 9001/4S | 105 | Single post stand painted steel with electric waste oil suction unit - kit standard with n. 4 hose reels | €7.140,00 |
| 9001/4M | 105 | Single post stand painted steel with electric waste oil suction unit - kit medium with n. 4 hose reels | €10.548,00 |

| | | | |
|---------|-----|--|------------|
| 9001/5P | 105 | Single post stand painted steel with waste oil suction pneumatic unit - composed by n. 5 hose reels | €5.390,00 |
| 9001/5B | 105 | Single post stand painted steel with electric waste oil suction unit - kit basic with n. 5 hose reels | €6.234,00 |
| 9001/5S | 105 | Single post stand painted steel with electric waste oil suction unit - kit standard with n. 5 hose reels | €7.836,00 |
| 9001/5M | 105 | Single post stand painted steel with electric waste oil suction unit - kit medium with n. 5 hose reels | €11.034,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|---------|-----|--|------------|
| 9001/6P | 105 | Single post stand painted steel with waste oil suction pneumatic unit - composed by n. 6 hose reels | €5.992,00 |
| 9001/6B | 105 | Single post stand painted steel with electric waste oil suction unit - kit basic with n. 6 hose reels | €6.836,00 |
| 9001/6S | 105 | Single post stand painted steel with electric waste oil suction unit - kit standard with n. 6 hose reels | €8.530,00 |
| 9001/6M | 105 | Single post stand painted steel with electric waste oil suction unit - kit medium with n. 6 hose reels | €11.518,00 |

| | | | |
|------|---|--|-----------|
| 9004 | - | Painted steel double post portals for hose-reels and equipment fixing (customized) | €2.088,00 |
|------|---|--|-----------|

| | | | |
|------|-----|--|-----------|
| 9005 | 106 | Painted steel double post portals for hose-reels fixing (customized) | €3.310,00 |
|------|-----|--|-----------|

| | | | |
|---------|-----|--|------------|
| 9005/5P | 107 | Double post stand painted steel with waste oil suction pneumatic unit - composed by n. 5 hose reels | €6.712,00 |
| 9005/5B | 107 | Double post stand painted steel with electric waste oil suction unit - kit basic with n. 5 hose reels | €7.556,00 |
| 9005/5S | 107 | Double post stand painted steel with electric waste oil suction unit - kit standard with n. 5 hose reels | €8.974,00 |
| 9005/5M | 107 | Double post stand painted steel with electric waste oil suction unit - kit medium with n. 5 hose reels | €12.172,00 |

| | | | |
|---------|-----|--|------------|
| 9005/6P | 107 | Double post stand painted steel with waste oil suction pneumatic unit - composed by n. 6 hose reels | €7.314,00 |
| 9005/6B | 107 | Double post stand painted steel with electric waste oil suction unit - kit basic with n. 6 hose reels | €8.158,00 |
| 9005/6S | 107 | Double post stand painted steel with electric waste oil suction unit - kit standard with n. 6 hose reels | €9.668,00 |
| 9005/6M | 107 | Double post stand painted steel with electric waste oil suction unit - kit medium with n. 6 hose reels | €12.656,00 |

| | | | |
|---------|-----|--|------------|
| 9005/7P | 107 | Double post stand painted steel with waste oil suction pneumatic unit - composed by n. 7 hose reels | €7.918,00 |
| 9005/7B | 107 | Double post stand painted steel with electric waste oil suction unit - kit basic with n. 7 hose reels | €8.762,00 |
| 9005/7S | 107 | Double post stand painted steel with electric waste oil suction unit - kit standard with n. 7 hose reels | €10.364,00 |
| 9005/7M | 107 | Double post stand painted steel with electric waste oil suction unit - kit medium with n. 7 hose reels | €13.142,00 |

| | | | |
|------------|-----|--|---------|
| 9012 | - | Hose reel spring driven painted steel - encased - L. max 15 m - without hose | €300,00 |
| 9013 | 205 | Spring driven painted steel hose reel L. max 15 m without hose - Ø 1/2". Enclosed series | €282,00 |
| 9013+28708 | 69 | Spring driven painted steel hose reel with 8 m oil hose - Ø 1/2". Enclosed series | €364,00 |
| 9013+28710 | 69 | Spring driven painted steel hose reel with 10 m oil hose - Ø 1/2". Enclosed series | €368,00 |
| 9013+28715 | 69 | Spring driven painted steel hose reel with 15 m oil hose - Ø 1/2". Enclosed series | €396,00 |
| 9013+4510 | 37 | Spring driven painted steel hose reels with 10 m grease hose - Ø 1/4". Enclosed series | €353,00 |
| 9013+4515 | 37 | Spring driven painted steel hose reels with 15 m grease hose - Ø 1/4". Enclosed series | €382,00 |
| 9013+4710 | 37 | Spring driven painted steel hose reels with 10 m grease hose - Ø 3/8". Enclosed series | €376,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|----------------------|--|---------|
| 9013+4715 | 37 | Spring driven painted steel hose reels with 15 m grease hose - Ø 3/8". Enclosed series | €410,00 |
| 9013+4810 | 37 | Spring driven painted steel hose reels with 10 m grease hose - Ø 1/2". Enclosed series | €400,00 |
| 9013+4815 | 37 | Spring driven painted steel hose reels with 15 m grease hose - Ø 1/2". Enclosed series | €456,00 |
| 9016 | 204 | Spring driven painted steel hose reel L. max 15 m without hose - Ø 1/2". Standard series | €220,00 |
| 9016+28708 | 69 | Spring driven painted steel hose reel with 8 m oil hose - Ø 1/2". Standard series | €302,00 |
| 9016+28710 | 69 | Spring driven painted steel hose reel with 10 m oil hose - Ø 1/2". Standard series | €304,00 |
| 9016+28715 | 69 | Spring driven painted steel hose reel with 15 m oil hose - Ø 1/2". Standard series | €334,00 |
| 9016+4510 | 37 | Spring driven painted steel hose reel with 10 m grease hose - Ø 1/4". Standard series | €291,00 |
| 9016+4515 | 37 | Spring driven painted steel hose reel with 15 m grease hose - Ø 1/4". Standard series | €320,00 |
| 9016+4710 | 37 | Spring driven painted steel hose reel with 10 m grease hose - Ø 3/8". Standard series | €314,00 |
| 9016+4715 | 37 | Spring driven painted steel hose reel with 15 m grease hose - Ø 3/8". Standard series | €348,00 |
| 9016+4810 | 37 | Spring driven painted steel hose reel with 10 m grease hose - Ø 1/2". Standard series | €338,00 |
| 9016+4815 | 37 | Spring driven painted steel hose reel with 15 m grease hose - Ø 1/2". Standard series | €394,00 |
| 9021 | 204 | Spring driven painted steel hose reel L. max 20 m without hose - Ø 1/2". Standard series | €250,00 |
| 9021+28720 | 69 | Spring driven hose reel painted steel standard series with hose Ø 1/2" - L. 20 m for oil and antifreeze | €406,00 |
| 9021+4520 | 37 | Spring driven hose reel painted steel standard series with hose Ø 1/4" - L. 20 m for grease | €384,00 |
| 9021+4720 | 37 | Spring driven hose reel painted steel standard series with hose Ø 3/8" - L. 20 m for grease | €418,00 |
| 9021+4820 | 37 | Spring driven hose reel painted steel standard series with hose Ø 1/2" - L. 20 m for grease | €478,00 |
| 9022 | 204 | Spring driven painted steel hose reel L. max 25 m without hose - Ø 3/8". Standard series | €264,00 |
| 9023 | 205 | Spring driven painted steel hose reel L. max 20 m without hose - Ø 1/2". Enclosed series | €328,00 |
| 9023+28720 | 69 | Spring driven painted steel hose reel enclosed series with hose Ø 1/2" - L. 20 m for oil and antifreeze | €484,00 |
| 9023+4520 | 37 | Spring driven painted steel hose reel enclosed series with hose Ø 1/4" - L. 20 m for grease | €462,00 |
| 9023+4720 | 37 | Spring driven painted steel hose reel enclosed series with hose Ø 3/8" - L. 20 m for grease | €496,00 |
| 9023+4820 | 37 | Spring driven painted steel hose reel enclosed series with hose Ø 1/2" - L. 20 m for grease | €556,00 |
| 9024 | 205 | Spring driven painted steel hose reel - enclosed - L. max 8 m - Ø 3/4" - without hose | €320,00 |
| 9024+28808 | 152 | Spring driven painted steel hose reel enclosed series with hose Ø 3/4" - L. 8 m for diesel | €438,00 |
| 9025 | 205 | Spring driven painted steel hose reel - enclosed - L. max 25 m - Ø 3/8" - without hose | €356,00 |
| 9026 | - | Spring driven painted steel hose reel L. max 20 m without hose - Ø 1/2". Heavy duty series | €280,00 |
| 9027 | - | Twin spring driven painted steel hose reel L. max 25 m without hose - Ø 1/2". Heavy duty series | €538,00 |
| 9028 | - | Spring driven painted steel hose reel L. max 8 m without hose - Ø 3/4". Standard series | €262,00 |
| 9028+28908 | - | Spring driven painted steel hose reel adjustable arms series equipped with hose Ø 3/4" - L. 8 m for diesel | €380,00 |
| 9030 | 215 | Spring driven painted steel hose reel L. max 8 m without hose - Ø 1". Heavy duty series | €370,00 |
| 9030+28812 | 154 | Spring driven painted steel hose reel heavy duty series equipped with hose Ø 3/4" - L. 12 m for diesel | €526,00 |
| 9030+289608 | 154 | Spring driven painted steel hose reels heavy duty series equipped with hose Ø 1" - L. 8 m for diesel | €528,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|--------------|----------------------|--|-----------|
| 9031 | 214 | Twin spring driven painted steel hose reel L. max 8 m without hose - Ø 1'1/4". Adjustable arms series-EVO | €590,00 |
| 9031+28914 | - | Hose reel twin spring driven painted steel multi pos. guide, adjustable arms series-EVO, with hose Ø 3/4" - L. 14 m for diesel | €788,00 |
| 9031+289610 | - | Hose reel twin spring driven painted steel multi pos. guide, adjustable arms series-EVO, with hose Ø 1" - L. 10 m for diesel | €776,00 |
| 9031+289708 | 156 | Hose reel twin spring driven painted steel multi pos. guide, adjustable arms series-EVO, with hose Ø 1'1/4" - L. 8 m for diesel | €868,00 |
| 9033 | - | Twin spring driven painted steel hose reel L. max 40 m without hose - Ø 1/2". Heavy duty series | €592,00 |
| 9034 | 215 | Spring driven painted steel hose reel L. max 15 m without hose - Ø 1". Heavy duty series | €472,00 |
| 9034+28820 | - | Spring driven painted steel hose reel heavy duty series equipped with hose Ø 3/4", L. 20 m for diesel | €736,00 |
| 9034+289615 | - | Spring driven painted steel hose reel heavy duty series equipped with hose Ø 1" - L. 15 m for diesel | €740,00 |
| 9035 | - | Spring driven painted steel hose reel L. max 8 m without hose - Ø 1". Heavy duty series-EVO | €380,00 |
| 9036 | 215 | Spring driven painted steel hose reel L. max 25 m without hose - Ø 1". Heavy duty series | €770,00 |
| 9036+28830 | 154 | Spring driven painted steel hose reel heavy duty series equipped with hose Ø 3/4" - L. 30 m for diesel | €1.170,00 |
| 9036+289525 | 154 | Spring driven painted steel hose reel heavy duty series equipped with hose Ø 1" - L. 25 m for diesel | €1.278,00 |
| 9037 | - | Spring driven painted steel hose reel L. max 15 m without hose - Ø 1". Heavy duty series-EVO | €470,00 |
| 9038 | 214 | Hose reel twin spring driven painted steel multi pos. guide L. max 20 m without hose - Ø 1'1/4". Adjustable arms series-EVO | €1.224,00 |
| 9038+289715 | 156 | Hose reel twin spring driven painted steel multi pos. guide, adjustable arms series-EVO, with hose Ø 1'1/4" - L. 15 m for diesel | €1.760,00 |
| 9038+289720 | 156 | Hose reel twin spring driven painted steel multi pos. guide, adjustable arms series-EVO, with hose Ø 1'1/4" - L. 20 m for diesel | €1.924,00 |
| 9039 | 214 | Hose reel twin spring driven painted steel multi pos. guide L. max 15 m without hose - Ø 1'1/2". Adjustable arms series-EVO | €1.294,00 |
| 9039+2899715 | 156 | Hose reel twin spring driven painted steel multi pos. guide, adjustable arms series-EVO, with hose Ø 1'1/2" - L. 15 m for diesel | €1.938,00 |
| 9051 | - | Spring driven black painted steel hose reel L. max 15 m without hose - Ø 1/2". LS series | €230,00 |
| 9052 | - | Spring driven black painted steel hose reel L. max 20 m without hose - Ø 1/2". LS series | €260,00 |
| 9054 | - | Spring driven black painted steel hose reel L. max 8 m without hose - Ø 1". LS series | €290,00 |
| 9060 | 216 | Spring driven painted steel hose reel single side - "ThinReel" series - L. max 25 m - ø 1/2" - without hose | €540,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|--|-----------|
| 9065 | - | Twin spring driven painted steel hose reels - heavy duty series "OX" - L. max 15 m - ø 1" - without hose - Warranty 5 years | €1.008,00 |
| 9066 | - | Twin spring driven painted steel hose reels - heavy duty series "OX" - L. max 20 m - ø 1" - without hose - Warranty 5 years | €1.230,00 |
| 9070 | 211 | Twin spring driven painted steel hose reels L. max 20 m without hose - Ø 1". Adjustable arm series EVO | €798,00 |
| 9072 | 221 | Hose reel with hydraulic motor rewinding in painted steel, L. max 100 m without hose - Ø 1/2" | €3.440,00 |
| 9074 | 207 | Spring driven painted steel hose reel multi pos. guide L. max 30 m without hose - Ø 1/2". Adjustable arms series EVO | €470,00 |
| 9075 | 221 | Hose reel with hydraulic motor rewinding in painted steel, L. max 40 m without hose - Ø 1" | €3.440,00 |
| 9076 | 220 | Hose reel with electric motor rewinding in painted steel, L. max 100 m without hose - Ø 1/2" | €3.680,00 |
| 9078 | 217 | Spring driven carbon steel hose reel for air and dust vacuum - L. max 20 m - ø 50 mm - without hose | €1.040,00 |

| | | | |
|------------------|-----|--|-----------|
| 9079 | 220 | Hose reel with electric motor rewinding in painted steel, L. max 40 m without hose - Ø 1" | €3.740,00 |
| 9079+ 289720 | 157 | Hose reel with electric motor rewinding in painted steel with hose Ø 1 1/4" - L. 20 m for diesel | €4.438,00 |
| 9079+ 2899715 | 157 | Hose reel with electric motor rewinding in painted steel with hose Ø 1 1/2" - L. 15 m for diesel | €4.390,00 |

| | | | |
|-----------|-----|--|---------|
| 9083 | 207 | Spring driven painted steel hose reel multi pos. guide L. max 35 m without hose - Ø 1/2". Adjustable arms series | €540,00 |
| 9083+4530 | 37 | Spring driven painted steel hose reel multi pos. guide, with hose Ø 1/4" - L. 30 m for grease | €750,00 |
| 9083+4730 | 37 | Spring driven painted steel hose reel multi pos. guide, with hose Ø 3/8" - L. 30 m for grease | €810,00 |
| 9083+4830 | 37 | Spring driven painted steel hose reel multi pos. guide, with hose Ø 1/2" - L. 30 m for grease | €888,00 |

| | | | |
|------------|-----|---|-----------|
| 9084 | 211 | Spring driven painted steel hose reels L. max 15 m without hose - Ø 1". Adjustable arm series | €598,00 |
| 9085 | 213 | Twin spring driven painted steel hose reels L. max 30 m without hose - Ø 1". Adjustable arm series | €1.140,00 |
| 9086 | 208 | Twin spring driven painted steel hose reels L. max 60 m without hose - Ø 1/2". Adjustable arm series | €1.170,00 |
| 9087 | - | Spring driven painted steel hose reels L. max 60 m without hose - Ø 1/2". Heavy duty series with twin spring and mechanical hose-guide system | €1.890,00 |
| 9088 | 209 | Twin spring driven painted steel hose reels L. max 100 m without hose - Ø 1/2". Adjustable arm series | €1.320,00 |
| 9089 | 221 | Electro-hydraulic control kit to be assembled on hydraulic motor rewinding of hose reel mod. 9072-9075-9572-9575 | €1.820,00 |
| 9090 | 206 | Spring driven painted steel hose reel multi pos. guide L. max 15 m without hose - Ø 1/2". Adjustable arms series EVO | €224,00 |
| 9090+28708 | 69 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/2" - L. 8 m for oil | €306,00 |
| 9090+28710 | 69 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/2" - L. 10 m for oil | €308,00 |

| | | | |
|-----------|----|--|---------|
| 9090+4510 | 37 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/4" - L. 10 m for grease | €312,00 |
| 9090+4710 | 37 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 3/8" - L. 10 m for grease | €316,00 |
| 9090+4810 | 37 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/2" - L. 10 m for grease | €340,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|-------------------------------|----------------------------|--------------|
|-------------|-------------------------------|----------------------------|--------------|

| | | | |
|--------------------|-----|--|----------------|
| 9091 | 206 | Spring driven painted steel hose reel multi pos. guide L. max 15 m without hose - Ø 1/2". Adjustable arms series EVO | €240,00 |
| 9091+28715 | 69 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/2" - L. 15 m for oil and antifreeze | €354,00 |
| 9091+4515 | 37 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/4" - L. 15 m for grease | €340,00 |
| 9091+4520 | 37 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/4" - L. 20 m for grease | €374,00 |
| 9092 | 206 | Spring driven painted steel hose reel multi pos. guide L. max 20 m without hose - Ø 1/2". Adjustable arms series EVO | €274,00 |
| 9092+28720 | 69 | Spring driven painted steel hose reel multi pos. guide EVO with hose Ø 1/2" - L. 20 m for oil and antifreeze | €428,00 |
| 9092+4720 | 37 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 3/8" - L. 20 m for grease | €440,00 |
| 9093 | 206 | Spring driven painted steel hose reel multi pos. guide L. max 25 m without hose - Ø 1/2". Adjustable arms series EVO | €334,00 |
| 9093+28725 | 69 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 1/2" - L. 25 m for oil and antifreeze | €550,00 |
| 9093+4725 | 37 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 3/8" - L. 25 m for grease | €556,00 |
| 9095 | 210 | Spring driven painted steel hose reel multi pos. guide L. max 8 m without hose - Ø 1". Adjustable arms series EVO | €290,00 |
| 9095+28810 | 152 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 3/4" - L. 10 m for diesel | €434,00 |
| 9095+289608 | 152 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 1" - L. 8 m for diesel | €450,00 |

| | | | |
|--------------------|-----|--|----------------|
| 9096 | 210 | Spring driven painted steel hose reel multi pos. guide L. max 12 m without hose - Ø 1". Adjustable arms series EVO | €390,00 |
| 9096+28815 | 152 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 3/4", L. 15 m for diesel | €598,00 |
| 9096+289612 | 152 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 1", L. 12 m for diesel | €616,00 |

| | | | |
|--------------------|-----|--|------------------|
| 9097 | 210 | Spring driven painted steel hose reel multi pos. guide L. max 15 m without hose - Ø 1". Adjustable arms series EVO | €490,00 |
| 9097+28818 | 154 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 3/4", L. 18 m for diesel | €608,00 |
| 9097+289615 | 154 | Spring driven painted steel hose reel multi pos. guide EVO, with hose Ø 1", L. 15 m for diesel | €756,00 |
| 9098 | 211 | Twin spring driven painted steel hose reels L. max 18 m without hose - Ø 1". Adjustable arm series EVO | €664,00 |
| 9099 | 212 | Twin spring driven painted steel hose reels L. max 30 m without hose - Ø 1". Adjustable arm series EVO | €1.234,00 |

| | | | |
|-------------------|-----|---|------------------|
| 9210/7510 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, provided for exhaust extraction, with crush proof hose Ø 75 mm, L. 10 m | €1.460,00 |
| 9210/7515 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, provided for exhaust extraction, with crush proof hose Ø 75 mm, L. 15 m | €1.760,00 |
| 9210/10010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel provided for exhaust extraction, with crush proof hose Ø 100 mm, L. 10 m | €1.530,00 |
| 9210/10015 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, provided for exhaust extraction, with crush proof hose Ø 100 mm, L. 15 m | €2.060,00 |
| 9210/12510 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, provided for exhaust extraction, with crush proof hose Ø 125 mm, L. 10 m | €1.780,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|-------------------------------|----------------------------|--------------|
|-------------|-------------------------------|----------------------------|--------------|

| | | | |
|-------------------|-----|---|------------------|
| 9210/12515 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, provided for exhaust extraction, with crush proof hose Ø 125 mm, L. 15 m | €2.340,00 |
| 9210/15010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, provided for exhaust extraction, with crush proof hose Ø 150 mm, L. 10 m | €2.040,00 |

| | | | |
|-------------------|-----|--|------------------|
| 9212/6010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 60 mm, L. 10 m | €1.960,00 |
| 9212/7510 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 75 mm, L. 10 m | €2.140,00 |
| 9212/7515 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 75 mm, L. 15 m | €2.460,00 |
| 9212/10010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 100 mm, L. 10 m | €2.180,00 |
| 9212/10015 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 100 mm, L. 15 m | €2.800,00 |
| 9212/12510 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 125 mm, L. 10 m | €2.430,00 |
| 9212/12515 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 125 mm, L. 15 m | €2.800,00 |
| 9212/15010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 150 mm, L. 10 m | €2.680,00 |

| | | | |
|-------------------|-----|--|------------------|
| 9214/7510 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 75 mm, L. 10 m | €4.000,00 |
| 9214/7515 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 75 mm, L. 15 m | €4.320,00 |
| 9214/10010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 100 mm, L. 10 m | €4.020,00 |
| 9214/10015 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 100 mm, L. 15 m | €4.650,00 |
| 9214/12510 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 125 mm, L. 10 m | €4.280,00 |
| 9214/12515 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 125 mm, L. 15 m | €4.680,00 |
| 9214/15010 | 223 | Automatic rewind, spring-driven hose reel, in painted steel, with electric centrifugal fan, provided for exhaust extraction, with crush proof hose Ø 150 mm, L. 10 m | €4.530,00 |

| | | | |
|--------------------|-----|--|------------------|
| 9216/75075 | 223 | Wall mounted suction system for exhaust extraction for single station - with crush proof hose Ø 75 mm, L. 7.5 m | €1.330,00 |
| 9216/7510 | 223 | Wall mounted suction system for exhaust extraction for single station - with crush proof hose Ø 75 mm, L. 10 m | €1.440,00 |
| 9216/100075 | 223 | Wall mounted suction system for exhaust extraction for single station - with crush proof hose Ø 100 mm, L. 7,5 m | €1.430,00 |
| 9216/10010 | 223 | Wall mounted suction system for exhaust extraction for single station - with crush proof hose Ø 100 mm, L. 10 m | €1.570,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|----------------------|---|-----------|
| 9218/75075 | 223 | Wall mounted suction system for exhaust extraction for two work stations - with crush proof hose Ø 75 mm, L. 7.5 m | €1.918,00 |
| 9218/7510 | 223 | Wall mounted suction system for exhaust extraction for two work stations - with crush proof hose Ø 75 mm, L. 10 m | €2.128,00 |
| 9218/100075 | 223 | Wall mounted suction system for exhaust extraction for two work stations - with crush proof hose Ø 100 mm, L. 7,5 m | €2.110,00 |
| 9218/10010 | 223 | Wall mounted suction system for exhaust extraction for two work stations - with crush proof hose Ø 100 mm, L. 10 m | €2.380,00 |
| 9251 | 218 | Manual black painted steel hose reel L. max 15 m without hose - Ø 1/2". LS series | €166,00 |
| 9252 | 218 | Manual black painted steel hose reel L. max 25 m without hose - Ø 1/2". LS series | €186,00 |
| 9253 | 218 | Manual black painted steel hose reel L. max 35 m without hose - Ø 1/2". LS series | €286,00 |
| 9254 | 218 | Manual black painted steel hose reel L. max 10 m without hose - Ø 1". LS series | €226,00 |
| 9254+28815 | - | Manual black painted steel hose reel LS series with hose Ø 3/4" - L. 15 m for diesel | €424,00 |
| 9254+289610 | - | Manual black painted steel hose reel LS series with hose Ø 1" - L. 10 m for diesel | €416,00 |
| 9255 | 218 | Manual black painted steel hose reel L. max 20 m without hose - Ø 1". LS series | €246,00 |
| 9255+28830 | - | Manual black painted steel hose reel LS series with hose Ø 3/4" - L. 30 m for diesel | €648,00 |
| 9255+289620 | - | Manual black painted steel hose reel LS series with hose Ø 1" - L. 20 m for diesel | €560,00 |
| 9256 | 218 | Manual black painted steel hose reel L. max 50 m without hose - Ø 1/2". LS series | €300,00 |
| 9261 | - | Manual painted steel hose reel L. max 25 m without hose - Ø 1/2". Double arm support series | €270,00 |
| 9262 | - | Manual painted steel hose reel L. max 35 m without hose - Ø 1/2". Double arm support series | €296,00 |
| 9263 | - | Manual painted steel hose reel L. max 43 m without hose - Ø 1/2". Double arm support series | €308,00 |
| 9264 | - | Manual painted steel hose reel L. max 50 m without hose - Ø 1/2". Double arm support series | €328,00 |
| 9265 | - | Manual painted steel hose reel L. max 10 m without hose - Ø 1". Double arm support series | €248,00 |
| 9266 | - | Manual painted steel hose reel L. max 15 m without hose - Ø 1". Double arm support series | €280,00 |
| 9267 | - | Manual painted steel hose reel L. max 20 m without hose - Ø 1". Double arm support series | €300,00 |
| 9268 | - | Manual painted steel hose reel L. max 25 m without hose - Ø 1". Double arm support series | €330,00 |
| 9270 | 222 | Spring driven painted steel hose reel - for twin hose - L. max 10 m - ø 1/2" - without hose | €440,00 |
| 9315 | - | Spring driven painted steel hose reel L. max 15 m without hose - Ø 1/2". Heavy duty series | €250,00 |
| 9400 | 198 | Hose reel "Easy Roller" without hose | €124,00 |
| 9400+3610 | 198 | EASY ROLLER - hose reel with 10 m hose Ø 8x12 mm in polyurethane | €140,00 |
| 9400+3615 | 198 | EASY ROLLER - hose reel with 15 m hose Ø 8x12 mm in polyurethane | €148,00 |
| 9405 | 199 | EASY ROLLER - plastic hose reel with stainless steel shaft and swivel joint and with 10 m hose SAE 100 R1T ø 1/4" | €364,00 |
| 9408 | 198 | EASY ROLLER - hose reel with 10 m hose Ø 10x14 mm in polyurethane | €150,00 |
| 9409 | 199 | EASY ROLLER - plastic hose reel with stainless steel shaft and swivel joint and with 5 m hose Caser ø 1/2" for food industry applications | €372,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---|---------|
| 9410 | - | EASY-STEEL - painted steel hose reel with 10 m hose ø 8x12 mm for compressed air/low pressure water | €210,00 |
| 9413 | - | EASY-STEEL - painted steel hose reel with 10 m hose ø 10x14 mm for compressed air/low pressure water | €218,00 |
| 9418 | 222 | Spring driven painted steel hose reel - for welding twin hose oxygen+acetylene L. max 20 m - ø 5/16" | €690,00 |
| 9504 | 216 | THIN REEL - Spring driven painted steel hose reel - L. max 8 m - ø 1/2" - without hose | €320,00 |
| 9505 | 216 | THIN REEL - Spring driven painted steel hose reel with stainless steel shaft - L. max 8 m - ø 1/2" - without hose | €360,00 |
| 9510 | - | EASY-STEEL - stainless steel hose reel with 10 m hose ø 8x12 mm for compressed air/low pressure water | €450,00 |
| 9511 | - | EASY-STEEL - stainless steel hose reel with 10 m hose ø 10x14 mm for compressed air/low pressure water | €468,00 |

| | | | |
|---------|-----|--|---------|
| 9517 | 204 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1/2". Standard series | €426,00 |
| 9517/EX | 204 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1/2". Standard series - Atex 94/9/CE certified, classification level II category 2 | €572,00 |
| 9521 | 204 | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 3/8". Standard series | €490,00 |
| 9521/EX | 204 | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 3/8". Standard series - Atex 94/9/CE certified, classification level II category 2 | €658,00 |
| 9522 | 204 | Spring driven stainless steel hose reel L. max 20 m without hose - Ø 1/2". Standard series | €456,00 |
| 9522/EX | 204 | Spring driven stainless steel hose reel L. max 20 m without hose - Ø 1/2". Standard series - Atex 94/9/CE certified, classification level II category 2 | €614,00 |

| | | | |
|---------|---|--|---------|
| 9523 | - | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1/2". Heavy duty series | €526,00 |
| 9523/EX | - | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1/2". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €706,00 |
| 9524 | - | Spring driven stainless steel hose reel L. max 20 m without hose - Ø 1/2". Heavy duty series | €546,00 |
| 9524/EX | - | Spring driven stainless steel hose reel L. max 20 m without hose - Ø 1/2". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €736,00 |

| | | | |
|--------------------|-----|--|-----------|
| 9525 | 215 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1". Heavy duty series | €746,00 |
| 9525+28818 | 155 | Spring driven stainless steel hose reel heavy duty series, with hose Ø 3/4", L. 18 m for diesel | €1.004,00 |
| 9525+289615 | 155 | Spring driven stainless steel hose reel heavy duty series equipped with hose Ø 1" - L. 15 m for diesel | €1.018,00 |
| 9525/EX | 215 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €980,00 |
| 9525/EX +289415 | 162 | Spring driven stainless steel hose reel heavy duty series, Atex 94/9/CE cert. Classification level II category 2 , with hose Ø 1", L. 15 m for petrol | €1.574,00 |

| | | | |
|---------|---|---|---------|
| 9526 | - | Twin spring driven stainless steel hose reel L. max 25 m without hose - Ø 1/2". Heavy duty series | €746,00 |
| 9526/EX | - | Twin spring driven stainless steel hose reel L. max 25 m without hose - Ø 1/2". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €936,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|--------------------|----------------------|---|-----------|
| 9527 | - | Spring driven stainless steel hose reel L. max 8 m without hose - Ø 1". Adjustable arms series | €600,00 |
| 9527/EX | - | Spring driven stainless steel hose reel L. max 8 m without hose - Ø 1". Adjustable arms series - Atex 94/9/CE certified, classification level II category 2 | €840,00 |
| 9527/EX +289408 | - | Spring driven stainless steel hose reel multi pos. guide, Atex 94/9/CE certified classification level II category 2, with hose Ø 1", L. 8 m for petrol | €1.108,00 |
| 9529 | 215 | Spring driven stainless steel hose reel L. max 8 m without hose - Ø 1". Heavy duty series | €626,00 |
| 9529+28812 | 155 | Spring driven stainless steel hose reel heavy duty series, with hose Ø 3/4", L. 12 m for diesel | €822,00 |
| 9529+289608 | 155 | Spring driven stainless steel hose reel heavy duty series equipped with hose Ø 1" - L. 8 m for diesel | €788,00 |
| 9529/EX | 215 | Spring driven stainless steel hose reel L. max 8 m without hose - Ø 1". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €848,00 |
| 9530 | 207 | Spring driven stainless steel hose reel L. max 35 m without hose - Ø 1/2". Adjustable arm series | €700,00 |
| 9530/EX | 207 | Spring driven stainless steel hose reel L. max 35 m without hose - Ø 1/2". Adjustable arm series - Atex 94/9/CE certified, classification level II category 2 | €875,00 |
| 9531 | 214 | Twin spring driven stainless steel hose reel L. max 8 m without hose - Ø 1 1/4". Adjustable arms series-EVO | €720,00 |
| 9531+289708 | 156 | Twin spring driven stainless steel hose reel - adjustable arm series, with hose ø 1 1/4", L. 8 m for diesel | €1.022,00 |
| 9531/EX | 214 | Twin spring driven stainless steel hose reel L. max 8 m without hose - Ø 1 1/4". Adjustable arms series-EVO - Atex 94/9/CE certified, classification level II category 2 | €966,00 |
| 9532 | - | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 1/2". Heavy duty series | €670,00 |
| 9532/EX | - | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 1/2". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €840,00 |
| 9533 | - | Twin spring driven stainless steel hose reel L. max 40 m without hose - Ø 1/2". Heavy duty series | €886,00 |
| 9533/EX | - | Twin spring driven stainless steel hose reel L. max 40 m without hose - Ø 1/2". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €1.106,00 |
| 9534 | 211 | Spring driven stainless steel hose reels L. max 15 m without hose - Ø 1". Adjustable arm series | €776,00 |
| 9534/EX | 211 | Spring driven stainless steel hose reels L. max 15 m without hose - Ø 1". Adjustable arm series - Atex 94/9/CE certified, classification level II category 2 | €970,00 |
| 9536 | 215 | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 1". Heavy duty series | €1.036,00 |
| 9536+28830 | 155 | Spring driven stainless steel hose reel heavy duty series, with hose Ø 3/4", L. 30 m for diesel | €1.442,00 |
| 9536+289625 | 155 | Spring driven stainless steel hose reel heavy duty series, with hose Ø 1", L. 25 m for diesel | €1.480,00 |
| 9536/EX | 215 | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 1". Heavy duty series - Atex 94/9/CE certified, classification level II category 2 | €1.260,00 |
| 9536/EX +289425 | 162 | Spring driven stainless steel hose reel heavy duty series, Atex 94/9/CE certified, classification level II category 2 , with hose Ø 1", L. 25 m for petrol | €2.322,00 |
| 9538 | 214 | Hose reel twin spring driven stainless steel multi pos. guide L. max 20 m without hose - Ø 1 1/4". Adjustable arms series-EVO | €1.620,00 |
| 9538+289715 | 157 | Hose reel twin spring driven stainless steel multi pos. guide, with hose ø 1 1/4", L. 15 m for diesel | €2.162,00 |
| 9538+289720 | 157 | Hose reel twin spring driven stainless steel multi pos. guide, with hose ø 1 1/4", L. 20 m for diesel | €2.326,00 |
| 9538/EX | 214 | Hose reel twin spring driven stainless steel multi pos. guide L. max 20 m without hose - Ø 1 1/4". Adjustable arms series-EVO - Atex 94/9/CE certified, classification level II category 2 | €2.180,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------------------|-----|---|-----------|
| 9539 | 214 | Hose reel twin spring driven stainless steel multi pos. guide L. max 15 m without hose - Ø 1'1/2". Adjustable arms series-EVO | €1.678,00 |
| 9539+ 2899715 | 157 | Hose reel twin spring driven stainless steel multi pos. guide, with hose ø 1'1/2", L. 15 m for diesel | €2.418,00 |
| 9539/EX | 214 | Hose reel twin spring driven stainless steel multi pos. guide L. max 15 m without hose - Ø 1'1/2". Adjustable arms series-EVO - Atex 94/9/CE certified, classification level II category 2 | €2.258,00 |

| | | | |
|------|---|--|---------|
| 9540 | - | Spring driven stainless steel hose reel L. max 20 m without hose - Ø 1/2". Enclosed series | €744,00 |
| 9545 | - | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1/2". Enclosed series | €714,00 |

| | | | |
|------------|-----|--|---------|
| 9546 | 205 | Spring driven stainless steel hose reel L. max 8 m without hose - Ø 3/4". Enclosed series | €752,00 |
| 9546+28808 | 153 | Spring driven stainless steel hose reel enclosed series with hose Ø 3/4" - L. 8 m for diesel | €858,00 |

| | | | |
|------|-----|--|---------|
| 9547 | 205 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1/2". Enclosed series | €690,00 |
| 9548 | 205 | Spring driven stainless steel hose reel L. max 20 m without hose - Ø 1/2". Enclosed series | €720,00 |
| 9549 | 205 | Spring driven stainless steel hose reel L. max 25 m without hose - Ø 3/8". Enclosed series | €740,00 |

| | | | |
|------|-----|---|---------|
| 9550 | 219 | Manual stainless steel hose reel L. max 50 m without hose - Ø 1/2" | €398,00 |
| 9551 | 219 | Manual stainless steel hose reel L. max 15 m without hose - Ø 1/2" | €258,00 |
| 9552 | 219 | Manual stainless steel hose reel - double arm support - L. max 35 m without hose - Ø 1/2" | €430,00 |
| 9553 | 219 | Manual stainless steel hose reel - double arm support - L. max 15 m without hose - Ø 1/2" | €320,00 |
| 9557 | - | Manual stainless steel hose reel L. max 10 m without hose - Ø 1" | €410,00 |
| 9558 | 219 | Manual stainless steel hose reel L. max 20 m without hose - Ø 1" | €434,00 |
| 9559 | 219 | Manual stainless steel hose reel - double arm support - L. max 10 m without hose - Ø 1" | €456,00 |
| 9560 | 219 | Manual stainless steel hose reel - double arm support - L. max 20 m without hose - Ø 1" | €478,00 |

| | | | |
|------|---|---|---------|
| 9561 | - | Manual stainless steel hose reel L. max 25 m without hose - Ø 1/2". Double arm support series | €408,00 |
| 9562 | - | Manual stainless steel hose reel L. max 35 m without hose - Ø 1/2". Double arm support series | €440,00 |
| 9563 | - | Manual stainless steel hose reel L. max 43 m without hose - Ø 1/2". Double arm support series | €470,00 |
| 9564 | - | Manual stainless steel hose reel L. max 50 m without hose - Ø 1/2". Double arm support series | €492,00 |
| 9565 | - | Manual stainless steel hose reel L. max 10 m without hose - Ø 1". Double arm support series | €472,00 |
| 9566 | - | Manual stainless steel hose reel L. max 15 m without hose - Ø 1". Double arm support series | €480,00 |
| 9567 | - | Manual stainless steel hose reel L. max 20 m without hose - Ø 1". Double arm support series | €498,00 |
| 9568 | - | Manual stainless steel hose reel L. max 25 m without hose - Ø 1". Double arm support series | €518,00 |

| | | | |
|---------|-----|---|-----------|
| 9570 | 211 | Twin spring driven stainless steel hose reel L. max 20 m without hose - Ø 1" - Adjustable arms series EVO | €998,00 |
| 9570/EX | 211 | Twin spring driven stainless steel hose reel L. max 20 m without hose - Ø 1" - Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €1.348,00 |

| | | | |
|---------|-----|--|-----------|
| 9572 | 221 | Hose reel with hydraulic motor rewinding in stainless steel, L. max 100 m without hose - Ø 1/2" | €3.720,00 |
| 9574 | 207 | Spring driven stainless steel hose reel multi pos. guide L. max 30 m without hose - Ø 1/2". Adjustable arms series EVO | €630,00 |
| 9574/EX | 207 | Spring driven stainless steel hose reel multi pos. guide L. max 30 m without hose - Ø 1/2". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €790,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|----------------------|---|-----------|
| 9575 | 221 | Hose reel with hydraulic motor rewinding in stainless steel, L. max 40 m without hose - Ø 1" | €3.720,00 |
| 9576 | 220 | Hose reel with electric motor rewinding in stainless steel, L. max 100 m without hose - Ø 1/2" | €3.960,00 |
| 9578 | 217 | Spring driven stainless steel hose reel for air and dust vacuum - L. max 20 m - ø 50 mm - without hose | €1.380,00 |
| 9579 | 220 | Hose reel with electric motor rewinding in stainless steel, L. max 40 m without hose - Ø 1" | €3.960,00 |
| 9584 | 210 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1". Adjustable arms series EVO | €798,00 |
| 9584+289615 | 153 | Spring driven stainless steel hose reel adjustable arms series EVO, with hose Ø 1" - L. 15 m for diesel | €1.062,00 |
| 9584/EX | 210 | Spring driven stainless steel hose reel L. max 15 m without hose - Ø 1". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €996,00 |
| 9585 | 213 | Twin spring driven stainless steel hose reel multi pos. guide dual spring L. max 30 m without hose - Ø 1". Adjustable arms series | €1.430,00 |
| 9585/EX | 213 | Twin spring driven stainless steel hose reel multi pos. guide dual spring L. max 30 m without hose - Ø 1". Adjustable arms series - Atex 94/9/CE certified, classification level II category 2 | €1.790,00 |
| 9586 | 208 | Twin spring driven stainless steel hose reel L. max 60 m without hose - Ø 1/2". Adjustable arm series | €1.270,00 |
| 9586/EX | 208 | Twin spring driven stainless steel hose reel L. max 60 m without hose - Ø 1/2". Adjustable arm series - Atex 94/9/CE certified, classification level II category 2 | €1.590,00 |
| 9587 | - | Spring driven stainless steel hose reel L. max 60 m without hose - Ø 1/2". Heavy duty series with twin spring and mechanical hose-guide system | €2.100,00 |
| 9589 | 209 | Twin spring driven stainless steel hose reel L. max 100 m without hose - Ø 1/2". Adjustable arm series | €1.490,00 |
| 9589/EX | 209 | Twin spring driven stainless steel hose reel L. max 100 m without hose - Ø 1/2". Adjustable arm series - Atex 94/9/CE certified, classification level II category 2 | €1.890,00 |
| 9590 | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 15 m without hose - Ø 1/2". Adjustable arms series EVO | €452,00 |
| 9590/EX | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 15 m without hose - Ø 1/2". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €608,00 |
| 9591 | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 15 m without hose - Ø 1/2". Adjustable arms series EVO | €462,00 |
| 9591/EX | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 15 m without hose - Ø 1/2". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €622,00 |
| 9592 | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 20 m without hose - Ø 1/2". Adjustable arms series EVO | €472,00 |
| 9592/EX | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 20 m without hose - Ø 1/2". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 3 | €636,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|-------------|----------------------|--|-----------|
| 9593 | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 25 m without hose - Ø 1/2". Adjustable arms series EVO | €512,00 |
| 9593/EX | 206 | Spring driven stainless steel hose reel multi pos. guide L. max 25 m without hose - Ø 1/2". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €690,00 |
| 9595 | 210 | Spring driven stainless steel hose reel multi pos. guide L. max 8 m without hose - Ø 1". Adjustable arms series EVO | €672,00 |
| 9595+28810 | 153 | Spring driven stainless steel hose reel multi pos. guide EVO with hose Ø 3/4", L. 10 m for diesel | €818,00 |
| 9595+289608 | 153 | Spring driven stainless steel hose reel multi pos. guide EVO with hose Ø 1", L. 8 m for diesel | €834,00 |
| 9595/EX | 210 | Spring driven stainless steel hose reel multi pos. guide L. max 8 m without hose - Ø 1". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €906,00 |
| 9596 | 210 | Spring driven stainless steel hose reel multi pos. guide L. max 12 m without hose - Ø 1". Adjustable arms series EVO | €712,00 |
| 9596+28815 | 153 | Spring driven stainless steel hose reel multi pos. guide EVO, with hose Ø 3/4", L. 15 m for diesel | €912,00 |
| 9596+289612 | 153 | Spring driven stainless steel hose reel multi pos. guide EVO, with hose Ø 1", L. 12 m for diesel | €940,00 |
| 9596/EX | 210 | Spring driven stainless steel hose reel multi pos. guide L. max 12 m without hose - Ø 1". Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €960,00 |
| 9598 | 211 | Twin spring driven stainless steel hose reel L. max 18 m without hose - Ø 1" - Adjustable arms series EVO | €956,00 |
| 9598/EX | 211 | Twin spring driven stainless steel hose reel L. max 18 m without hose - Ø 1" - Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €1.286,00 |
| 9599 | 212 | Twin spring driven stainless steel hose reel L. max 30 m without hose - Ø 1" - Adjustable arms series EVO | €1.526,00 |
| 9599/EX | 212 | Twin spring driven stainless steel hose reel L. max 30 m without hose - Ø 1" - Adjustable arms series EVO - Atex 94/9/CE certified, classification level II category 2 | €1.896,00 |
| 9754 | 205 | Pivoting wall mounting bracket, stainless steel, suitable for hose reels mod. 9546 - 9547 - 9548 - 9549 | €56,00 |
| 9758 | 206 | Pivoting wall mounting bracket, painted steel, suitable for hose reel mod. 9093 | €42,00 |
| 9760 | 204 | Pivoting wall mounting bracket, stainless steel, suitable for hose reels mod. 9517 - 9523 - 9590 - 9591 | €60,00 |
| 9761 | - | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9410 - 9413 | €40,00 |
| 9762 | - | Pivoting wall mounting bracket, painted steel, suitable for hose reel mod. 9012 | €50,00 |
| 9763 | - | Pivoting wall mounting bracket, painted steel, suitable for hose reel mod. 9018 | €54,00 |
| 9764 | 215 | Pivoting wall mounting bracket, stainless steel, suitable for hose reels mod. 9525 - 9533 - 9570 - 9584 | €116,00 |
| 9765 | 204 | Pivoting wall mounting bracket, stainless steel, suitable for hose reels mod. 9521 - 9522 - 9524 - 9527 - 9529 - 9532 - 9592 - 9595 | €64,00 |
| 9767 | 204 | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9016 - 9051 - 9081 - 9090 - 9091 - 9251 - 9315 | €38,00 |
| 9768 | 204 | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9021 - 9022 - 9026 - 9028 - 9030 - 9032 - 9035 - 9052 - 9054 - 9082 - 9092 - 9095 - 9252 | €38,00 |
| 9769 | 215 | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9033 - 9034 - 9037 - 9070 - 9097 - 9255 - 9256 | €82,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|--|---------|
| 9770 | 207 | Pivoting wall mounting bracket, stainless steel, suitable for hose reels mod. 9526 - 9530 - 9534 - 9574 - 9598 | €126,00 |
| 9771 | - | Pivoting wall mounting bracket, stainless steel, suitable for hose reel mod. 9545 | €82,00 |
| 9772 | - | Pivoting wall mounting bracket, stainless steel, suitable for hose reel mod. 9540 | €86,00 |
| 9773 | 210 | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9032 - 9096 - 9253 - 9254 | €40,00 |
| 9775 | 206 | Pivoting wall mounting bracket, stainless steel, suitable for hose reel mod. 9593 | €72,00 |
| 9776 | 210 | Pivoting wall mounting bracket, stainless steel, suitable for hose reels mod. 9532 - 9596 | €68,00 |
| 9777 | 207 | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9027 - 9074 - 9083 - 9084 - 9098 | €82,00 |
| 9778 | 205 | Pivoting wall mounting bracket, painted steel, suitable for hose reels mod. 9013 - 9023 - 9024 - 9025 | €26,00 |
| 9779 | 227 | Internal junction cover with fixing kit for hose reels | €92,00 |
| 9780 | 227 | Right plastic shield with fixing kit for hose reels | €92,00 |
| 9781 | 227 | Left plastic shield with fixing kit for hose reels | €92,00 |
| 9784 | 82 | No-spillage bracket | €44,00 |
| 9785 | - | "L" bracket to be fixed on 1000 L. stocking tanks (not included) | €180,00 |
| 9787 | - | Adjustable steel bracket for 1000 L. stocking tanks | €184,00 |
| 9788 | - | No-spillage steel bracket. Special model for pit | €74,00 |
| 9790 | - | No-spillage steel bracket with four seats | €90,00 |
| 9817 | 109 | Single sticker for fluid identification to be applied on the pipe lines size 150 x 30 mm | €5,00 |
| 9818 | 109 | Rigid steel hydraulic hose ST. 37.4 for centralized lines. Ø 18 x 1.5 mm - P. max 200 bar (each meter) | €10,00 |
| 9825 | 109 | Rigid steel hydraulic hose ST. 37.4 for centralized lines. Ø 25 x 2 mm - P. max 200 bar (each meter) | €12,00 |
| 9828 | 109 | Rigid steel hydraulic hose ST. 37.4 for centralized lines. Ø 28 x 2 mm - P. max 200 bar (each meter) | €20,00 |
| 9838 | 109 | Rigid steel hydraulic hose ST. 37.4 for centralized lines. Ø 35 x 2 mm - P. max 200 bar (each meter) | €24,00 |
| 9839 | 109 | Straight end coupling - Ø 18 mm x 3/4" M | €14,00 |
| 9840 | 109 | Union elbow - Ø 18 mm x Ø 18 mm | €14,00 |
| 9841 | 109 | Polypropylene collar Ø 18 mm for rigid hose-line fixing | €4,00 |
| 9842 | 109 | Polypropylene collar Ø 28 mm for rigid hose-line fixing | €4,40 |
| 9843 | 109 | Steel binary 28 x 30 for collars fixing in the stationary installations | €16,60 |
| 9844 | 109 | Polypropylene collar Ø 25 mm for rigid hose-line fixing | €4,00 |
| 9845 | 109 | Straight junction nose adapter for rigid hose-line - Ø 25 mm x Ø 25 mm | €22,00 |
| 9846 | 109 | Nose ogive adapter for rigid hose-line - elbow form - Ø 25 mm x Ø 25 mm | €36,00 |
| 9847 | 109 | Straight terminal nose adapter for rigid hose-line - Ø 25 mm x 1" M | €22,00 |
| 9848 | 109 | Nose adapter for rigid hose-line- "T" form - Ø 25 mm x Ø 25 mm x Ø 25 mm | €44,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|-----|---|--------|
| 9849 | 109 | Straight junction nose adapter for rigid hose-line - Ø 28 mm x Ø 28 mm | €22,00 |
| 9850 | 109 | Nose adapter for rigid hose-line - elbow form - Ø 28 mm x Ø 28 mm | €32,00 |
| 9851 | 109 | Straight terminal nose adapter for rigid hose-line - Ø 28 mm x 1" M | €30,00 |
| 9852 | 109 | Nose adapter for rigid hose-line - "T" form - Ø 28 mm x Ø 28 mm x Ø 28 mm | €46,00 |
| 9853 | 109 | Straight junction nose adapter for rigid hose-line - Ø 35 mm x Ø 35 mm | €28,00 |
| 9854 | 109 | Nose adapter for rigid hose-line - elbow form - Ø 35 mm x Ø 35 mm | €42,00 |
| 9855 | 109 | Straight terminal nose adapter for rigid hose-line - Ø 35 mm x 1 1/4" M | €32,00 |
| 9856 | 109 | Nose adapter for rigid hose-line - "T" form - Ø 35 mm x Ø 35 mm x Ø 35 mm | €56,00 |
| 9857 | 109 | Polypropylene collar Ø 35 mm for rigid hose-line fixing | €5,00 |
| 9858 | 109 | Nose adapter for rigid hose-line - "T" form - Ø 18 mm x Ø 18 mm x Ø 18 mm | €24,00 |
| 9859 | 109 | Straight junction nose adapter for rigid hose-line - Ø 18 mm x Ø 18 mm | €12,00 |
| 9871 | 197 | Metal wall support for compressed air pipes | €14,00 |
| 9872 | 109 | Metal L - bracket, suitable for the fixation overhang of rigid pipes | €14,00 |
| 9873 | 196 | Calibrated aluminium pipes for compressed air - Ø 20 mm - length 4 m | €20,00 |
| 9874 | 196 | Calibrated aluminium pipes for compressed air - Ø 25 mm - length 4 m | €28,00 |
| 9875 | 196 | Calibrated aluminium pipes for compressed air - Ø 32 mm - length 4 m | €38,00 |
| 9876 | 197 | Beam clip with M8-thread, suitable for the use with pipe clamps mod. 9877 | €4,00 |

| | | | |
|---------|-----|--|-------|
| 9877/20 | 197 | Pipe clamp in steel M8 for compressed air pipe - Ø 20 mm | €2,20 |
| 9877/25 | 197 | Pipe clamp in steel M8 for compressed air pipe - Ø 25 mm | €2,00 |
| 9877/32 | 197 | Pipe clamp in steel M8 for compressed air pipe - Ø 32 mm | €2,00 |

| | | | |
|---------|-----|---|-------|
| 9878/20 | 197 | Pipe clamp in techno polymeric M6 for compressed air pipe - Ø 20 mm | €5,20 |
| 9878/25 | 197 | Pipe clamp in techno polymeric M6 for compressed air pipe - Ø 25 mm | €2,20 |
| 9878/32 | 197 | Pipe clamp in techno polymeric M6 for compressed air pipe - Ø 32 mm | €2,20 |

| | | | |
|---------|-----|--|--------|
| 9879/20 | 196 | Intermediate elbow connector 135° for compressed air pipe - Ø 20 x 20 mm | €12,00 |
| 9879/25 | 196 | Intermediate elbow connector 135° for compressed air pipe - Ø 25 x 25 mm | €16,00 |
| 9879/32 | 196 | Intermediate elbow connector 135° for compressed air pipe - Ø 32 x 32 mm | €24,00 |

| | | | |
|---------|-----|---|--------|
| 9880/20 | 196 | Straight male adaptor for compressed air - Ø 20 mm x M 1/2" | €6,00 |
| 9880/25 | 196 | Straight male adaptor for compressed air - Ø 25 mm x M 3/4" | €8,00 |
| 9880/32 | 196 | Straight male adaptor for compressed air - Ø 32 mm x M 1" | €12,40 |

| | | | |
|---------|-----|---|--------|
| 9881/20 | 196 | Straight female adaptor for compressed air - Ø 20 mm x F 1/2" | €6,00 |
| 9881/25 | 196 | Straight female adaptor for compressed air - Ø 25 mm x F 3/4" | €8,00 |
| 9881/32 | 196 | Straight female adaptor for compressed air - Ø 32 mm x F 1" | €12,00 |

| | | | |
|---------|-----|---|--------|
| 9882/20 | 196 | Intermediate straight connector for compressed air pipe - Ø 20 mm x 20 mm | €10,40 |
| 9882/25 | 196 | Intermediate straight connector for compressed air pipe - Ø 25 mm x 25 mm | €14,40 |
| 9882/32 | 196 | Intermediate straight connector for compressed air pipe - Ø 32 mm x 32 mm | €20,00 |

| | | | |
|---------|-----|--|--------|
| 9883/20 | 196 | Intermediate elbow connector 90° for compressed air pipe - Ø 20 mm x 20 mm | €11,00 |
| 9883/25 | 196 | Intermediate elbow connector 90° for compressed air pipe - Ø 25 mm x 25 mm | €14,60 |
| 9883/32 | 196 | Intermediate elbow connector 90° for compressed air pipe - Ø 32 mm x 32 mm | €24,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|---------|----------------------|---|--------|
| 9884/20 | 197 | Intermediate tee connector for compressed air pipe - Ø 20 mm x 20 mm | €16,00 |
| 9884/25 | 197 | Intermediate tee connector for compressed air pipe - Ø 25 mm x 25 mm | €22,00 |
| 9884/32 | 197 | Intermediate tee connector for compressed air pipe - Ø 32 mm x 32 mm | €32,00 |
| 9885/20 | 197 | Elbow connector 90° with wall bracket for compressed air pipe - Ø 20 mm x F 1/2" | €10,00 |
| 9885/25 | 197 | Elbow connector 90° with wall bracket for compressed air pipe - Ø 25 mm x F 3/4" | €13,00 |
| 9885/32 | 197 | Elbow connector 90° with wall bracket for compressed air pipe - Ø 32 mm x F 1" | €19,60 |
| 9886/20 | 197 | 2-ways manifold with wall bracket for compressed air pipe - Ø 20 mm x F 1/2" | €19,00 |
| 9886/25 | 197 | 2-ways manifold with wall bracket for compressed air pipe - Ø 25 mm x F 1/2" | €20,00 |
| 9887/20 | 197 | 4-ways manifold with wall bracket for compressed air pipe - Ø F 1/2" x F 1/2" | €24,00 |
| 9887/25 | 197 | 4-ways manifold with wall bracket for compressed air pipe - Ø F 3/4" x F 1/2" | €24,00 |
| 9888/20 | 197 | Ball valve for pipe/hose connection for compressed air pipe - Ø 20 mm x M 1/2" | €20,00 |
| 9888/25 | 197 | Ball valve for pipe/hose connection for compressed air pipe - Ø 25 mm x M 3/4" | €29,00 |
| 9889/20 | 197 | Intermediate ball valve for compressed air pipe - Ø 20 mm x 20 mm | €22,80 |
| 9889/25 | 197 | Intermediate ball valve for compressed air pipe - Ø 25 mm x 25 mm | €32,40 |
| 9889/32 | 197 | Intermediate ball valve for compressed air pipe - Ø 32 mm x 32 mm | €46,40 |
| 9890/20 | 196 | Elbow connector 90° for pipe/hose connection for compressed air pipe - Ø 20 mm x 1/2" | €11,40 |
| 9890/25 | 196 | Elbow connector 90° for pipe/hose connection for compressed air pipe - Ø 25 mm x 3/4" | €13,20 |
| 9890/32 | 196 | Elbow connector 90° for pipe/hose connection for compressed air pipe - Ø 32 mm x 1" | €18,40 |
| 9901 | 68 | Galvanized swivel M-F 1/2" x 1/2" BSP nipple | €6,00 |
| 9902 | 68 | Galvanized F 1/2" x M 1/2" BSP fitting | €2,40 |
| 9903 | 68 | Zinc plated adaptor M 1/2" x F 3/4" BSP | €3,20 |
| 9905 | 68 | Galvanized F 1/2" x M 1/4" BSP fitting | €2,60 |
| 9906 | 68 | Galvanized F 1/2" x M 3/8" BSP fitting | €2,60 |
| 9907 | - | Stainless steel adapter M-M 1/2" x 3/4" BSP | €18,00 |
| 9908 | - | Stainless steel adapter M-M 1/2" x 1/2" BSP | €9,00 |
| 9909 | - | Stainless steel adapter M-M 1/2" x 3/8" BSP | €9,00 |
| 9910 | 68 | Zinc plated adapter M-M 1/2" x 1/2" BSP | €2,20 |
| 9911 | 68 | Zinc plated adapter M-M 1/2" x 3/8" BSP | €2,20 |
| 9912 | 68 | Zinc plated adapter M-M 1/2" x 1/4" BSP | €2,20 |
| 9915 | 68 | Zinc plated adapter M-M 1/2" x 3/4" BSP | €2,80 |
| 9916 | 68 | Zinc plated adaptor F 1/2" x F 1/2" BSP | €2,20 |
| 9920 | - | Stainless steel adapter M-M 1" x 1" BSP | €22,00 |
| 9921 | - | Brass adapter M-M 1/2" x 1/2" BSP (for compressed air) | €2,20 |
| 9922 | - | Brass adapter M-M 1"x 1" BSP | €4,40 |
| 9924 | 68 | Zinc plated adapter M-M 1"x 3/4" BSP | €4,60 |
| 9925 | 68 | Zinc plated adapter M-M 3/4"x 3/4" BSP | €3,20 |
| 9926 | - | Brass adapter M-M 1/2" x 1/4" BSP | €2,20 |
| 9927 | 68 | Zinc plated adapter M-M 1"x 1" BSP | €4,60 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---------------------|-------|
|------|----------------------|---------------------|-------|

| | | | |
|------|----|--------------------------------------|-------|
| 9928 | 68 | Zinc plated adapter M-M 1"x 1/2" BSP | €4,60 |
| 9929 | - | Brass adapter M-M 1/2" x 3/8" BSP | €2,40 |

| | | | |
|------|----|--|--------|
| 9934 | - | Stainless steel adapter M-M 1" BSP with swivelling elbow F 1" M 3/4" BSP. For hose reel | €56,00 |
| 9935 | - | Stainless steel adapter M-F 1" BSP with swivelling elbow F 1" M 1" BSP. For hose reel | €58,00 |
| 9936 | - | Zinc plated steel adapter F 1" - M 3/4" BSP with swivelling elbow F 1" - M 3/4" BSP. For hose reel | €30,00 |
| 9937 | - | Zinc plated steel adapter F 1" - M 1" BSP with swivelling elbow F 1" - M 1" BSP. For hose reel | €34,00 |
| 9939 | 68 | Galvanized 90° M 1/2" - F 1/2" BSP bend | €4,20 |

| | | | |
|------|-----|------------------------------------|--------|
| 9940 | 227 | Hose-bumper guide for Ø 3/4" hoses | €10,00 |
| 9941 | 227 | Hose-bumper guide for Ø 1" hoses | €10,00 |
| 9942 | 227 | Hose-bumper guide for Ø 1/4" hoses | €3,00 |
| 9943 | 227 | Hose-bumper guide for Ø 3/8" hoses | €3,00 |
| 9944 | 227 | Hose-bumper guide for Ø 1/2" hoses | €3,00 |

| | | | |
|------|-----|---|--------|
| 9947 | 226 | Gooseneck in galvanized steel for hose reels series EVO, 3/4" M, internal Ø 19 mm | €44,00 |
| 9948 | 68 | Gooseneck in galvanized steel for hose reels series EVO, 1" M, internal Ø 20 mm | €46,00 |
| 9949 | 226 | Gooseneck in galvanized steel for hose reels series EVO, 1 1/4" M, internal Ø 25 mm | €54,00 |

| | | | |
|------|-----|--|---------|
| 9950 | 224 | Swivel joint for hose reel, 1/4" M - gasket polyurethane - P. max 900 bar, T. max 60°C, internal Ø 3 mm | €38,00 |
| 9951 | 224 | Swivel joint for hose reel, 1/2" M - gasket polyurethane - P. max 600 bar, T. max 60°C, internal Ø 10 mm - standard swivel joint for painted steel grease hose reels | €22,00 |
| 9952 | 224 | Swivel joint for hose reel, 1/2" M - gasket polyurethane - P. max 200 bar, T. max 60°C, internal Ø 12 mm - standard swivel joint for painted hose reels for oil | €24,00 |
| 9953 | 224 | Swivel joint for hose reel, 1/2" M - gasket EPDM - P. max 200 bar, T. max 150°C, internal Ø 10 mm | €30,00 |
| 9955 | 225 | Stainless steel swivel joint AISI 303 for hose reel M 22 x 1,5 - gasket EPDM - P. max 200 bar, T. max 150°C, internal Ø 10 mm | €44,00 |
| 9958 | 224 | Straight high pressure swivel joint in galvanized steel - gasket NBR - P. max 1050 bar, T. max 60° C | €142,00 |
| 9961 | 225 | Stainless steel swivel joint AISI 303 for hose reel 1/2" M - gasket FFKM - P. max 400 bar, T. max 200°C, internal Ø 10 mm | €82,00 |
| 9962 | 225 | Stainless steel swivel joint AISI 316 for hose reel 1/2" M - gasket FFKM - P. max 400 bar, T. max 200°C, internal Ø 10 mm | €122,00 |
| 9963 | 225 | Stainless steel swivel joint AISI 303 for hose reel, 1/2" M - gasket EPDM - P. max 200 bar, T. max 150°C, internal Ø 10 mm - standard swivel joint for stainless steel hose reels up to 1/2" | €38,00 |
| 9964 | 225 | Stainless steel swivel joint AISI 303 for hose reel, 1/2" F - gasket EPDM - P. max 200 bar, T. max 150°C, internal Ø 10 mm | €40,00 |
| 9966 | 225 | Stainless steel swivel joint AISI 303 for hose reel, 1/2" F - gasket FFKM - P. max 600 bar, T. max 200°C, internal Ø 10 mm | €128,00 |
| 9967 | 225 | Stainless steel swivel joint AISI 303 for hose reel, 1/2" M - gasket EPDM - P. max 200 bar, T. max 150°C, internal Ø 12 mm | €48,00 |
| 9969 | 224 | Zinc plated swivel joint, 1" M - gasket Viton® - P. max 100 bar, T. max 100° C, internal Ø 20 mm - standard swivel joint for painted reels up to 1" | €64,00 |

| Code | 2017 Cat. Pag. | ARTICLE DESCRIPTION | Price |
|------|----------------------|---|---------|
| 9970 | - | Stainless steel swivel joint for hose reel - 1" M - gasket EPDM - P. max 100 bar, T. max 40°C, internal Ø 20 mm - standard swivel joint for stainless steel hose reels up to 1" | €80,00 |
| 9973 | - | Brass swivel joint/AVP for hose reel - 1" M - gasket NBR - P. max 20 bar, T. max 60°C, internal Ø 20 mm - standard swivel joint for painted hose reels up to 1" | €32,00 |
| 9974 | - | Brass swivel joint/AVP for hose reel - 1" F - gasket NBR - P. max 20 bar, T. max 60°C, internal Ø 20 mm | €30,00 |
| 9975 | - | Brass swivel joint/AVP for hose reel - 1"1/4" F - gasket NBR - P. max 20 bar, T. max 60°C, internal Ø 25 mm | €50,00 |
| 9979 | 224 | Zinc plated swivel joint, 1" M - gasket FFKM - P. max 200 bar, T. max 100° C, internal Ø 20 mm | €84,00 |
| 9981 | 225 | Stainless steel swivel joint AISI 316 for hose reel 1" M - gasket FFKM - P. max 200 bar - T. max 100°C - internal Ø 22 mm | €200,00 |
| 9982 | 225 | Stainless steel swivel joint AISI 303 for hose reel 1"1/4" M with elbow - gasket Viton® - P. max 10 bar - T. max 100°C - internal Ø 26 mm | €310,00 |
| 9983 | 225 | Stainless steel swivel joint AISI 303 for hose reel 1"1/2" M with elbow - gasket Viton® - P. max 10 bar - T. max 100°C - internal Ø 33 mm | €340,00 |
| 9986 | 225 | Stainless steel swivel joint AISI 303 for hose reel 1" M - gasket Viton® - P. max 100 bar - T. max 100°C - internal Ø 20 mm | €114,00 |
| 9987 | 225 | Stainless steel swivel joint AISI 303 for hose reel 1" M - gasket FFKM - P. max 200 bar - T. max 100°C - internal Ø 22 mm | €138,00 |
| 9988 | 226 | Zinc plated pivot for hose reel EVO series, 1/2" M, internal Ø 12 mm | €24,00 |
| 9989 | 226 | Stainless steel pivot for hose reel in AISI 304 - EVO series - 1/2" M, internal Ø 12 mm | €40,00 |
| 9991 | 226 | Hose connection adaptors in galvanized steel for hose reel EVO series, 3/4" M, internal Ø 19 mm | €42,00 |
| 9992 | 226 | Hose connection adaptors in galvanized steel for hose reel EVO series, 1" M, internal Ø 20 mm | €46,00 |
| 9993 | 226 | Hose connection adaptors in stainless steel AISI 304 for hose reel EVO series, 3/4" M, internal Ø 19 mm | €68,00 |
| 9994 | 226 | Hose connection adaptors in stainless steel AISI 304 for hose reel EVO series, 1" M, internal Ø 20 mm | €72,00 |
| 9996 | 226 | Gooseneck in stainless steel AISI 304 for hose reels series EVO, 3/4" M, internal Ø 19 mm | €70,00 |
| 9997 | 226 | Gooseneck in stainless steel AISI 304 for hose reels series EVO, 1" M, internal Ø 20 mm | €74,00 |
| /HB | 204 | Hydraulic spring brake kit for spring-driven hose reel models | €180,00 |